

## Reference List of Indexed Articles

This Reference List of Indexed Articles belongs to the Subject Index Volumes 1–200 (pp. 5–436 of this issue).

1. A. Schönhage, A lower bound for the length of addition chains **1** (1) (1976) 1–12
2. M.S. Paterson, Complexity of monotone networks for Boolean matrix product **1** (1) (1976) 13–20
3. V. Strassen, Die Berechnungskomplexität der symbolischen Differentiation von Interpolationspolynomen **1** (1) (1976) 21–25
4. G.P. Huet, A unification algorithm for typed  $\bar{\lambda}$ -calculus **1** (1) (1976) 27–57
5. A. Ehrenfeucht, K.P. Lee and G. Rozenberg, Subword complexities of various classes of deterministic developmental languages without interactions **1** (1) (1976) 59–75
6. A. Reedy and W.J. Savitch, The Turing degree of the inherent ambiguity problem for context-free languages **1** (1) (1976) 77–91
7. A. Restivo, A combinatorial property of codes having finite synchronization delay **1** (2) (1976) 95–101
8. R.E. Ladner, N.A. Lynch and A.L. Selman, A comparison of polynomial time reducibilities **1** (2) (1976) 103–123
9. G.D. Plotkin, Call-by-name, call-by-value and the  $\lambda$ -calculus **1** (2) (1976) 125–159
10. L.H. Harper, W.N. Hsieh and J.E. Savage, A class of Boolean functions with linear combinational complexity **1** (2) (1976) 161–183
11. F.P. Preparata, A fast stable sorting algorithm with absolutely minimum storage **1** (2) (1976) 185–190
12. R. Moll, An operator embedding theorem for complexity classes of recursive functions **1** (3) (1976) 193–198
13. J. van Leeuwen and D. Wood, A decomposition theorem for hyperalgebraic extensions of language families **1** (3) (1976) 199–214
14. R.V. Book, Translational lemmas, polynomial time, and  $(\log n)^j$ -space **1** (3) (1976) 215–226
15. M. Mignotte, Algorithmes relatifs à la décomposition des polynômes **1** (3) (1976) 227–235
16. M.R. Garey, D.S. Johnson and L. Stockmeyer, Some simplified *NP*-complete graph problems **1** (3) (1976) 237–267
17. S.A. Greibach, Remarks on the complexity of nondeterministic counter languages **1** (4) (1976) 269–288
18. C.P. Schnorr, The combinational complexity of equivalence **1** (4) (1976) 289–295
19. E.P. Friedman, The inclusion problem for simple languages **1** (4) (1976) 297–316
20. J. Karhumäki, Two theorems concerning recognizable *N*-subsets of  $\sigma^*$  **1** (4) (1976) 317–323
21. A. Ehrenfeucht, G. Rozenberg and S. Skyum, A relationship between ETOL and EDTOL languages **1** (4) (1976) 325–330
22. W. Marek and Z. Pawlak, Information storage and retrieval systems: Mathematical foundations **1** (4) (1976) 331–354
23. M.L. Fredman, How good is the information theory bound in sorting **1** (4) (1976) 355–361
24. I. Mezník, On some subclasses of the class of generable languages **2** (1) (1976) 1–7

25. J. Engelfriet, Surface tree languages and parallel derivation trees 2 (1) (1976) 9–27
26. S. Ginsburg, J. Goldstine and S. Greibach, Some uniformly erasable families of languages 2 (1) (1976) 29–44
27. G.J. Chaitin, Information-theoretic characterizations of recursive infinite strings 2 (1) (1976) 45–48
28. P.M.B. Vitányi, Deterministic Lindenmayer languages, nonterminals and homomorphisms 2 (1) (1976) 49–71
29. M. Machtey, Minimal pairs of polynomial degrees with subexponential complexity 2 (1) (1976) 73–76
30. M. Hack, The equality problem for vector addition systems is undecidable 2 (1) (1976) 77–95
31. J.-J. Lévy, An algebraic interpretation of the  $\lambda\beta K$ -calculus; and an application of a labelled  $\lambda$ -calculus 2 (1) (1976) 97–114
32. G.T. Herman and A. Walker, On the stability of some biological schemes with cellular interactions 2 (1) (1976) 115–130
33. H. Egli and R.L. Constable, Computability concepts for programming language semantics 2 (2) (1976) 133–145
34. J.I. Seiferas and R. McNaughton, Regularity-preserving relations 2 (2) (1976) 147–154
35. J.W. De Bakker, Least fixed points revisited 2 (2) (1976) 155–181
36. B.K. Rosen, Correctness of parallel programs: the Church–Rosser approach 2 (2) (1976) 183–207
37. L. Boasson, Languages algébriques, paires inérantes et transductions rationnelles 2 (2) (1976) 209–223
38. M.B. Trakhtenbrot, Relationships between classes of monotonic functions 2 (2) (1976) 225–247
39. B. Vilfan, Lower bounds for the size of expressions for certain functions in  $d$ -ary logic 2 (2) (1976) 249–269
40. O.H. Ibarra, S.K. Sahni and C.E. Kim, Finite automata with multiplication 2 (3) (1976) 271–294
41. F.N. Springsteel, On the pre-AFL of  $[\log n]$  space and related families of languages 2 (3) (1976) 295–304
42. C.P. Schnorr, A lower bound on the number of additions in monotone computations 2 (3) (1976) 305–315
43. M. Soittola, Positive rational sequences 2 (3) (1976) 317–322
44. M. Dezani-Ciancaglini, Characterization of normal forms possessing inverse in the  $\lambda$ - $\beta$ - $\eta$ -calculus 2 (3) (1976) 323–337
45. S. Even and R.E. Tarjan, Computing an  $st$ -numbering 2 (3) (1976) 339–344
46. E. Minicozzi, Some natural properties of strong-identification in inductive inference 2 (3) (1976) 345–360
47. H.B. Hunt, III, D.J. Rosenkrantz and T.G. Szymanski, The covering problem for linear context-free grammars 2 (3) (1976) 361–382
48. W.J. Paul, Realizing Boolean functions on disjoint sets of variables 2 (3) (1976) 383–396
49. M.S. Paterson and L.G. Valiant, Circuit size is nonlinear in depth 2 (3) (1976) 397–400
50. L.J. Stockmeyer, The polynomial-time hierarchy 3 (1) (1976) 1–22
51. C. Wrathall, Complete sets and the polynomial-time hierarchy 3 (1) (1976) 23–33
52. G. Lallement, Regular semigroups with  $\mathcal{D} = \mathcal{R}$  as syntactic monoids of prefix codes 3 (1) (1976) 35–49
53. G. Hotz, Schranken für balanced trees bei ausgewogenen Verteilungen 3 (1) (1976) 51–59
54. B. Monien, A recursive and a grammatical characterization of the exponential-time languages 3 (1) (1976) 61–74
55. K. Culik, II, On the decidability of the sequence equivalence problem for D0L-systems 3 (1) (1976) 75–84
56. T. Araki and T. Kasami, Some decision problems related to the reachability problem for Petri nets 3 (1) (1976) 85–104
57. N.D. Jones and W.T. Laaser, Complete problems for deterministic polynomial time 3 (1) (1976) 105–117
58. F.P. Preparata, A fast stable sorting algorithm with absolutely minimum storage (*Corrigendum*) 3 (1) (1976) 121
59. D.C. Jensen and T. Pietrzykowski, Mechanizing  $\omega$ -order type theory through unification 3 (2) (1976) 123–171
60. D. Park, Finiteness is mu-ineffable 3 (2) (1976) 173–181
61. W. Lipski, Jr., Information storage and retrieval – mathematical foundations II (combinatorial problems) 3 (2) (1976) 183–211
62. J. Hartmanis and L. Berman, On tape bounds for single letter alphabet language processing 3 (2) (1976) 213–224

63. H. Barendregt, A global representation of the recursive functions in the  $\lambda$ -calculus 3 (2) (1976) 225–242
64. M.P. Schützenberger, Sur les relations rationnelles entre monoides libres 3 (2) (1976) 243–259
65. P.H. Starke, Analyse und Synthese von asynchronen ND-Automaten 3 (2) (1976) 261–266
66. A. Schönhage, An elementary proof for Strassen's degree bound 3 (2) (1976) 267–272
67. T.G. Szymanski, Concerning bounded-right-context grammars 3 (3) (1976) 273–282
68. K. Ruohonen, Zeros of Z-rational functions and DOL equivalence 3 (3) (1976) 283–292
69. A.K. Chandra, D.S. Hirschberg and C.K. Wong, Approximate algorithms for some generalized knapsack problems 3 (3) (1976) 293–304
70. C. Beeri, An improvement on Valiant's decision procedure for equivalence of deterministic finite turn pushdown machines 3 (3) (1976) 305–320
71. D.E. Knuth and L.T. Pardo, Analysis of a simple factorization algorithm 3 (3) (1976) 321–348
72. R.J. Lipton and D. Dobkin, Complexity measures and hierarchies for the evaluation of integers and polynomials 3 (3) (1976) 349–357
73. D.S. Wise, A strong pumping lemma for context-free languages 3 (3) (1976) 359–369
74. R.L. Rivest and J. Vuillemin, On recognizing graph properties from adjacency matrices 3 (3) (1976) 371–384
75. R. Milner, Fully abstract models of typed  $\lambda$ -calculi 4 (1) (1977) 1–22
76. Z. Galil, On the complexity of regular resolution and the Davis–Putnam procedure 4 (1) (1977) 23–46
77. M.P. Schützenberger, Sur une variante des fonctions séquentielles 4 (1) (1977) 47–57
78. D.J. Lehmann, Algebraic structures for transitive closure 4 (1) (1977) 59–76
79. J. Vuillemin, Comment vérifier l'associativité d'une table de groupe 4 (1) (1977) 77–82
80. M. Linna, A decidability result for deterministic  $\omega$ -context-free languages 4 (1) (1977) 83–98
81. T. Araki and T. Kasami, Decidable problems on the strong connectivity of Petri net reachability sets 4 (1) (1977) 99–119
82. S. Even and R.E. Tarjan, Computing an  $st$ -numbering (*Corrigendum*) 4 (1) (1977) 123
83. G. Markowsky, Categories of chain-complete posets 4 (2) (1977) 125–135
84. C. Hosono and M. Sato, The retracts in  $P\omega$  do not form a continuous lattice – a solution to Scott's problem 4 (2) (1977) 137–142
85. M.M. Geller, H.B. Hunt, III, T.G. Szymanski and J.D. Ullman, Economy of description by parsers, DPDA's, and PDA's 4 (2) (1977) 143–153
86. J. Françon, On the analysis of algorithms for trees 4 (2) (1977) 155–169
87. H.-G. Stork, On the paging-complexity of periodic arrangements 4 (2) (1977) 171–197
88. H. Maurer, T. Ottmann and A. Salomaa, On the form equivalence of  $L$ -forms 4 (2) (1977) 199–225
89. J. Ferrante and J.R. Geiser, An efficient decision procedure for the theory of rational order 4 (2) (1977) 227–233
90. D.J. Lehmann, A note on Schnorr's separatedness 4 (2) (1977) 235
91. C.H. Papadimitriou, The euclidean traveling salesman problem is NP-complete 4 (3) (1977) 237–244
92. M.M. Geller and M.A. Harrison, On  $LR(k)$  grammars and languages 4 (3) (1977) 245–276
93. N.D. Jones, L.H. Landweber and Y.E. Lien, Complexity of some problems in Petri nets 4 (3) (1977) 277–299
94. R. Daley, On the inference of optimal descriptions 4 (3) (1977) 301–319
95. T. Olshansky and A. Pnueli, A direct algorithm for checking equivalence of  $LL(k)$  grammars 4 (3) (1977) 321–349
96. W.A. Burkhard, Non-uniform partial-match file designs 5 (1) (1977) 1–23
97. Y.S. Kwong, On reduction of asynchronous systems 5 (1) (1977) 25–50
98. L. Chottin, Etude syntaxique de certains langages solutions d'équations avec opérateurs 5 (1) (1977) 51–84
99. J. Engelfriet, Iterating iterated substitution 5 (1) (1977) 85–100
100. A. Mandel and I. Simon, On finite semigroups of matrices 5 (2) (1977) 101–111
101. A.B. Cremers and T.N. Hibbard, On the formal definition of dependencies between the control and information structure of a data space 5 (2) (1977) 113–128
102. M. Latteux, Produit dans le cône rationnel engendré par  $D_1^*$  5 (2) (1977) 129–134
103. L. Aiello, M. Aiello and R.W. Weyhrauch, Pascal in LCF: Semantics and examples of proof 5 (2) (1977) 135–177

104. Z. Galil and N. Megiddo, Cyclic ordering is NP-complete 5 (2) (1977) 179–182
105. G. Jacob, Un algorithme calculant le cardinal, fini ou infini, des demi-groupes de matrices 5 (2) (1977) 183–204
106. M.D. Atkinson, The complexity of group algebra computations 5 (2) (1977) 205–209
107. J. Karhumäki, Remarks on commutative  $N$ -rational series 5 (2) (1977) 211–217
108. C. Reutenauer, On a question of S. Eilenberg 5 (2) (1977) 219
109. G.D. Plotkin, LCF considered as a programming language 5 (3) (1977) 223–255
110. M.B. Smyth, Effectively given domains 5 (3) (1977) 257–274
111. C.C. Elgot and L. Snyder, On the many facets of lists 5 (3) (1977) 275–305
112. S. Ginsburg and E.H. Spanier, Pushdown acceptor forms 5 (3) (1977) 307–320
113. H. Luckhardt, A fundamental effect in computations on real numbers 5 (3) (1977) 321–324
114. C. Choffrut, Une caractérisation des fonctions séquentielles et des fonctions sous-séquentielles en tant que relations rationnelles 5 (3) (1977) 325–337
115. G. Rozenberg, M. Penttonen and A. Salomaa, Bibliography of L systems 5 (3) (1977) 339–354
116. R.S. Cohen and A.Y. Gold,  $\omega$ -computations on Turing machines 6 (1) (1978) 1–23
117. N. Lynch, Log space machines with multiple oracle tapes 6 (1) (1978) 25–39
118. H. Abelson, Towards a theory of local and global in computation 6 (1) (1978) 41–67
119. K. Čulik, II, H.A. Maurer and T. Ottmann, On two-symbol complete EOL forms 6 (1) (1978) 69–92
120. D.S. Johnson and F.P. Preparata, The densest hemisphere problem 6 (1) (1978) 93–107
121. Z. Manna and A. Shamir, The convergence of functions to fixedpoints of recursive definitions 6 (2) (1978) 109–141
122. K. Čulik, II, H.A. Maurer, T. Ottmann, K. Ruohonen and A. Salomaa, Isomorphism, form equivalence and sequence equivalence of PDOL forms 6 (2) (1978) 143–173
123. S.A. Greibach, One way finite visit automata 6 (2) (1978) 175–221
124. C. Rackoff, The covering and boundedness problems for vector addition systems 6 (2) (1978) 223–231
125. V.L. Bennisson and R.I. Soare, Some lowness properties and computational complexity sequences 6 (3) (1978) 233–254
126. B. Courcelle, A representation of trees by languages I 6 (3) (1978) 255–279
127. D.E. Knuth and A. Schönhage, The expected linearity of a simple equivalence algorithm 6 (3) (1978) 281–315
128. D. Bollman and M. Laplaza, Some decision problems for polynomial mappings 6 (3) (1978) 317–325
129. A. Ehrenfeucht and G. Rozenberg, EOL languages are not codings of FPOL languages 6 (3) (1978) 327–341
130. H. Abelson, Towards a theory of local and global in computation (*Corrigendum*) 6 (3) (1978) 343
131. H.F. de Groote, On varieties of optimal algorithms for the computation of bilinear mappings I. The isotropy group of a bilinear mapping 7 (1) (1978) 1–24
132. B. Courcelle, A representation of trees by languages II 7 (1) (1978) 25–55
133. J.B. Wright, E.G. Wagner and J.W. Thatcher, A uniform approach to inductive posets and inductive closure 7 (1) (1978) 57–77
134. P. van Emde Boas, Some applications of the McCreight–Meyer algorithm in abstract complexity theory 7 (1) (1978) 79–98
135. R. Verbeek and K. Weihrauch, Data representation and computational complexity 7 (2) (1978) 99–116
136. M. Mignotte, Intersection des images de certaines suites récurrentes linéaires 7 (2) (1978) 117–122
137. H.F. de Groote, On varieties of optimal algorithms for the computation of bilinear mappings II. Optimal algorithms for  $2 \times 2$ -matrix multiplication 7 (2) (1978) 127–148
138. K. Kobayashi, On the minimal firing time of the firing squad synchronization problem for polyautomata networks 7 (2) (1978) 149–167
139. A. Ehrenfeucht and G. Rozenberg, Elementary homomorphisms and a solution of the DOL sequence equivalence problem 7 (2) (1978) 169–183
140. R.V. Book and C. Wrathall, On languages specified by relative acceptance 7 (2) (1978) 185–195
141. J.-F. Perrot, Varieties de langages et operations 7 (2) (1978) 197–210
142. J.E. Pin, Sur le monoïde syntactique de  $L^*$  lorsque  $L$  est un langage fini 7 (2) (1978) 211–215
143. D.E. Muller and F.P. Preparata, Finding the intersection of two convex polyhedra 7 (2) (1978) 217–236

144. H.F. de Groote, On varieties of optimal algorithms for the computation of bilinear mappings III. Optimal algorithms for the computation of  $xy$  and  $yx$  where  $x, y \in M_2(K)^*$  7 (3) (1978) 239–249
145. C.P. Schnorr, Improved lower bounds on the number of multiplications/divisions which are necessary to evaluate polynomials 7 (3) (1978) 251–261
146. S. Skyum, On good ETOL forms 7 (3) (1978) 263–272
147. J. Hartmanis, On log-tape isomorphisms of complete sets 7 (3) (1978) 273–286
148. O.H. Ibarra, On two-way sequential transductions of full semi-AFL's 7 (3) (1978) 287–309
149. S.A. Greibach, Remarks on blind and partially blind one-way multicounter machines 7 (3) (1978) 311–324
150. M. Kleiman and N. Pippenger, An explicit construction of short monotone formulae for the monotone symmetric functions 7 (3) (1978) 325–332
151. E.P. Friedman, A note on non-singular deterministic pushdown automata 7 (3) (1978) 333–339
152. E. Soisalon-Soininen, On the covering problem for left-recursive grammars 8 (1) (1979) 1–11
153. M. Wand, Fixed-point constructions in order-enriched categories 8 (1) (1979) 13–30
154. W. Bibel, Tautology testing with a generalized matrix reduction method 8 (1) (1979) 31–44
155. F.P. Preparata and D.E. Muller, Finding the intersection of  $n$  half-spaces in time  $O(n \log n)$  8 (1) (1979) 45–55
156. P. Johansen, The generating function of the number of subpatterns of a DOL sequence 8 (1) (1979) 57–68
157. K. Hashiguchi, A decision procedure for the order of regular events 8 (1) (1979) 69–72
158. K.R. Apt, J.A. Bergstra and L.G.L.T. Meertens, Recursive assertions are not enough – or are they 8 (1) (1979) 73–87
159. M.E. Majster, Data types, abstract data types and their specification problem 8 (1) (1979) 89–127
160. J. Hopcroft and J.-J. Pansiot, On the reachability problem for 5-dimensional vector addition systems 8 (2) (1979) 135–159
161. H. Prodinger and F.J. Urbanek, Language operators related to Init 8 (2) (1979) 161–175
162. T.P. Baker and A.L. Selman, A second step toward the polynomial hierarchy 8 (2) (1979) 177–187
163. L.G. Valiant, The complexity of computing the permanent 8 (2) (1979) 189–201
164. P. Pudlák and F.N. Springsteel, Complexity in mechanized hypothesis formation 8 (2) (1979) 203–225
165. P. Hájek, Arithmetical hierarchy and complexity of computation 8 (2) (1979) 227–237
166. J. Hartmanis, Relations between diagonalization, proof systems, and complexity gaps 8 (2) (1979) 239–253
167. J. Morgenstern, Une extension du théorème de Winograd 8 (2) (1979) 255–259
168. A. Arnold and M. Latteux, A new proof of two theorems about rational transductions 8 (2) (1979) 261–263
169. C. Böhm, M. Dezani-Ciancaglini, P. Peretti and S. Ronchi della Rocca, A discrimination algorithm inside  $\lambda$ - $\beta$ -calculus 8 (3) (1979) 271–291
170. J. Beauquier, Générateurs algébriques et systèmes de paires itérantes 8 (3) (1979) 293–323
171. C.C. Elgot and J.C. Shepherdson, A semantically meaningful characterization of reducible flowchart schemes 8 (3) (1979) 325–357
172. S. Winograd, On multiplication in algebraic extension fields 8 (3) (1979) 359–377
173. D. Dolev, Commutation properties and generating sets characterize slices of various synchronization primitives 8 (3) (1979) 379–391
174. R. Hindley, The discrimination theorem holds for combinatory weak reduction 8 (3) (1979) 393–394
175. J.-M. Autebert, Une note sur le cylindre des langages déterministes 8 (3) (1979) 395–399
176. D.A. Plaisted, Fast verification, testing, and generation of large primes 9 (1) (1979) 1–16
177. J.-P. Duval, Périodes et répétitions des mots du monoïde libre 9 (1) (1979) 17–26
178. J. Bergstra and J.W. Klop, Church-Rosser strategies in the lambda calculus 9 (1) (1979) 27–38
179. I. Guessarian, Program transformations and algebraic semantics 9 (1) (1979) 39–65
180. R. Statman, Intuitionistic propositional logic is polynomial-space complete 9 (1) (1979) 67–72
181. R. Statman, The typed  $\lambda$ -calculus is not elementary recursive 9 (1) (1979) 73–81
182. I. Wegener, Switching functions whose monotone complexity is nearly quadratic 9 (1) (1979) 83–97
183. P. Flajolet, J.C. Raoult and J. Vuillemin, The number of registers required for evaluating arithmetic expressions 9 (1) (1979) 99–125

184. G. Wechsung and A. Brandstädt, A relation between space, return and dual return complexities **9** (1) (1979) 127–140
185. G. Christol, Ensembles presque périodiques  $k$ -reconnaissables **9** (1) (1979) 141–145
186. I. Wegener, A counterexample to a conjecture of Schnorr referring to monotone networks **9** (1) (1979) 147–150
187. A. Tang, Chain properties in  $P\omega$  **9** (2) (1979) 153–172
188. M.A. Harrison, I.M. Havel and A. Yehudai, On equivalence of grammars through transformation trees **9** (2) (1979) 173–205
189. J. Karhumäki, On commutative DTOL systems **9** (2) (1979) 207–220
190. D. Perrin, La représentation ergodique d'un automate fini **9** (2) (1979) 221–241
191. E.A. Ashcroft and F.E. Fich, A generalized setting for fixpoint theory **9** (2) (1979) 243–256
192. S.L. Bloom and R. Tindell, Algebraic and graph theoretic characterizations of structured flowchart schemes **9** (3) (1979) 265–286
193. A. Nijholt, Simple chain grammars and languages **9** (3) (1979) 287–309
194. K. Inoue, I. Takanami, A. Nakamura and T. Ae, One-way simple multihead finite automata **9** (3) (1979) 311–328
195. R. Aubin, Mechanizing structural induction Part I: Formal system **9** (3) (1979) 329–345
196. R. Aubin, Mechanizing structural induction Part II: Strategies **9** (3) (1979) 347–362
197. C. Reutenauer, Sur les séries associées à certains systèmes de Lindenmayer **9** (3) (1979) 363–375
198. K. Ruohonen, On some decidability problems for HDOL systems with nonsingular Parikh matrices **9** (3) (1979) 377–384
199. F. Rodriguez, Familles de langages fermées par crochet ouvert **9** (3) (1979) 385–398
200. C.P. Schnorr, On the additive complexity of polynomials **10** (1) (1980) 1–18
201. J.A. Brzozowski and E. Leiss, On equations for regular languages, finite automata, and sequential networks **10** (1) (1980) 19–35
202. P. Kârka, Applicability of a production in a categorical grammar **10** (1) (1980) 37–44
203. A. Ehrenfeucht and G. Rozenberg, Every two equivalent DOL systems have a regular true envelope **10** (1) (1980) 45–52
204. W. Hartmann and P. Schuster, Multiplicative complexity of some rational functions **10** (1) (1980) 53–61
205. S. Zaks, Lexicographic generation of ordered trees **10** (1) (1980) 63–82
206. C.P. Schnorr, A  $3n$ -lower bound on the network complexity of Boolean functions **10** (1) (1980) 83–92
207. J. Biskup, Inferences of multivalued dependencies in fixed and undetermined universes **10** (1) (1980) 93–105
208. H. Prodinger, On the interpolation of DOL-sequences **10** (1) (1980) 107–108
209. S. Fortune, J. Hopcroft and J. Wyllie, The directed subgraph homeomorphism problem **10** (2) (1980) 111–121
210. K. Lieberherr, P-optimal heuristics **10** (2) (1980) 123–131
211. E. Wiedmer, Computing with infinite objects **10** (2) (1980) 133–155
212. A. De Luca and A. Restivo, On some properties of very pure codes **10** (2) (1980) 157–170
213. J. Staples, Computation on graph-like expressions **10** (2) (1980) 171–185
214. I.M. Havel, On branching and looping, Part I **10** (2) (1980) 187–220
215. D. Kozen, Complexity of Boolean algebras **10** (3) (1980) 221–247
216. R. Cohen and A. Gold, On the complexity of  $\omega$ -type Turing acceptors **10** (3) (1980) 249–272
217. I.M. Havel, On branching and looping, Part II **10** (3) (1980) 273–295
218. J. Staples, Optimal evaluations of graph-like expressions **10** (3) (1980) 297–316
219. K.N. King, Iteration theorems for families of strict deterministic languages **10** (3) (1980) 317–333
220. M. Sipser, Halting space-bounded computations **10** (3) (1980) 335–338
221. D.P. Dobkin and S.P. Reiss, The complexity of linear programming **11** (1) (1980) 1–18
222. J. Bergstra and J.W. Klop, Invertible terms in the lambda calculus **11** (1) (1980) 19–37
223. J. Staples, Speeding up subtree replacement systems **11** (1) (1980) 39–47
224. N. Pippenger, On another Boolean matrix **11** (1) (1980) 49–56
225. A.R. Bruss and A.R. Meyer, On time-space classes and their relation to the theory of real addition **11** (1) (1980) 59–69
226. L. Berman, The complexity of logical theories **11** (1) (1980) 71–77

227. M. Morisaki and K. Sakai, A complete axiom system for rational sets with multiplicity **11** (1) (1980) 79–92
228. L. Kučera, J. Nešetřil and A. Pultr, Complexity of dimension three and some related edge-covering characteristics of graphs **11** (1) (1980) 93–106
229. G. Hotz, Eine neue Invariante für kontextfreie Sprachen **11** (1) (1980) 107–116
230. F. Harary, Graph theoretic models **11** (2) (1980) 117–121
231. E. Börger and H.K. Büning, The reachability problem for Petri nets and decision problems for Skolem arithmetic **11** (2) (1980) 123–143
232. A.L. Rosenberg, L.J. Stockmeyer and L. Snyder, Uniform data encodings **11** (2) (1980) 145–165
233. W.M. Beynon, On the structure of free finite state machines **11** (2) (1980) 167–180
234. A. Arnold and M. Nivat, Metric interpretations of infinite trees and semantics of nondeterministic recursive programs **11** (2) (1980) 181–205
235. B. Bougaut, Algorithme explicite pour la recherche du p.g.c.d. dans certains anneaux principaux d'entiers de corps de nombres **11** (2) (1980) 207–220
236. B. Vauquelin and P. Franchi-Zannettacci, Automates a file **11** (2) (1980) 221–225
237. M.C.B. Hennessy and E.A. Ashcroft, A mathematical semantics for a nondeterministic typed  $\lambda$ -calculus **11** (3) (1980) 227–245
238. H. Ehrig and B.K. Rosen, Parallelism and concurrency of graph manipulations **11** (3) (1980) 247–275
239. D. Kozen, Indexings of subrecursive classes **11** (3) (1980) 277–301
240. N. Blum and K. Mehlhorn, On the average number of rebalancing operations in weight-balanced trees **11** (3) (1980) 303–320
241. J. Heintz and M. Sieveking, Lower bounds for polynomials with algebraic coefficients **11** (3) (1980) 321–330
242. J. von zur Gathen and V. Strassen, Some polynomials that are hard to compute **11** (3) (1980) 331–335
243. Å.B. Netto, There are infinitely many complete prefix codes of constant length  $l$  ( $l \geq 3$ ) **11** (3) (1980) 337–339
244. M. Ben-Ari, Comments on “tautology testing with a generalized matrix reduction method” **11** (3) (1980) 341
245. J.M. Jaffe, Efficient scheduling of tasks without full use of processor resources **12** (1) (1980) 1–17
246. N. Saheb-Djahromi, CPO's of measures for nondeterminism **12** (1) (1980) 19–37
247. J. Winkowski, Behaviours of concurrent systems **12** (1) (1980) 39–60
248. D. Harel, Proving the correctness of regular deterministic programs: A unifying survey using dynamic logic **12** (1) (1980) 61–81
249. G. Ausiello, A. Marchetti-Spaccamela and M. Protasi, Toward a unified approach for the classification of NP-complete optimization problems **12** (1) (1980) 83–96
250. L. Monier, Evaluation and comparison of two efficient probabilistic primality testing algorithms **12** (1) (1980) 97–108
251. M. Mignotte, Tests de primalité **12** (1) (1980) 109–117
252. P.W. Grant, Some more independence results in complexity theory **12** (2) (1980) 119–126
253. A. Ehrenfeucht and G. Rozenberg, On ambiguity in EOL systems **12** (2) (1980) 127–134
254. H.A. Maurer, A. Salomaa and D. Wood, Synchronized EOL forms **12** (2) (1980) 135–159
255. D. Angluin, On counting problems and the polynomial-time hierarchy **12** (2) (1980) 161–173
256. G. Cousineau, An algebraic definition for control structures **12** (2) (1980) 175–192
257. J.C. Beatty, Two iteration theorems for the  $LL(k)$  languages **12** (2) (1980) 193–228
258. J. Tiuryn, Unique fixed points vs. least fixed points **12** (3) (1980) 229–254
259. D. Dobkin and J.I. Munro, Determining the mode **12** (3) (1980) 255–263
260. A.K. Joshi, L.S. Levy and K. Yueh, Local constraints in programming languages Part I: Syntax **12** (3) (1980) 265–290
261. D.C. Oppen, Complexity, convexity and combinations of theories **12** (3) (1980) 291–302
262. L.G. Valiant, Negation can be exponentially powerful **12** (3) (1980) 303–314
263. J.I. Munro and M.S. Paterson, Selection and sorting with limited storage **12** (3) (1980) 315–323
264. J.M. Boë, A. De Luca and A. Restivo, Minimal complete sets of words **12** (3) (1980) 325–332
265. J. Gill, J. Hunt and J. Simon, Deterministic simulation of tape-bounded probabilistic Turing machine transducers **12** (3) (1980) 333–338

266. A. Ehrenfeucht and G. Rozenberg, On a bound for the D0L sequence equivalence problem **12** (3) (1980) 339–342
267. W.W. Wadge, An extensional treatment of dataflow deadlock **13** (1) (1981) 3–15
268. N.A. Lynch and M.J. Fischer, On describing the behavior and implementation of distributed systems **13** (1) (1981) 17–43
269. A. Pnueli, The temporal semantics of concurrent programs **13** (1) (1981) 45–60
270. A. Maggiolo-Schettini, H. Wedde and J. Winkowski, Modeling a solution for a control problem in distributed systems by restrictions **13** (1) (1981) 61–83
271. M. Nielsen, G. Plotkin and G. Winskel, Petri nets, event structures and domains, Part I **13** (1) (1981) 85–108
272. H.J. Genrich and K. Lautenbach, System modelling with high-level Petri nets **13** (1) (1981) 109–136
273. H. Straubing, A generalization of the Schützenberger product of finite monoids **13** (2) (1981) 137–150
274. J.E. Stoy, The congruence of two programming language definitions **13** (2) (1981) 151–174
275. D. Harel, On the total correctness of nondeterministic programs **13** (2) (1981) 175–192
276. J.H. Gallier, Nondeterministic flowchart programs with recursive procedures: Semantics and correctness I **13** (2) (1981) 193–223
277. W.D. Goldfarb, The undecidability of the second-order unification problem **13** (2) (1981) 225–230
278. W. Thomas, Remark on the star-height-problem **13** (2) (1981) 231–237
279. J.H. Gallier, Nondeterministic flowchart programs with recursive procedures: Semantics and correctness II **13** (3) (1981) 239–270
280. E. Engeler, Generalized Galois theory and its application to complexity **13** (3) (1981) 271–293
281. E.M. Gurari and O.H. Ibarra, The complexity of the equivalence problem for two characterizations of Presburger sets **13** (3) (1981) 295–314
282. F. Meyer auf der Heide, A comparison of two variations of a pebble game on graphs **13** (3) (1981) 315–322
283. E. Leiss, Succinct representation of regular languages by Boolean automata **13** (3) (1981) 323–330
284. Z. Galil and J. Seiferas, Linear-time string-matching using only a fixed number of local storage locations **13** (3) (1981) 331–336
285. G. Gati, Some elements of a Galois theory of the structure and complexity of the tree automorphism problem **14** (1) (1981) 1–17
286. J.S. Mönting, Merging of 4 or 5 elements with  $n$  elements **14** (1) (1981) 19–37
287. Y. Nishitani and N. Honda, The firing squad synchronization problem for graphs **14** (1) (1981) 39–61
288. E. Leiss, On generalized language equations **14** (1) (1981) 63–77
289. A. Rosenthal, Optimal algorithms for sensitivity analysis in associative multiplication problems **14** (1) (1981) 79–90
290. T.J. Long, On  $\gamma$ -reducibility versus polynomial time many-one reducibility **14** (1) (1981) 91–101
291. Z. Galil, On the theoretical efficiency of various network flow algorithms **14** (1) (1981) 103–111
292. D. Kozen and R. Parikh, An elementary proof of the completeness of PDL **14** (1) (1981) 113–118
293. M. Latteux, A propos du lemme de substitution **14** (1) (1981) 119–123
294. M. Jantzen, The power of synchronizing operations on strings **14** (2) (1981) 127–154
295. J.H. Gallier, DPDA's in 'atomic normal form' and applications to equivalence problems **14** (2) (1981) 155–186
296. J. Beauquier, Substitution of semi-AFL's **14** (2) (1981) 187–193
297. D. Thérien, Classification of finite monoids: the language approach **14** (2) (1981) 195–208
298. A. Maruoka and M. Kimura, Pattern decomposition for tessellation automata **14** (3) (1981) 211–226
299. W. Bucher, H.A. Maurer, K. Culik, II and D. Wotschke, Concise description of finite languages **14** (3) (1981) 227–246
300. J. Stokłosa and W. Zakowski, Computations of  $(\alpha, k)$ -machines **14** (3) (1981) 247–265
301. G. Rozenberg and R. Verraedt, On pure, terminal invariant and nonterminal invariant interpretations of E0L forms **14** (3) (1981) 267–288
302. S. Moran, General approximation algorithms for some arithmetical combinatorial problems **14** (3) (1981) 289–303
303. G. Callegarin and G. Pacini, About the implementability and the power of equationally defined data abstractions **14** (3) (1981) 305–315



304. K. Jensen, Coloured Petri nets and the invariant-method **14** (3) (1981) 317–336
305. W. Bucher, A note on a problem in the theory of grammatical complexity **14** (3) (1981) 337–344
306. D.A. Plaisted, Fast verification, testing, and generation of large primes (*Corrigendum*) **14** (3) (1981) 345
307. G. Schmidt, Programs as partial graphs I: Flow equivalence and correctness **15** (1) (1981) 1–25
308. R.V. Book, Bounded query machines: on NP and PSPACE **15** (1) (1981) 27–39
309. R.V. Book and C. Wrathall, Bounded query machines: on NP( ) and NPQUERY( ) **15** (1) (1981) 41–50
310. T. Araki, T. Kagimasa and N. Tokura, Relations of flow languages to Petri net languages **15** (1) (1981) 51–75
311. D. Lazard, Résolution des systèmes d'équations algébriques **15** (1) (1981) 77–110
312. C.E. Hughes and S.M. Selkow, The finite power property for context-free languages **15** (1) (1981) 111–114
313. S. Heilbrunner, A parsing automata approach to LR theory **15** (2) (1981) 117–157
314. G. Schmidt, Programs as partial graphs II: Recursion **15** (2) (1981) 159–179
315. L.H. Landweber, R.J. Lipton and E.L. Robertson, On the structure of sets in NP and other complexity classes **15** (2) (1981) 181–200
316. A. Alder and V. Strassen, On the algorithmic complexity of associative algebras **15** (2) (1981) 201–211
317. G. Germano and A. Maggiolo-Schettini, Sequence recursiveness without cylindrification and limited register machines **15** (2) (1981) 213–221
318. J.W. Thatcher, E.G. Wagner and J.B. Wright, More on advice on structuring compilers and proving them correct **15** (3) (1981) 223–249
319. A. Paz and S. Moran, Non deterministic polynomial optimization problems and their approximations **15** (3) (1981) 251–277
320. E.W. Leggett, Jr. and D.J. Moore, Optimization problems and the polynomial hierarchy **15** (3) (1981) 279–289
321. H.P. Katseff and M. Sipser, Several results in program size complexity **15** (3) (1981) 291–309
322. M.C. Loui, A space bound for one-tape multidimensional Turing machines **15** (3) (1981) 311–320
323. C. Benzaken and S. Foldes, Complexity of graph embeddability problems **15** (3) (1981) 321–328
324. R. Statman, On the existence of closed terms in the typed  $\lambda$  calculus II: Transformations of unification problems **15** (3) (1981) 329–338
325. K. Weihrauch and U. Schreiber, Embedding metric spaces into CPO's **16** (1) (1981) 5–24
326. A. Ehrenfeucht and G. Rozenberg, On the subword complexity of square-free D0L languages **16** (1) (1981) 25–32
327. J.M. Vażenin, Sur la liaison entre problèmes combinatoires et algorithmiques **16** (1) (1981) 33–41
328. S. Takasu and S. Kawabata, A logical basis for programming methodology **16** (1) (1981) 43–60
329. M. Jantzen, On a special monoid with a single defining relation **16** (1) (1981) 61–73
330. J. Simon, On tape-bounded probabilistic Turing machine acceptors **16** (1) (1981) 75–91
331. M.G. Main and D.B. Benson, Free upper regular bands **16** (1) (1981) 93–98
332. K. Lieberherr, Uniform complexity and digital signatures **16** (1) (1981) 99–109
333. R.-J. Tao, On the computational power of automata with time or space bounded by Ackermann's or superexponential functions **16** (2) (1981) 115–148
334. J. Pittl, On LLP( $k$ ) grammars and languages **16** (2) (1981) 149–175
335. G. Galbiati and M.J. Fischer, On the complexity of 2-output Boolean networks **16** (2) (1981) 177–185
336. K.-J. Räihä and E. Ukkonen, The shortest common supersequence problem over binary alphabet is NP-complete **16** (2) (1981) 187–198
337. L. Csirmaz, Programs and program verifications in a general setting **16** (2) (1981) 199–210
338. V.L. Nguyen and J.-L. Lassez, A dual problem to least fixed points **16** (2) (1981) 211–221
339. R.V. Book and C.P. O'Dunlaing, Testing for the Church–Rosser property **16** (2) (1981) 223–229
340. J.L. Carter and R. Fagin, A note on the existence of continuous functionals **16** (2) (1981) 231–235
341. H.C.M. Kleijn and G. Rozenberg, Context-free like restrictions on selective rewriting **16** (3) (1981) 237–269
342. K. Lam, M.K. Siu and C.T. Yu, A generalized counter scheme **16** (3) (1981) 271–278
343. W.A. Burkhard, M.L. Fredman and D.J. Kleitman, Inherent complexity trade-offs for range query problems **16** (3) (1981) 279–290
344. J. Albert and L. Wegner, Languages with homomorphic replacements **16** (3) (1981) 291–305

345. U.I. Gupta, D.T. Lee, J.Y.-T. Leung, J.W. Pruitt and C.K. Wong, Record allocation for minimizing seek delay **16** (3) (1981) 307–319
346. F. Berman and M. Paterson, Propositional dynamic logic is weaker without tests **16** (3) (1981) 321–328
347. H. Edelsbrunner and H.A. Maurer, A space-optimal solution of general region location **16** (3) (1981) 329–336
348. J.-P. Pécuchet, Sur la détermination du rang d'une équation dans le monoïde libre **16** (3) (1981) 337–340
349. M. Blattner and S. Ginsburg, Position-restricted grammar forms and grammars **17** (1) (1982) 1–27
350. E. Welzl, Colour-families are dense **17** (1) (1982) 29–41
351. E. Ukkonen, Structure preserving elimination of null productions from context-free grammars **17** (1) (1982) 43–54
352. E.M. Gurari and O.H. Ibarra, Some simplified undecidable and NP-hard problems for simple programs **17** (1) (1982) 55–73
353. J. Hartmanis, A note on natural complete sets and Gödel numberings **17** (1) (1982) 75–89
354. M.M. Syslo, The subgraph isomorphism problem for outerplanar graphs **17** (1) (1982) 91–97
355. M. Karpinski, Decidability of “Skolem matrix emptiness problem” entails constructibility of exact regular expression **17** (1) (1982) 99–102
356. W.D. Fellner, On minimal graphs **17** (1) (1982) 103–110
357. J.H. Gallier, DPDA's in ‘atomic normal form’ and applications to equivalence problems (*Corrigendum*) **17** (1) (1982) 111
358. J.A. Bergstra, J. Tiuryn and J.V. Tucker, Floyd's principle, correctness theories and program equivalence **17** (2) (1982) 113–149
359. D. Lehmann and A. Pasztor, Epis need not be dense **17** (2) (1982) 151–161
360. B. Courcelle and P. Franchi-Zanettacci, Attribute grammars and recursive program schemes I **17** (2) (1982) 163–191
361. H. Andréka, I. Németi and I. Sain, A complete logic for reasoning about programs via nonstandard model theory I **17** (2) (1982) 193–212
362. R.D. Dutton and R.C. Brigham, The complexity of a multiprocessor task assignment problem without deadlines **17** (2) (1982) 213–216
363. J.C. Shepherdson, Graph theoretic characterization of  $\mathcal{G}$ -schemes and  $\mathcal{TL}$ -schemes **17** (2) (1982) 217–228
364. C. Squier and C. Wrathall, A note on representations of a certain monoid **17** (2) (1982) 229–231
365. B. Courcelle and P. Franchi-Zanettacci, Attribute grammars and recursive program schemes II **17** (3) (1982) 235–257
366. H. Andréka, I. Németi and I. Sain, A complete logic for reasoning about programs via nonstandard model theory II **17** (3) (1982) 259–278
367. N. Dershowitz, Orderings for term-rewriting systems **17** (3) (1982) 279–301
368. J.A. Bergstra and J.V. Tucker, Some natural structures which fail to possess a sound and decidable Hoare-like logic for their while-programs **17** (3) (1982) 303–315
369. F. Sadri and J.D. Ullman, The theory of functional and template dependencies **17** (3) (1982) 317–331
370. R.K. Shyamasundar, On a characterization of pushdown permuters **17** (3) (1982) 333–341
371. I. Németi, Every free algebra in the variety generated by the representable dynamic algebras is separable and representable **17** (3) (1982) 343–347
372. C. Pair, Abstract data types and algebraic semantics of programming languages **18** (1) (1982) 1–31
373. J. Goldstine, J.K. Price and D. Wotschke, A pushdown automaton or a context-free grammar – which is more economical **18** (1) (1982) 33–40
374. A.P. Ershov, Mixed computation: potential applications and problems for study **18** (1) (1982) 41–67
375. J. Hagauer, On form-equivalence of deterministic pure grammar forms **18** (1) (1982) 69–87
376. G. Schnitger, A family of graphs with expensive depth-reduction **18** (1) (1982) 89–93
377. U. Schöning, A uniform approach to obtain diagonal sets in complexity classes **18** (1) (1982) 95–103
378. M. Fürer, The complexity of Presburger arithmetic with bounded quantifier alternation depth **18** (1) (1982) 105–111
379. J. Berstel and C. Reutenauer, Recognizable formal power series on trees **18** (2) (1982) 115–148
380. E. Best, Adequacy properties of path programs **18** (2) (1982) 149–171

381. F. Boussinot, Proposition de sémantique dénotationnelle pour des réseaux de processus avec opérateur de mélange équitale **18** (2) (1982) 173–206
382. K. Uchimura, Properties of structure generating functions of automata and their applications for linear systems **18** (2) (1982) 207–220
383. M. Crochemore, Sharp characterizations of squarefree morphisms **18** (2) (1982) 221–226
384. J. Sifakis, A unified approach for studying the properties of transition systems **18** (3) (1982) 227–258
385. D. Leivant, Unprovability of theorems of complexity theory in weak number theories **18** (3) (1982) 259–268
386. A. Maruoka and M. Kimura, Strong surjectivity is equivalent to  $C$ -injectivity **18** (3) (1982) 269–277
387. K. Culik, II and T. Harju, Dominoes over a free monoid **18** (3) (1982) 279–300
388. A.R. Meyer and K. Winklmann, Expressing program looping in regular dynamic logic **18** (3) (1982) 301–323
389. R.V. Book, When is a monoid a group The Church–Rosser case is tractable **18** (3) (1982) 325–331
390. S. Istrail, Generalization of the Ginsburg–Rice Schützenberger fixed-point theorem for context-sensitive and recursive-enumerable languages **18** (3) (1982) 333–341
391. Y. Perl and S. Zaks, On the complexity of edge labelings for trees **19** (1) (1982) 1–16
392. O.H. Ibarra, B.S. Leininger and S. Moran, On the complexity of simple arithmetic expressions **19** (1) (1982) 17–28
393. K. Culik, II and A. Salomaa, On infinite words obtained by iterating morphisms **19** (1) (1982) 29–38
394. D.Y. Grigor'ev, Additive complexity in directed computations **19** (1) (1982) 39–67
395. R. Sethi, Pebble games for studying storage sharing **19** (1) (1982) 69–84
396. A. Cardon and M. Crochemore, Partitioning a graph in  $O(|A| \log_2 |V|)$  **19** (1) (1982) 85–98
397. M. Holcombe, On the holonomy decomposition of transformation semigroups **19** (1) (1982) 99–104
398. T. Ito and Y. Nishitani, On universality of concurrent expressions with synchronization primitives **19** (1) (1982) 105–115
399. P. Padawitz, Graph grammars and operational semantics **19** (2) (1982) 117–141
400. J. Paredaens, A universal formalism to express decompositions, functional dependencies and other constraints in a relational database **19** (2) (1982) 143–160
401. H.R. Lewis and C.H. Papadimitriou, Symmetric space-bounded computation **19** (2) (1982) 161–187
402. G.N. Frederickson and J. Jájá, On the relationship between the biconnectivity augmentation and traveling salesman problems **19** (2) (1982) 189–201
403. A.C.-C. Yao, On the time-space tradeoff for sorting with linear queries **19** (2) (1982) 203–218
404. O.H. Ibarra, 2DST mappings on languages and related problems **19** (2) (1982) 219–227
405. J.H. Gallier, DPDA's in 'atomic normal form' and applications to equivalence problems (*Corrigendum*) **19** (2) (1982) 229
406. R.V. Book, M. Jantzen and C. Wrathall, Monadic Thue systems **19** (3) (1982) 231–251
407. K.R. Reischuk, A fast implementation of a multidimensional storage into a tree storage **19** (3) (1982) 253–266
408. P. Atzeni, G. Ausiello, C. Batini and M. Moscarini, Inclusion and equivalence between relational database schemata **19** (3) (1982) 267–285
409. A.L. Selman, Reductions on NP and P-selective sets **19** (3) (1982) 287–304
410. H. Szwerinski, Time-optimal solution of the firing-squad-synchronization-problem for  $n$ -dimensional rectangles with the general at an arbitrary position **19** (3) (1982) 305–320
411. M. Snir, Comparisons between linear functions can help **19** (3) (1982) 321–330
412. B.R. Hodgson, On direct products of automaton decidable theories **19** (3) (1982) 331–335
413. N. Megiddo, Is binary encoding appropriate for the problem-language relationship **19** (3) (1982) 337–341
414. M. Wand, Specifications, models, and implementations of data abstractions **20** (1) (1982) 3–32
415. A. Arnold and M. Dauchet, Morphismes et bimorphismes d'arbres **20** (1) (1982) 33–93
416. W. Damm, The IO- and OI-hierarchies **20** (2) (1982) 95–207
417. H. Ehrig, H.-J. Kreowski, B. Mahr and P. Padawitz, Algebraic implementation of abstract data types **20** (3) (1982) 209–263
418. G. Berry and P.-L. Curien, Sequential algorithms on concrete data structures **20** (3) (1982) 265–321
419. K.-I. Ko and H. Friedman, Computational complexity of real functions **20** (3) (1982) 323–352

420. T.J. Long, Strong nondeterministic polynomial-time reducibilities **21** (1) (1982) 1–25
421. S. Miyano, Two-way deterministic multi-weak-counter machines **21** (1) (1982) 27–37
422. P. Āuriš and Z. Galil, Fooling a two way automaton or one pushdown store is better than one counter for two way machines **21** (1) (1982) 39–53
423. D. Janssens and G. Rozenberg, Graph grammars with neighbourhood-controlled embedding **21** (1) (1982) 55–74
424. A. Ehrenfeucht and G. Rozenberg, Representation theorems using D0S languages **21** (1) (1982) 75–90
425. R. Cori and A. Machi, Construction of maps with prescribed automorphism group **21** (1) (1982) 91–98
426. X. Berenguer, J. Díaz and L.H. Harper, A solution of the Sperner–Erdős problem **21** (1) (1982) 99–103
427. L.M. Goldschlager, R.A. Shaw and J. Staples, The maximum flow problem is log space complete for P **21** (1) (1982) 105–111
428. N. Ehrenfeucht, I. Karhumäki and G. Rozenberg, The (generalized) post correspondence problem with lists consisting of two words is decidable **21** (2) (1982) 119–144
429. M.C. Loui, Simulations among multidimensional Turing machines **21** (2) (1982) 145–161
430. W. Ainhirn, Marvellous interpretations differ little but decisively from ordinary interpretations of E0L forms **21** (2) (1982) 163–178
431. B.S. Chlebus, On the computational complexity of satisfiability in propositional logics of programs **21** (2) (1982) 179–212
432. I. Wegener, Boolean functions whose monotone complexity is of size  $n^2/\log n$  **21** (2) (1982) 213–224
433. S.W. Margolis, On the syntactic transformation semigroup of a language generated by a finite biprefix code **21** (2) (1982) 225–230
434. L. Csirmaz, Determinateness of program equivalence over Peano axioms **21** (2) (1982) 231–235
435. B. Monien and I.H. Sudborough, On eliminating nondeterminism from Turing machines which use less than logarithm worktape space **21** (3) (1982) 237–253
436. C.F. Kent and B.R. Hodgson, An arithmetical characterization of NP **21** (3) (1982) 255–267
437. J.A. Bergstra and J.-J.C. Meyer, On the elimination of iteration quantifiers in a fragment of algorithmic logic **21** (3) (1982) 269–279
438. K. Indermark, On rational definitions in complete algebras without rank **21** (3) (1982) 281–313
439. J. Winkowski, An algebraic description of system behaviours **21** (3) (1982) 315–340
440. S. Istrail, Some remarks on non-algebraic adherences **21** (3) (1982) 341–349
441. P. Kůrka, Ergodic languages **21** (3) (1982) 351–355
442. T. Head and J. Wilkinson, Finite D0L languages and codes **21** (3) (1982) 357–361
443. R. Hindley, The completeness theorem for typing  $\lambda$ -terms **22** (1-2) (1983) 1–17
444. M. Sato, Theory of symbolic expressions, I **22** (1-2) (1983) 19–55
445. J. Pittl and A. Yehudai, Constructing a realtime deterministic pushdown automaton from a grammar **22** (1-2) (1983) 57–69
446. P. Gács, On the relation between descriptive complexity and algorithmic probability **22** (1-2) (1983) 71–93
447. W. Kuich and F.J. Urbanek, Infinite linear systems and one counter languages **22** (1-2) (1983) 95–126
448. R. Hindley, Curry’s type-rules are complete with respect to the  $F$ -semantics too **22** (1-2) (1983) 127–133
449. G. Boudol and L. Kott, Recursion induction principle revisited **22** (1-2) (1983) 135–173
450. M. Ito, K. Taniguchi and T. Kasami, Membership problem for embedded multivalued dependencies under some restricted conditions **22** (1-2) (1983) 175–194
451. G.W. Wasilkowski, Any iteration for polynomial equations using linear information has infinite complexity **22** (1-2) (1983) 195–208
452. D.T. Lee, C.L. Liu and C.K. Wong,  $(g_0, a_1, \dots, g_k)$ -trees and unary 0L systems **22** (1-2) (1983) 209–217
453. M. Steinby, Systolic trees and systolic language recognition by tree automata **22** (1-2) (1983) 219–232
454. G. Lev and L.G. Valiant, Size bounds for superconcentrators **22** (3) (1983) 233–251
455. M. Takahashi, Nest sets and relativized closure properties **22** (3) (1983) 253–264
456. J.A. Bergstra and J.V. Tucker, Hoare’s logic and Peano’s arithmetic **22** (3) (1983) 265–284
457. A. Lempel, G. Seroussi and S. Winograd, On the complexity of multiplication in finite fields **22** (3) (1983) 285–296
458. A. Apostolico and F.P. Preparata, Optimal off-line detection of repetitions in a string **22** (3) (1983) 297–315

459. W. Baur and V. Strassen, The complexity of partial derivatives **22** (3) (1983) 317–330
460. H.A. Maurer, A. Salomaa and D. Wood, L codes and number systems **22** (3) (1983) 331–346
461. C.-J. Tang and Y.-L. Zhang, The limited regular languages **23** (1) (1983) 1–10
462. A. Jankowski and C. Rauszer, Logical foundation approach to users' domain restriction in data bases **23** (1) (1983) 11–36
463. A. Nakamura and H. Ono, Pictures of functions and their acceptability by automata **23** (1) (1983) 37–48
464. S. Heilbrunner, A metatheorem for undecidable properties of formal languages and its application to LRR and LLR grammars and languages **23** (1) (1983) 49–68
465. F.-J. Brandenburg, Uniformly growing  $k$ -th power-free homomorphisms **23** (1) (1983) 69–82
466. T. Head, G. Thierrin and J. Wilkinson, DOL schemes and the periodicity of string embeddings **23** (1) (1983) 83–89
467. A. Nijholt, On satisfying the LL-iteration theorem **23** (1) (1983) 91–94
468. T.-H. Chan and O.H. Ibarra, On the finite-valuedness problem for sequential machines **23** (1) (1983) 95–101
469. P.V. Ramanan, A counterexample to Shyamasundar's characterization of pushdown permuters **23** (1) (1983) 103–105
470. E. Gelenbe, Stationary deterministic flows in discrete systems I **23** (2) (1983) 107–127
471. E. Tomita, A direct branching algorithm for checking equivalence of strict deterministic vs.  $LL(k)$  grammars **23** (2) (1983) 129–154
472. G.S. Eisman, On depth in EDTOL languages **23** (2) (1983) 155–169
473. G. Lotti and F. Romani, On the asymptotic complexity of rectangular matrix multiplication **23** (2) (1983) 171–185
474. R.J.R. Back, A continuous semantics for unbounded nondeterminism **23** (2) (1983) 187–210
475. J. Finn and K. Lieberherr, Primality testing and factoring **23** (2) (1983) 211–215
476. M. Takahashi and H. Yamasaki, A note on  $\omega$ -regular languages **23** (2) (1983) 217–225
477. K. Culik, II, J. Gruska and A. Salomaa, On a family of  $L$  languages resulting from systolic tree automata **23** (3) (1983) 231–242
478. T. Etzion and M. Yoeli, Super-nets and their hierarchy **23** (3) (1983) 243–272
479. A. Marchetti-Spaccamela and M. Protasi, The largest tree in a random graph **23** (3) (1983) 273–286
480. R. Freund, Real functions and numbers defined by Turing machines **23** (3) (1983) 287–304
481. D. Gordon and E. Shamir, Computation of recursive functionals using minimal initial segments **23** (3) (1983) 305–315
482. T. Kamimura and A. Tang, Kleene chain completeness and fixedpoint properties **23** (3) (1983) 317–331
483. H. Volger, Turing machines with linear alternation, theories of bounded concatenation and the decision problem of first order theories **23** (3) (1983) 333–337
484. C. Ó'Dúnlaing, Undecidable questions related to Church–Rosser Thue systems **23** (3) (1983) 339–345
485. D.T. Lee, C.L. Liu and C.K. Wong,  $(g_0, a_1, \dots, g_k)$ -trees and unary OL systems (*Corrigendum*) **23** (3) (1983) 347
486. H. Wedde, An iterative and starvation-free solution for a general class of distributed control problems based on interaction primitives **24** (1) (1983) 1–20
487. A. De Luca, A. Restivo and S. Salemi, On the centers of a language **24** (1) (1983) 21–34
488. O.H. Ibarra, S. Moran and L.E. Rosier, On the control power of integer division **24** (1) (1983) 35–52
489. J.J. Grefenstette, Stability in L systems **24** (1) (1983) 53–71
490. D.A. Schmidt, Approximation properties of abstract data types **24** (1) (1983) 73–94
491. R.P. Daley, On the error correcting power of pluralism in BC-type inductive inference **24** (1) (1983) 95–104
492. O. Watanabe, The time-precision tradeoff problem on on-line probabilistic Turing machines **24** (1) (1983) 105–117
493. B. Chazelle and L. Monier, Unbounded hardware is equivalent to deterministic Turing machines **24** (2) (1983) 123–130
494. N. Soundararajan, Correctness proofs of CSP programs **24** (2) (1983) 131–141
495. K.K. Nambiar, T. Radhakrishnan and V.G. Tikekar, Representation of functional dependencies in relational databases using linear graphs **24** (2) (1983) 143–159

496. A. Nakamura and K. Aizawa, On a relationship between graph L-systems and picture languages **24** (2) (1983) 161–177
497. M. Toda, K. Inoue and I. Takanami, Two-dimensional pattern matching by two-dimensional on-line tessellation acceptors **24** (2) (1983) 179–194
498. R. Siromoney, V.R. Dare and K.G. Subramanian, Infinite arrays and infinite computations **24** (2) (1983) 195–205
499. A. Bagchi and A. Mahanti, Admissible heuristic search in AND/OR graphs **24** (2) (1983) 207–219
500. J.A. Storer, Toward an abstract theory of data compression **24** (3) (1983) 221–237
501. J. Heintz, Definability and fast quantifier elimination in algebraically closed fields **24** (3) (1983) 239–277
502. S. Homer and W. Maass, Oracle-dependent properties of the lattice of NP sets **24** (3) (1983) 279–289
503. U.V. Vazirani and V.V. Vazirani, A natural encoding scheme proved probabilistic polynomial complete **24** (3) (1983) 291–300
504. R.V. Book, Decidable sentences of Church–Rosser congruences **24** (3) (1983) 301–312
505. O.H. Ibarra, On some decision questions concerning pushdown machines **24** (3) (1983) 313–322
506. P.C. Fischer, J.H. Jou and D.-M. Tsou, Succinctness in dependency systems **24** (3) (1983) 323–329
507. K. Inoue, I. Takanami and H. Taniguchi, A relationship between two-dimensional finite automata and three-way tape-bounded two-dimensional Turing machines **24** (3) (1983) 331–336
508. E.-R. Olderog, On the notion of expressiveness and the Rule of Adaptation **24** (3) (1983) 337–347
509. A.J. Kfoury, Definability by programs in first-order structures **25** (1) (1983) 1–66
510. E. Nelson, Iterative algebras **25** (1) (1983) 67–94
511. B. Courcelle, Fundamental properties of infinite trees **25** (2) (1983) 95–169
512. C. Ó'Dúnlaing, Infinite regular Thue systems **25** (2) (1983) 171–192
513. J. Case and C. Smith, Comparison of identification criteria for machine inductive inference **25** (2) (1983) 193–220
514. L. Priese, Automata and concurrency **25** (3) (1983) 221–265
515. R. Milner, Calculi for synchrony and asynchrony **25** (3) (1983) 267–310
516. R. Valk, Infinite behaviour of Petri nets **25** (3) (1983) 311–341
517. E.B. Kinber, The inclusion problem for some classes of deterministic multitape automata **26** (1-2) (1983) 1–24
518. I.H. Sudborough, Bandwidth constraints on problems complete for polynomial time **26** (1-2) (1983) 25–52
519. J.W. De Bakker, J.-J.C. Meyer and J.I. Zucker, On infinite computations in denotational semantics **26** (1-2) (1983) 53–82
520. S. Istrail and C. Masalagiu, Nivat's processing systems: Decision problems related to protection and synchronization **26** (1-2) (1983) 83–103
521. E.C.R. Hehner and C.A.R. Hoare, A more complete model of communicating processes **26** (1-2) (1983) 105–120
522. E.A. Emerson, Alternative semantics for temporal logics **26** (1-2) (1983) 121–130
523. K. Weihrauch and G. Schäfer, Admissible representations of effective CPO's **26** (1-2) (1983) 131–147
524. S. Ginsburg and R. Hull, Order dependency in the relational model **26** (1-2) (1983) 149–195
525. O.H. Ibarra and L.E. Rosier, Simple programming languages and restricted classes of Turing machines **26** (1-2) (1983) 197–220
526. A. Arnold, Rational  $\omega$ -languages are non-ambiguous **26** (1-2) (1983) 221–223
527. V. Rajlich, Determinism in parallel systems **26** (1-2) (1983) 225–231
528. W. Bucher and J. Hagauer, It is decidable whether a regular language is pure context-free **26** (1-2) (1983) 233–241
529. S. Ginsburg and R. Hull, Characterizations for functional dependency and Boyce–Codd normal form families **26** (3) (1983) 243–286
530. C.K. Yap, Some consequences of non-uniform conditions on uniform classes **26** (3) (1983) 287–300
531. G. Rozenberg and R. Verraedt, Subset languages of Petri nets Part I: The relationship to string languages and formal forms **26** (3) (1983) 301–326
532. S. Žák, A Turing machine time hierarchy **26** (3) (1983) 327–333
533. J. Hartmanis, On Gödel speed-up and succinctness of language representations **26** (3) (1983) 335–342
534. J. Staples and V.L. Nguyen, Computing the behaviour of asynchronous processes **26** (3) (1983) 343–353

535. H.B. Hunt, III and D.J. Rosenkrantz, The complexity of monadic recursion schemes: executability problems, nesting depth, and applications 27 (1-2) (1983) 3–38
536. T. Kamimura and A. Tang, Algebraic relations and presentations 27 (1-2) (1983) 39–60
537. K. Inoue, I. Takanami and H. Taniguchi, Two-dimensional alternating Turing machines 27 (1-2) (1983) 61–83
538. G. Rozenberg and R. Verraedt, Subset languages of Petri nets Part II: Closure properties 27 (1-2) (1983) 85–108
539. M.B. Smyth, The largest cartesian closed category of domains 27 (1-2) (1983) 109–119
540. P. Ďuriš and J. Hromkovič, One-way simple multihead finite automata are not closed under concatenation 27 (1-2) (1983) 121–125
541. J.Y. Halpern and J.H. Reif, The propositional dynamic logic of deterministic, well-structured programs 27 (1-2) (1983) 127–165
542. H.-D. Ehrich and U. Lippeck, Algebraic domain equations 27 (1-2) (1983) 167–196
543. A.P. Stolboushkin and M.A. Taitslin, The comparison of the expressive power of first-order dynamic logics 27 (1-2) (1983) 197–209
544. S. Bozapalidis and O. Louscou-Bozapalidou, The rank of a formal tree power series 27 (1-2) (1983) 211–215
545. A. Maruoka, Open maps for tessellation automata 27 (1-2) (1983) 217–224
546. J. Adámek and E. Nelson, Separately continuous algebras 27 (1-2) (1983) 225–231
547. D.P. Dobkin and D.G. Kirkpatrick, Fast detection of polyhedral intersection 27 (3) (1983) 241–253
548. H. Ehrig and H.-J. Kreowski, Compatibility of parameter passing and implementation of parameterized data types 27 (3) (1983) 255–286
549. N. Blum, More on the power of chain rules in context-free grammars 27 (3) (1983) 287–295
550. R.D. Tennent, Semantics of interference control 27 (3) (1983) 297–310
551. A. Ehrenfeucht, D. Haussler and G. Rozenberg, On regularity of context-free languages 27 (3) (1983) 311–332
552. D. Kozen, Results on the propositional  $\mu$ -calculus 27 (3) (1983) 333–354
553. W. Paul, On heads versus tapes 28 (1-2) (1984) 1–12
554. J. Małuszynski, Towards a programming language based on the notion of two-level grammar 28 (1-2) (1984) 13–43
555. H. Ehrig, H.-J. Kreowski, J. Thatcher, E. Wagner and J. Wright, Parameter passing in algebraic specification languages 28 (1-2) (1984) 45–81
556. K.R. Apt, Ten years of Hoare's logic: A survey – Part II: Nondeterminism 28 (1-2) (1984) 83–109
557. R. Wiehagen, R. Freivalds and E.B. Kinber, On the power of probabilistic strategies in inductive inference 28 (1-2) (1984) 111–133
558. D. Bini, On commutativity and approximation 28 (1-2) (1984) 135–150
559. S. Ronchi della Rocca and B. Venneri, Principal type schemes for an extended type theory 28 (1-2) (1984) 151–169
560. C. Fernández and P.S. Thiagarajan,  $D$ -continuous causal nets: A model of non-sequential processes 28 (1-2) (1984) 171–196
561. A. Ehrenfeucht, G. Rozenberg and R. Verraedt, On inherently ambiguous EOL languages 28 (1-2) (1984) 197–214
562. J.A. Bergstra and J.V. Tucker, Hoare's logic for programming languages with two data types 28 (1-2) (1984) 215–221
563. T. Kanaoka and S. Tomita, The decomposition of stochastic systems 28 (1-2) (1984) 223–233
564. J.R. Hindley, Coppo–Dezani types do not correspond to propositional logic 28 (1-2) (1984) 235–236
565. P.T. Cox and T. Pietrzykowski, A complete, nonredundant algorithm for reversed skolemization 28 (3) (1984) 239–261
566. D. Kirkpatrick and S. Reisch, Upper bounds for sorting integers on random access machines 28 (3) (1984) 263–276
567. W. Bucher, H.A. Maurer and K. Culik, II, Context-free complexity of finite languages 28 (3) (1984) 277–285
568. F. Parisi-Presicce, Iterative factor algebras and induced metrics 28 (3) (1984) 287–298
569. A. Kelemenová, Complexity of normal form grammars 28 (3) (1984) 299–314

570. K. Kobayashi, M. Takahashi and H. Yamasaki, Characterization of  $\omega$ -regular languages by first-order formulas **28** (3) (1984) 315–327
571. D. Perrin, Completing biprefix codes **28** (3) (1984) 329–336
572. N. Blum, A Boolean function requiring  $3n$  network size **28** (3) (1984) 337–345
573. J.J. Grefenstette, Stability in L systems (*Corrigendum*) **28** (3) (1984) 347
574. J.F. Traub, G.W. Wasilkowski and H. Woźniakowski, Average case optimality for linear problems **29** (1-2) (1984) 1–25
575. E. Orłowska and Z. Pawlak, Representation of nondeterministic information **29** (1-2) (1984) 27–39
576. G. Rozenberg and R. Verraedt, On simulation and propagating EOL forms **29** (1-2) (1984) 41–48
577. A.S. Fraenkel, Wythoff games, continued fractions, cedar trees and Fibonacci searches **29** (1-2) (1984) 49–73
578. G.N. Frederickson, Recursively rotated orders and implicit data structures: a lower bound **29** (1-2) (1984) 75–85
579. R. Janicki, Nets, sequential components and concurrency relations **29** (1-2) (1984) 87–121
580. O.H. Ibarra and S.M. Kim, Characterizations and computational complexity of systolic trellis automata **29** (1-2) (1984) 123–153
581. T. Kamimura and A. Tang, Effectively given spaces **29** (1-2) (1984) 155–166
582. J.-L. Lassez and M.J. Maher, Closures and fairness in the semantics of programming logic **29** (1-2) (1984) 167–184
583. E. Fachini and M. Napoli, Hierarchies of primitive recursive wordsequence functions: comparisons and decision problems **29** (1-2) (1984) 185–227
584. J.W. De Bakker, J.-J.C. Meyer and J.I. Zucker, On infinite computations in denotational semantics (*Corrigendum*) **29** (1-2) (1984) 229–230
585. T. Elrad and N. Francez, A weakest precondition semantics for communicating processes **29** (3) (1984) 231–250
586. M. Venturini Zilli, Reduction graphs in the lambda calculus **29** (3) (1984) 251–275
587. D.H. Potts, Remarks on an example of Jantzen **29** (3) (1984) 277–284
588. J. Karhumäki, The Ehrenfeucht conjecture: A compactness claim for finitely generated free monoids **29** (3) (1984) 285–308
589. M. Coppo, Completeness of type assignment in continuous lambda models **29** (3) (1984) 309–324
590. G.S. Eisman, On the ratio of growth functions in EDTOL languages **29** (3) (1984) 325–349
591. J.A. Bergstra and J.W. Klop, Proving program inclusion using Hoare's logic **30** (1) (1984) 1–48
592. E.-R. Olderog, Correctness of programs with Pascal-like procedures without global variables **30** (1) (1984) 49–90
593. D. Austriy and G. Boudol, Algèbre de processus et synchronisation **30** (1) (1984) 91–131
594. R. De Simone, On MEIJE and SCCS: Infinite sum operators vs. non-guarded definitions **30** (1) (1984) 133–138
595. H.A. Klaeren, A constructive method for abstract algebraic software specification **30** (2) (1984) 139–204
596. J.P. Braquelaire and B. Courcelle, The solutions of two star-height problems for regular trees **30** (2) (1984) 205–239
597. H.J. Genrich and P.S. Thiagarajan, A theory of bipolar synchronization schemes **30** (3) (1984) 241–318
598. L. Denenberg and H.R. Lewis, The complexity of the satisfiability problem for Krom formulas **30** (3) (1984) 319–341
599. H. Yamasaki and M. Takahashi, Generalized parenthesis languages and minimization of their parenthesis parts **31** (1-2) (1984) 1–11
600. N. Soundararajan, A proof technique for parallel programs **31** (1-2) (1984) 13–29
601. K. Bruce and G. Longo, On combinatory algebras and their expansions **31** (1-2) (1984) 31–40
602. U. Schöning, Minimal pairs for P **31** (1-2) (1984) 41–48
603. B. Mahr and J.A. Makowsky, Characterizing specification languages which admit initial semantics **31** (1-2) (1984) 49–59
604. J. Honkala, Bases and ambiguity of number systems **31** (1-2) (1984) 61–71
605. D. Frutos Escrig, A characterization of Plotkin's order in powerdomains, and some of its properties **31** (1-2) (1984) 73–82
606. R. De Simone, Langages infinitaires et produit de mixage **31** (1-2) (1984) 83–100



607. K.-I. Ko, Reducibilities on real numbers **31** (1-2) (1984) 101–123
608. D.A. Plaisted, New NP-hard and NP-complete polynomial and integer divisibility problems **31** (1-2) (1984) 125–138
609. T. Head, Adherences of DOL languages **31** (1-2) (1984) 139–149
610. M. Mezghiche, Une nouvelle  $C\beta$ -réduction dans la logique combinatoire **31** (1-2) (1984) 151–163
611. P. Narendran and R. McNaughton, The undecidability of the preperfection of Thue systems **31** (1-2) (1984) 165–174
612. J.A. Goguen and R.M. Burstall, Some fundamental algebraic tools for the semantics of computation. Part 1: Comma categories, colimits, signatures and theories **31** (1-2) (1984) 175–209
613. A. Ehrenfeucht, M.G. Main and G. Rozenberg, Restrictions on NLC graph grammars **31** (1-2) (1984) 211–223
614. K. Uchimura, Truncations of infinite matrices and algebraic series associated with some CF grammars **31** (3) (1984) 227–261
615. J.A. Goguen and R.M. Burstall, Some fundamental algebraic tools for the semantics of computation. Part 2: Signed and abstract theories **31** (3) (1984) 263–295
616. H. Alaiwan, Equivalence of infinite behavior of finite automata **31** (3) (1984) 297–306
617. H. Yamasaki, Normal Petri nets **31** (3) (1984) 307–315
618. M. Oyamaguchi, Some results on subclass containment problems for special classes of dpda's related to nonsingular machines **31** (3) (1984) 317–335
619. J.-M. Autebert, J. Beauquier, L. Boasson and G. Sénizergues, Remarques sur les langages de parenthèses **31** (3) (1984) 337–349
620. J.C. Raoult, On graph rewritings **32** (1-2) (1984) 1–24
621. N. Francez, D. Lehmann and A. Pnueli, A linear-history semantics for languages for distributed programming **32** (1-2) (1984) 25–46
622. J. Duske and R. Parchmann, Linear indexed languages **32** (1-2) (1984) 47–60
623. J. Avenhaus and K. Madlener, The Nielsen reduction and P-complete problems in free groups **32** (1-2) (1984) 61–76
624. F.Y. Chin, P. Kossowski and S.C. Loh, Efficient inference control for range SUM queries **32** (1-2) (1984) 77–86
625. E. Tomita, An extended direct branching algorithm for checking equivalence of deterministic pushdown automata **32** (1-2) (1984) 87–120
626. E. Astesiano and G. Costa, Distributive semantics for nondeterministic typed  $\lambda$ -calculi **32** (1-2) (1984) 121–156
627. U. Vishkin, A parallel-design distributed-implementation (PDDI) general-purpose computer **32** (1-2) (1984) 157–172
628. K. McAloon, Petri nets and large finite sets **32** (1-2) (1984) 173–183
629. D. Maier and J.D. Ullman, Connections in acyclic hypergraphs **32** (1-2) (1984) 185–199
630. T.E. Hall, Bifix codes, inverse semigroups and syntactic monoids of injective automata **32** (1-2) (1984) 201–213
631. R. Meshulam, A geometric construction of a superconcentrator of depth 2 **32** (1-2) (1984) 215–219
632. J.-W. Hong, A tradeoff theorem for space and reversal **32** (1-2) (1984) 221–224
633. K. Culik II and S. Yu, Iterative tree automata **32** (3) (1984) 227–247
634. F. Otto, Finite complete rewriting systems for the Jantzen monoid and the Greendlinger group **32** (3) (1984) 249–260
635. V. Niemi, The undecidability of form equivalence for context-free and EOL forms **32** (3) (1984) 261–277
636. J. Avenhaus and K. Madlener, On the complexity of intersection and conjugacy problems in free groups **32** (3) (1984) 279–295
637. J. Ketonen and R. Weyhrauch, A decidable fragment of predicate calculus **32** (3) (1984) 297–307
638. N.G. De Bruijn, Some machines defined by directed graphs **32** (3) (1984) 309–319
639. S. Miyano and T. Hayashi, Alternating finite automata on  $\omega$ -words **32** (3) (1984) 321–330
640. L. Staiger, Projection lemmas for  $\omega$ -languages **32** (3) (1984) 331–337
641. G. Jacob and C. Reutenauer, On formal power series defined by infinite linear systems **32** (3) (1984) 339–340

642. R. Siromoney, K.G. Subramanian and V.R. Dare, Infinite arrays and controlled deterministic table OL array systems **33** (1) (1984) 3–11
643. M. Jantzen and M. Kudlek, Homomorphic images of sentential form languages defined by semi-Thue systems **33** (1) (1984) 13–43
644. E. Astesiano and E. Zucca, Parametric channels via label expressions in CCS **33** (1) (1984) 45–63
645. K.R. Apt, A. Pnueli and J. Stavi, Fair termination revisited – with delay **33** (1) (1984) 65–84
646. B. Ravikumar and K.B. Lakshmanan, Coping with known patterns of lies in a search game **33** (1) (1984) 85–94
647. P. Dybjer, Some results on the deductive structure of join dependencies **33** (1) (1984) 95–105
648. C.E. Veni Madhavan, Secondary attribute retrieval using tree data structures **33** (1) (1984) 107–116
649. V.Y. Pan, The techniques of trilinear aggregating and the recent progress in the asymptotic acceleration of matrix operations **33** (1) (1984) 117–138
650. M. Broy, M. Wirsing and C. Pair, A systematic study of models of abstract data types **33** (2-3) (1984) 139–174
651. S. Kaplan, Conditional rewrite rules **33** (2-3) (1984) 175–193
652. E. Fehr, Expressive power of typed and type-free programming languages **33** (2-3) (1984) 195–238
653. Y. Maon and A. Yehudai, On test sets for checking morphism equivalence on languages with fair distribution of letters **33** (2-3) (1984) 239–260
654. F. Otto, Some undecidability results for non-monadic Church–Rosser Thue systems **33** (2-3) (1984) 261–278
655. N. Soundararajan, Denotational semantics of CSP **33** (2-3) (1984) 279–304
656. D.T. Huynh, Deciding the inequivalence of context-free grammars with 1-letter terminal alphabet is  $\Sigma_2^P$ -complete **33** (2-3) (1984) 305–326
657. T. Harju and M. Linna, The equations  $h(w) = w^n$  in binary alphabets **33** (2-3) (1984) 327–329
658. D. Perrin, Sur les monoides à un reateur qui sont des groupes **33** (2-3) (1984) 331–334
659. D. Girault-Beauquier, Bilimites de langages reconnaissables **33** (2-3) (1984) 335–342
660. J. Nešetřil, Some nonstandard Ramsey like applications **34** (1-2) (1984) 3–15
661. J. Hartmanis and Y. Yesha, Computation times of NP sets of different densities **34** (1-2) (1984) 17–32
662. G. Winskel, Synchronization trees **34** (1-2) (1984) 33–82
663. R. De Nicola and M.C.B. Hennessy, Testing equivalences for processes **34** (1-2) (1984) 83–133
664. J.W. De Bakker, J.A. Bergstra, J.W. Klop and J.-J.C. Meyer, Linear time and branching time semantics for recursion with merge **34** (1-2) (1984) 135–156
665. P.M.B. Vitányi, On the simulation of many storage heads by one **34** (1-2) (1984) 157–168
666. M.-P. Delest and G. Viennot, Algebraic languages and polyominoes enumeration **34** (1-2) (1984) 169–206
667. A.K. Lenstra, Factoring multivariate integral polynomials **34** (1-2) (1984) 207–213
668. S. Cohen, D. Lehmann and A. Pnueli, Symmetric economical solutions to the mutual exclusion problem in a distributed system **34** (1-2) (1984) 215–225
669. T. Sato and H. Tamaki, Enumeration of success patterns in logic programs **34** (1-2) (1984) 227–240
670. M. Clerbout and M. Latteux, Partial commutations and faithful rational transductions **34** (3) (1984) 241–254
671. Y. Itzhaik and A. Yehudai, New families of non real time dpda's and their decidability results **34** (3) (1984) 255–274
672. T. Kamimura and A. Tang, Total objects of domains **34** (3) (1984) 275–288
673. M. Gogolla, K. Drosten, U. Lipeck and H.-D. Ehrich, Algebraic and operational semantics of specifications allowing exceptions and errors **34** (3) (1984) 289–313
674. M. Ito, M. Iwasaki, K. Taniguchi and T. Kasami, Membership problems for data dependencies in relational expressions **34** (3) (1984) 315–335
675. U. Schöning, On small generators **34** (3) (1984) 337–341
676. F. Bancilhon and P. Richard, A sound and complete axiomatization of embedded cross dependencies **34** (3) (1984) 343–350
677. K.-J. Lange and E. Welzl, Recurrent words and simultaneous growth in TOL systems **35** (1) (1985) 1–15
678. J. Stern, Characterizations of some classes of regular events **35** (1) (1985) 17–42
679. S.L. Bloom and D.R. Troeger, A logical characterization of observation equivalence **35** (1) (1985) 43–53

680. H. Edelsbrunner, Finding transversals for sets of simple geometric figures **35** (1) (1985) 55–69
681. Y. Métivier, Calcul de longueurs de chaînes de réécriture dans le monoïde libre **35** (1) (1985) 71–87
682. C. Benoit, Axiomatisation des tests **35** (1) (1985) 89–107
683. D. Kapur, M.S. Krishnamoorthy, R. McNaughton and P. Narendran, An  $O(|T|^3)$  algorithm for testing the Church–Rosser property of Thue systems **35** (1) (1985) 109–114
684. J.-P. Pécuchet, Automates boustrophédon et mots infinis **35** (1) (1985) 115–122
685. L. Fribourg, A superposition oriented theorem prover **35** (2-3) (1985) 129–164
686. G. Ausiello, A. D’Atri and M. Moscarini, On the existence of acyclic views in a database scheme **35** (2-3) (1985) 165–177
687. R. Cori and Y. Métivier, Recognizable subsets of some partially abelian monoids **35** (2-3) (1985) 179–189
688. G. Memmi and A. Finkel, An introduction to FIFO nets – monogeneous nets: A subclass of FIFO nets **35** (2-3) (1985) 191–214
689. K. Kobayashi, On proving time constructibility of functions **35** (2-3) (1985) 215–225
690. P. Narendran and F. Otto, Complexity results on the conjugacy problem for monoids **35** (2-3) (1985) 227–243
691. D.A. Plaisted, Complete divisibility problems for slowly utilized oracles **35** (2-3) (1985) 245–260
692. S. Hirose, S. Okawa and M. Yoneda, A homomorphic characterization of recursively enumerable languages **35** (2-3) (1985) 261–269
693. J.-E. Pin and J. Sakarovitch, Une application de la représentation matricielle des transductions **35** (2-3) (1985) 271–293
694. T. Head and J. Wilkinson, Code properties and homomorphisms of DOL systems **35** (2-3) (1985) 295–312
695. E. Leiss, On classes of tractable unrestricted regular expressions **35** (2-3) (1985) 313–327
696. M. Oyamaguchi, On the data type extension problem for algebraic specifications **35** (2-3) (1985) 329–336
697. D. Kapur and P. Narendran, A finite Thue system with decidable word problem and without equivalent finite canonical system **35** (2-3) (1985) 337–344
698. I. Sain, A simple proof for the completeness of Floyd’s method **35** (2-3) (1985) 345–348
699. M. Broy, On the Herbrand–Kleene universe for nondeterministic computations **36** (1) (1985) 1–19
700. J. Engelfriet, Determinacy  $\rightarrow$  (Observation equivalence = trace equivalence) **36** (1) (1985) 21–25
701. R. Janicki, Transforming sequential systems into concurrent systems **36** (1) (1985) 27–58
702. N. Blum, An  $\Omega(n^{4/3})$  lower bound on the monotone network complexity of the  $n^{\text{th}}$  degree convolution **36** (1) (1985) 59–69
703. M.L. Tiomkin and J.A. Makowsky, Propositional dynamic logic with local assignments **36** (1) (1985) 71–87
704. Y. Igarashi, A pumping lemma for real-time deterministic context-free languages **36** (1) (1985) 89–97
705. C. De Felice, Construction de codes factorisants **36** (1) (1985) 99–108
706. S. Hirose and M. Yoneda, On the Chomsky and Stanley’s homomorphic characterization of context-free languages **36** (1) (1985) 109–112
707. K. Ruohonen, On equality of multiplicity sets of regular languages **36** (1) (1985) 113–117
708. B. Scarpellini, Complex Boolean networks obtained by diagonalization **36** (1) (1985) 119–125
709. G. Winskel, On powerdomains and modality **36** (1) (1985) 127–137
710. N.E. Fenton, R.W. Whitty and A.A. Kaposi, A generalized mathematical theory of structured programming **36** (2-3) (1985) 145–171
711. I.H. Sudborough and E. Welzl, Complexity and decidability for chain code picture languages **36** (2-3) (1985) 173–202
712. I. Demel, M. Demlová and V. Koubek, Fast algorithms constructing minimal subalgebras, congruences, and ideals in a finite algebra **36** (2-3) (1985) 203–216
713. M. Kaminski, A classification of  $\omega$ -regular languages **36** (2-3) (1985) 217–229
714. E. Allender and M.M. Klawe, Improved lower bounds for the cycle detection problem **36** (2-3) (1985) 231–237
715. R. Fagin, M.M. Klawe, N.J. Pippenger and L. Stockmeyer, Bounded-depth, polynomial-size circuits for symmetric functions **36** (2-3) (1985) 239–250

716. L. Fariñas del Cerro and E. Orłowska, DAL – a logic for data analysis **36** (2-3) (1985) 251–264
717. M.R. Jerrum, The complexity of finding minimum-length generator sequences **36** (2-3) (1985) 265–289
718. H. Matsuno, K. Inoue, H. Taniguchi and I. Takanami, Alternating simple multihead finite automata **36** (2-3) (1985) 291–308
719. W. Keller-Gehrig, Fast algorithms for the characteristic polynomial **36** (2-3) (1985) 309–317
720. K. Diks, Embeddings of binary trees in lines **36** (2-3) (1985) 319–331
721. H. Alt, Multiplication is the easiest nontrivial arithmetic function **36** (2-3) (1985) 333–339
722. W. Rytter and M. Chrobak, A characterization of reversal-bounded multipushdown machine languages **36** (2-3) (1985) 341–344
723. G. Farr and C. McDiarmid, The complexity of counting homeomorphs **36** (2-3) (1985) 345–348
724. K.-I. Ko, On some natural complete operators **37** (1) (1985) 1–30
725. G. Rozenberg, On coordinated selective substitutions: towards a unified theory of grammars and machines **37** (1) (1985) 31–50
726. D.E. Muller and P.E. Schupp, The theory of ends, pushdown automata, and second-order logic **37** (1) (1985) 51–75
727. J.A. Bergstra and J.W. Klop, Algebra of communicating processes with abstraction **37** (1) (1985) 77–121
728. J.H. Gallier and R.V. Book, Reductions in tree replacement systems **37** (2) (1985) 123–150
729. L. Bougé, A contribution to the theory of program testing **37** (2) (1985) 151–181
730. K. Culik, II and I. Fris, Topological transformations as a tool in the design of systolic networks **37** (2) (1985) 183–216
731. J. Gonczarowski and M.K. Warmuth, Applications of scheduling theory to formal language theory **37** (2) (1985) 217–243
732. R. De Simone, Higher-level synchronizing devices in MEJIE-SCCS **37** (3) (1985) 245–267
733. A. Tarlecki, On the existence of free models in abstract algebraic institutions **37** (3) (1985) 269–304
734. P. Darondeau, About fair asynchrony **37** (3) (1985) 305–336
735. A. Ehrenfeucht, H.C.M. Kleijn and G. Rozenberg, Adding global forbidding context to context-free grammars **37** (3) (1985) 337–360
736. M.P. Flé and G. Roucairol, Maximal serializability of iterated transactions **38** (1) (1985) 1–16
737. K. Weihrauch, Type 2 recursion theory **38** (1) (1985) 17–33
738. C. Kreitz and K. Weihrauch, Theory of representations **38** (1) (1985) 35–53
739. I. Wegener, On the complexity of slice functions **38** (1) (1985) 55–68
740. M. Snir, Lower bounds on probabilistic linear decision trees **38** (1) (1985) 69–82
741. P.V. Ramanan and C.L. Liu, Permutation representation of  $k$ -ary trees **38** (1) (1985) 83–98
742. C. Beeri and M.Y. Vardi, Formal systems for join dependencies **38** (1) (1985) 99–116
743. M. Leconte, A characterization of power-free morphisms **38** (1) (1985) 117–122
744. D.L. Van, Ensembles code-compatibles et une généralisation du théorème de Sardinas–Patterson **38** (1) (1985) 123–132
745. E. Leiss, Succinct representation of regular languages by Boolean automata II **38** (1) (1985) 133–136
746. A. Finkel, Une généralisation des théorèmes de Higman et de Simon aux mots infinis **38** (1) (1985) 137–142
747. D. Schmidt, The recursion-theoretic structure of complexity classes **38** (2-3) (1985) 143–156
748. O. Watanabe, On one-one polynomial time equivalence relations **38** (2-3) (1985) 157–165
749. M. Imori and H. Yamada, Periodic character sequences where identifying two characters strictly reduces the period **38** (2-3) (1985) 167–192
750. H.D. Burkhard, An investigation of controls for concurrent systems based on abstract control languages **38** (2-3) (1985) 193–222
751. M. Jantzen, Extending regular expressions with iterated shuffle **38** (2-3) (1985) 223–247
752. T. Asano, An approach to the subgraph homeomorphism problem **38** (2-3) (1985) 249–267
753. B. Mishra and E. Clarke, Hierarchical verification of asynchronous circuits using temporal logic **38** (2-3) (1985) 269–291
754. T.F. Gonzalez, Clustering to minimize the maximum intercluster distance **38** (2-3) (1985) 293–306
755. D. Harel and D. Peleg, Process logic with regular formulas **38** (2-3) (1985) 307–322
756. D.J. Rosenkrantz and H.B. Hunt, III, Testing for grammatical coverings **38** (2-3) (1985) 323–341
757. N. Linial and M. Tarsi, Deciding hypergraph 2-colourability by II-resolution **38** (2-3) (1985) 343–347

758. C. Frougny, Context-free grammars with cancellation properties **39** (1) (1985) 3–13
759. J.-L. Lassez and M.J. Maher, Optimal fixedpoints of logic programs **39** (1) (1985) 15–25
760. C. Stirling, A proof-theoretic characterization of observational equivalence **39** (1) (1985) 27–45
761. R.J.R. Back and H. Mannila, On the suitability of trace semantics for modular proofs of communicating processes **39** (1) (1985) 47–68
762. R. Kannan, Solving systems of linear equations over polynomials **39** (1) (1985) 69–88
763. O.H. Ibarra, M.A. Palis and J.H. Chang, On efficient recognition of transductions and relations **39** (2-3) (1985) 89–106
764. L. Priese, On a fast decomposition method in some models of concurrent computations **39** (2-3) (1985) 107–121
765. D. Kapur, P. Narendran, M.S. Krishnamoorthy and R. McNaughton, The Church–Rosser property and special Thue systems **39** (2-3) (1985) 123–133
766. C. Böhm and A. Berarducci, Automatic synthesis of typed  $\Lambda$ -programs on term algebras **39** (2-3) (1985) 135–154
767. M. Parigot and E. Pelz, A logical approach of Petri net languages **39** (2-3) (1985) 155–169
768. J.-C. Spehner, Systèmes entiers d'équations sur un alphabet fini et Conjecture d'Ehrenfeucht **39** (2-3) (1985) 171–188
769. M. Rodriguez-Artalejo, Some questions about expressiveness and relative completeness in Hoare's logic **39** (2-3) (1985) 189–206
770. S.R. Mahaney and P. Young, Reductions among polynomial isomorphism types **39** (2-3) (1985) 207–224
771. D. Joseph and P. Young, Some remarks on witness functions for nonpolynomial and noncomplete sets in NP **39** (2-3) (1985) 225–237
772. R. Hull, Non-finite specifiability of projections of functional dependency families **39** (2-3) (1985) 239–265
773. J. Vogel and K. Wagner, Two-way automata with more than one storage medium **39** (2-3) (1985) 267–280
774. R. Siromoney and V.R. Dare, On infinite words obtained by selective substitution grammars **39** (2-3) (1985) 281–295
775. A. Haken, The intractability of resolution **39** (2-3) (1985) 297–308
776. S. Ginsburg and E.H. Spanier, On completing tables to satisfy functional dependencies **39** (2-3) (1985) 309–317
777. R.V. Book and F. Otto, On the security of name-stamp protocols **39** (2-3) (1985) 319–325
778. E.L. Leiss, On solving star equations **39** (2-3) (1985) 327–332
779. A. Arnold, A syntactic congruence for rational  $\omega$ -languages **39** (2-3) (1985) 333–335
780. M.W. Bunder, An extension of Klop's counterexample to the Church–Rosser property to  $\lambda$ -calculus with other ordered pair combinators **39** (2-3) (1985) 337–342
781. J. Heintz, Definability and fast quantifier elimination in algebraically closed fields (*Corrigendum*) **39** (2-3) (1985) 343
782. J. Karhumäki, On three-element codes **40** (1) (1985) 3–11
783. A. Restivo and C. Reutenauer, Rational languages and the Burnside problem **40** (1) (1985) 13–30
784. A. Blumer, J. Blumer, D. Haussler, A. Ehrenfeucht, M.T. Chen and J. Seiferas, The smallest automaton recognizing the subwords of a text **40** (1) (1985) 31–55
785. U. Schöningh, Robust algorithms: A different approach to oracles **40** (1) (1985) 57–66
786. R. Paige, R.E. Tarjan and R. Bonic, A linear solution to the single function coarsest partition problem **40** (1) (1985) 67–84
787. G. Bauer,  $n$ -level rewriting systems **40** (2-3) (1985) 85–99
788. R.V. Book and F. Otto, On the verifiability of two-party algebraic protocols **40** (2-3) (1985) 101–130
789. W. Bucher, A. Ehrenfeucht and D. Haussler, On total regulators generated by derivation relations **40** (2-3) (1985) 131–148
790. I.J. Aalbersberg and G. Rozenberg, Cts systems and Petri nets **40** (2-3) (1985) 149–162
791. K. Ayers, Deque automata and a subfamily of context-sensitive languages which contains all semilinear bounded languages **40** (2-3) (1985) 163–174
792. K. Kobayashi, On the structure of one-tape nondeterministic Turing machine time hierarchy **40** (2-3) (1985) 175–193

793. M.-D.A. Huang and K.J. Lieberherr, Implications of forbidden for extremal algorithmic problems **40** (2-3) (1985) 195–210
794. G. Mascari and M. Venturini Zilli, While-programs with nondeterministic assignments and the logic ALNA **40** (2-3) (1985) 211–235
795. J.L. Balcázar, R.V. Book and U. Schöning, On bounded query machines **40** (2-3) (1985) 237–243
796. T. Kanaoka and S. Tomita, Homogeneous decomposition of stochastic systems **40** (2-3) (1985) 245–255
797. S.K. Abdali and B.D. Saunders, Transitive closure and related semiring properties via eliminants **40** (2-3) (1985) 257–274
798. F. Fogelman-Soulié, Parallel and sequential computation on Boolean networks **40** (2-3) (1985) 275–300
799. A. Ginzburg and M. Yoeli, Reducibility of synchronization structures **40** (2-3) (1985) 301–314
800. F.J. Urbanek, On Greibach normal form construction **40** (2-3) (1985) 315–317
801. M. Kaminski, A lower bound for polynomial multiplication **40** (2-3) (1985) 319–322
802. M.S. Krishnamoorthy and P. Narendran, On recursive path ordering **40** (2-3) (1985) 323–328
803. G. Gonthier, Algebraic calculi of processes and net expressions **40** (2-3) (1985) 329–337
804. G. Păun, A variant of random context grammars: semi-conditional grammars **41** (1) (1985) 1–17
805. E.C. Golen, Dynamics of positive automata networks **41** (1) (1985) 19–32
806. V.E. Căzănescu, On context-free trees **41** (1) (1985) 33–50
807. P. Gohon, An algorithm to decide whether a rational subset of  $\mathbb{N}^k$  is recognizable **41** (1) (1985) 51–59
808. E. Barbin-Le Rest and M. Le Rest, Sur la combinatoire des codes à deux mots **41** (1) (1985) 61–80
809. C.S. Iliopoulos, Computing in general abelian groups is hard **41** (1) (1985) 81–93
810. S. Hayashi, Adjunction of semifunctors: Categorical structures in nonextensional lambda calculus **41** (1) (1985) 95–104
811. Y. Maon, On the equivalence problem of compositions of morphisms and inverse morphisms on context-free languages **41** (1) (1985) 105–107
812. J.-Y. Thibon, Intégrité des algèbres de séries formelles sur un alphabet partiellement commutatif **41** (1) (1985) 109–112
813. M.W. Bunder, Possible forms of evaluation or reduction in Martin–Löf type theory **41** (1) (1985) 113–120
814. M.H. Albert and J. Lawrence, A proof of Ehrenfeucht’s Conjecture **41** (1) (1985) 121–123
815. B. Helfrich, Algorithms to construct Minkowski reduced and Hermite reduced lattice bases **41** (2-3) (1985) 125–139
816. B. Monien and I.H. Sudborough, Bandwidth constrained NP-complete problems **41** (2-3) (1985) 141–167
817. E. Dahlhaus and H. Gaifman, Concerning two-adjacent context-free languages **41** (2-3) (1985) 169–184
818. W. Reisig, Petri nets with individual tokens **41** (2-3) (1985) 185–213
819. J. Karhumäki, A property of three-element codes **41** (2-3) (1985) 215–222
820. E. Tomita and K. Seino, A weaker sufficient condition for the equivalence of a pair of dpda’s to be decidable **41** (2-3) (1985) 223–230
821. O.H. Ibarra, M.A. Palis and S.M. Kim, Fast parallel language recognition by cellular automata **41** (2-3) (1985) 231–246
822. E. Pelz, On the complexity of theories of permutations **41** (2-3) (1985) 247–269
823. J. Grant and J. Minker, Inferences for numerical dependencies **41** (2-3) (1985) 271–287
824. S. Hirokawa, Complexity of the combinator reduction machine **41** (2-3) (1985) 289–303
825. G. Slutzki, Alternating tree automata **41** (2-3) (1985) 305–318
826. H.-J. Stoss, The complexity of evaluating interpolation polynomials **41** (2-3) (1985) 319–323
827. F. Meyer auf der Heide, Simulating probabilistic by deterministic algebraic computation trees **41** (2-3) (1985) 325–330
828. K. Inoue, I. Takanami and R. Vollmar, Alternating on-line Turing machines with only universal states and small space bounds **41** (2-3) (1985) 331–339
829. B. Courcelle, Equivalences and transformations of regular systems – applications to recursive program schemes and grammars **42** (1) (1986) 1–122
830. M. Wirsing, Structured algebraic specifications: A kernel language **42** (2) (1986) 123–250
831. J. Engelfriet and H. Vogler, Pushdown machines for the macro tree transducer **42** (3) (1986) 251–368
832. J.W. Grzymala-Busse and Z. Bavel, Characterization of state-independent automata **43** (1) (1986) 1–10

833. A. Scheuing, Decomposition of linear automata over residue rings into shift-registers **43** (1) (1986) 11–30
834. C. Ronse, A topological characterization of thinning **43** (1) (1986) 31–41
835. L.M. Goldschlager and I. Parberry, On the construction of parallel computers from various bases of Boolean functions **43** (1) (1986) 43–58
836. R.R. Redziejewski, Infinite-word languages and continuous mappings **43** (1) (1986) 59–79
837. E. Orłowska, Semantic analysis of inductive reasoning **43** (1) (1986) 81–89
838. G. Hansel, Une démonstration simple du théorème de Skolem–Mahler–Lech **43** (1) (1986) 91–98
839. P. Clote, On the finite containment problem for Petri nets **43** (1) (1986) 99–105
840. P.A. Lindsay, Alternation and  $\omega$ -type Turing acceptors **43** (1) (1986) 107–115
841. M.H. Albert and J. Lawrence, Test sets for finite substitutions **43** (1) (1986) 117–122
842. R. Berghammer and H. Zierer, Relational algebraic semantics of deterministic and nondeterministic programs **43** (2-3) (1986) 123–147
843. J. Heering, Partial evaluation and  $\omega$ -completeness of algebraic specifications **43** (2-3) (1986) 149–167
844. M.R. Jerrum, L.G. Valiant and V.V. Vazirani, Random generation of combinatorial structures from a uniform distribution **43** (2-3) (1986) 169–188
845. F. Fages and G. Huet, Complete sets of unifiers and matchers in equational theories **43** (2-3) (1986) 189–200
846. I. Wegener, More on the complexity of slice functions **43** (2-3) (1986) 201–211
847. R. Janicki, P.E. Lauer, M. Koutny and R. Devillers, Concurrent and maximally concurrent evolution of nonsequential systems **43** (2-3) (1986) 213–238
848. G.M. Landau and U. Vishkin, Efficient string matching with  $k$  mismatches **43** (2-3) (1986) 239–249
849. A. Pasztor and R. Statman, Scott induction and closure under  $\omega$ -sups **43** (2-3) (1986) 251–263
850. A. De Luca and A. Restivo, Star-free sets of integers **43** (2-3) (1986) 265–275
851. I. Suzuki, Y. Motohashi, K. Taniguchi, T. Kasami and T. Okamoto, Specification and verification of decentralized daisy chain arbiters with  $\omega$ -extended regular expressions **43** (2-3) (1986) 277–291
852. J. Adámek, J. Reiterman and E. Nelson, Continuous semilattices **43** (2-3) (1986) 293–313
853. A. Saoudi, Variétés d'automates descendants d'arbres infinis **43** (2-3) (1986) 315–335
854. K. Edwards, The complexity of colouring problems on dense graphs **43** (2-3) (1986) 337–343
855. D.B. Johnson, A simple proof of a time-space trade-off for sorting with linear comparisons **43** (2-3) (1986) 345–350
856. P. Ritzmann, A fast numerical algorithm for the composition of power series with complex coefficients **44** (1) (1986) 1–16
857. F. Blanchard and G. Hansel, Systèmes codés **44** (1) (1986) 17–49
858. D. Leivant, Typing and computational properties of lambda expressions **44** (1) (1986) 51–68
859. L.E. Rosier and H.-C. Yen, Boundedness, empty channel detection, and synchronization for communicating finite automata **44** (1) (1986) 69–105
860. F. Blanchard and S. Martinez, Points d'orbite dense de certains langages de mots infinis **44** (1) (1986) 107–110
861. J.H. Chang, O.H. Ibarra, M.A. Palis and B. Ravikumar, On pebble automata **44** (1) (1986) 111–121
862. E. Paul, On solving the equality problem in theories defined by Horn clauses **44** (2) (1986) 127–153
863. E.L. Leiss, Generalized language equations with multiple solutions **44** (2) (1986) 155–174
864. Y. Kobayashi, Repetition-free words **44** (2) (1986) 175–197
865. V. Diekert, Complete semi-Thue systems for abelian groups **44** (2) (1986) 199–208
866. T. Etzion, An algorithm for generating shift-register cycles **44** (2) (1986) 209–224
867. S. Okawa, S. Hirose and M. Yoneda, On the impossibility of the homomorphic characterization of context-sensitive languages **44** (2) (1986) 225–228
868. F.J. Urbanek, On Greibach normal form construction **44** (2) (1986) 229–236
869. P. Narendran, On the equivalence problem for regular Thue systems **44** (2) (1986) 237–245
870. P.E. Dunne, The complexity of central slice functions **44** (3) (1986) 247–257
871. M. Takahashi, The greatest fixed-points and rational omega-tree languages **44** (3) (1986) 259–274
872. H.-J. Kreowski and A. Wilharm, Net processes correspond to derivation processes in graph grammars **44** (3) (1986) 275–305
873. W.F. Dowling and J.H. Gallier, Continuation semantics for flowgraph equations **44** (3) (1986) 307–331

874. E.T. Poulsen, The Ehrenfeucht Conjecture: An algebra-framework for its proof **44** (3) (1986) 333–339
875. M. Broy, A theory for nondeterminism, parallelism, communication, and concurrency **45** (1) (1986) 1–61
876. M. Crochemore, Transducers and repetitions **45** (1) (1986) 63–86
877. J. Gonczarowski and M.K. Warmuth, Manipulating derivation forests by scheduling techniques **45** (1) (1986) 87–119
878. M. Dezani-Ciancaglini and I. Margaria, A characterization of  $F$ -complete type assignments **45** (2) (1986) 121–157
879. J.-Y. Girard, The system  $F$  of variable types, fifteen years later **45** (2) (1986) 159–192
880. J.-J.C. Meyer, Merging regular processes by means of fixed-point theory **45** (2) (1986) 193–260
881. P. Huber, A.M. Jensen, L.O. Jepsen and K. Jensen, Reachability trees for high-level Petri nets **45** (3) (1986) 261–292
882. H. Ait-Kaci, An algebraic semantics approach to the effective resolution of type equations **45** (3) (1986) 293–351
883. C. Mauduit, Morphismes unispectraux **46** (1) (1986) 1–11
884. G. Bernot, M. Bidoit and C. Choppy, Abstract data types with exception handling: An initial approach based on a distinction between exceptions and errors **46** (1) (1986) 13–45
885. Y.Q. Guo, G.W. Xu and G. Thierrin, Disjunctive decomposition of languages **46** (1) (1986) 47–51
886. K. Hashiguchi, Notes on finitely generated semigroups and pumping conditions for regular languages **46** (1) (1986) 53–66
887. N. Lerat and W. Lipski, Jr., Nonapplicable nulls **46** (1) (1986) 67–82
888. T. Head and B. Lando, Periodic DOL languages **46** (1) (1986) 83–89
889. H. Yamasaki, M. Takahashi and K. Kobayashi, Characterization of  $\omega$ -regular languages by monadic second-order formulas **46** (1) (1986) 91–99
890. M. Latteux and E. Timmerman, Two characterizations of rational adherences **46** (1) (1986) 101–106
891. R.R. Howell, L.E. Rosier, D.T. Huynh and H.-C. Yen, Some complexity bounds for problems concerning finite and 2-dimensional vector addition systems with states **46** (2-3) (1986) 107–140
892. J. Jaffar and P.J. Stuckey, Semantics of infinite tree logic programming **46** (2-3) (1986) 141–158
893. C. Duboc, On some equations in free partially commutative monoids **46** (2-3) (1986) 159–174
894. A. Brazzma and E. Kinber, Generalized regular expressions – a language for synthesis of programs with branching in loops **46** (2-3) (1986) 175–195
895. G. Longo and S. Martini, Computability in higher types,  $P\omega$  and the completeness of type assignment **46** (2-3) (1986) 197–217
896. D. Phan Dinh, T. Le Cong and H. Le Tuan, Average polynomial time complexity of some NP-complete problems **46** (2-3) (1986) 219–237
897. P. Hájek, A simple dynamic logic **46** (2-3) (1986) 239–259
898. C.-H. Huang and C. Lengauer, The automated proof of a trace transformation for a bitonic sort **46** (2-3) (1986) 261–284
899. A. Dicky, An algebraic and algorithmic method for analysing transition systems **46** (2-3) (1986) 285–303
900. T. Hardin and A. Laville, Proof of termination of the rewriting system SUBST on CCL **46** (2-3) (1986) 305–312
901. V. Diekert, On some variants of the Ehrenfeucht Conjecture **46** (2-3) (1986) 313–318
902. V. Diekert, Commutative monoids have complete presentations by free (non-commutative) monoids **46** (2-3) (1986) 319–327
903. B. Griesser, Lower bounds for the approximative complexity **46** (2-3) (1986) 329–338
904. Z. Ésik and P. Dömösi, Complete classes of automata for the  $\alpha_0$ -product **47** (1) (1986) 1–14
905. K. Culik, II and S. Yu, Real-time, pseudo real-time, and linear-time ITA **47** (1) (1986) 15–26
906. P. Narendran and F. Otto, The problems of cyclic equality and conjugacy for finite complete rewriting systems **47** (1) (1986) 27–38
907. J.H. Johnson, Rational equivalence relations **47** (1) (1986) 39–60
908. A. Pelc, Lie patterns in search procedures **47** (1) (1986) 61–69
909. K. Culik, II and J. Karhumäki, The equivalence of finite valued transducers (on HDTOL languages) is decidable **47** (1) (1986) 71–84
910. L.G. Valiant and V.V. Vazirani, NP is as easy as detecting unique solutions **47** (1) (1986) 85–93
911. J.-P. Pecuchet, On the complementation of Büchi automata **47** (1) (1986) 95–98



912. J. Heintz, On polynomials with symmetric Galois group which are easy to compute **47** (1) (1986) 99–105
913. P. Wrosteck, On the size of unambiguous context-free grammars **47** (1) (1986) 107–110
914. P.W. Dymond, On nondeterminism in parallel computation **47** (2) (1986) 111–120
915. P. Orponen, A classification of complexity core lattices **47** (2) (1986) 121–130
916. K.W. Wagner, Some observations on the connection between counting and recursion **47** (2) (1986) 131–147
917. M. Chrobak, Finite automata and unary languages **47** (2) (1986) 149–158
918. V.R. Dare and R. Siromoney, Subword topology **47** (2) (1986) 159–168
919. S. Homer, On simple and creative sets in NP **47** (2) (1986) 169–180
920. J.-C. Spehner, Le calcul rapide des mélanges de deux mots **47** (2) (1986) 181–203
921. L.M. Kirousis and C.H. Papadimitriou, Searching and pebbling **47** (2) (1986) 205–218
922. R. Parchmann and J. Duske, Self-embedding indexed grammars **47** (2) (1986) 219–223
923. F. Otto, The undecidability of self-embedding for finite semi-Thue and Thue systems **47** (2) (1986) 225–232
924. M. Karchmer, Two time–space tradeoffs for element distinctness **47** (3) (1986) 237–246
925. Y. Maon and A. Yehudai, Balance of many-valued transductions and equivalence problems **47** (3) (1986) 247–262
926. K.-I. Ko, T.J. Long and D.-Z. Du, On one-way functions and polynomial-time isomorphisms **47** (3) (1986) 263–276
927. Y. Maon, B. Schieber and U. Vishkin, Parallel ear decomposition search (EDS) and *st*-numbering in graphs **47** (3) (1986) 277–298
928. K.-I. Ko, On the continued fraction representation of computable real numbers **47** (3) (1986) 299–313
929. W. Rytter, On the complexity of parallel parsing of general context-free languages **47** (3) (1986) 315–321
930. J.W. Hong and Q. Zuo, Lower bounds on communication overlap of networks **47** (3) (1986) 323–328
931. A. Szalas, Concerning the semantic consequence relation in first-order temporal logic **47** (3) (1986) 329–334
932. J.-L. Deleage and L. Pierre, The rational index of the Dyck language  $D_1^*$  **47** (3) (1986) 335–343
933. L. Fariñas del Cerro and E. Orłowska, DAL – a logic for data analysis (*Corrigendum*) **47** (3) (1986) 345
934. Z. Ésik and F. Gécseg, On  $\alpha_0$ -products and  $\alpha_2$ -products **48** (1) (1986) 1–8
935. K.-I. Ko, On the notion of infinite pseudorandom sequences **48** (1) (1986) 9–33
936. J.-C. Spehner, La reconnaissance des facteurs d'un mot dans un texte **48** (1) (1986) 35–52
937. S. Bublitz, U. Schürfeld and I. Wegener, Properties of complexity measures for PRAMs and WRAMs **48** (1) (1986) 53–73
938. C.P. Kruskal and M. Snir, A unified theory of interconnection network structure **48** (1) (1986) 75–94
939. R. Statman, Every countable poset is embeddable in the poset of unsolvable terms **48** (1) (1986) 95–100
940. T. Head and B. Lando, Regularity of sets of initial strings of periodic DOL-systems **48** (1) (1986) 101–108
941. J. Hromkovič, Communication complexity hierarchy **48** (1) (1986) 109–115
942. G. Berry and R. Sethi, From regular expressions to deterministic automata **48** (1) (1986) 117–126
943. V. Weispfenning, The complexity of the word problem for abelian  $l$ -groups **48** (1) (1986) 127–132
944. M. Tchuente, Sequential simulation of parallel iterations and applications **48** (2-3) (1986) 135–144
945. W. Marek and H. Rasiowa, Approximating sets with equivalence relations **48** (2-3) (1986) 145–152
946. M. Chrobak, Hierarchies of one-way multihead automata languages **48** (2-3) (1986) 153–181
947. C. Duboc, Mixed product and asynchronous automata **48** (2-3) (1986) 183–199
948. A. Ehrenfeucht, H.J. Hoogeboom and G. Rozenberg, On the active and full use of memory in right-boundary grammars and push-down automata **48** (2-3) (1986) 201–228
949. M. Fitting, Partial models and logic programming **48** (2-3) (1986) 229–255
950. W. Dańko, First-order approximation of algorithmic theories **48** (2-3) (1986) 257–272
951. G.F. Italiano, Amortized efficiency of a path retrieval data structure **48** (2-3) (1986) 273–281
952. A. Salomaa and S. Yu, On a public-key cryptosystem based on iterated morphisms and substitutions **48** (2-3) (1986) 283–296
953. S. Ginsburg and C.-J. Tang, Projection of object histories **48** (2-3) (1986) 297–328
954. A. Gibbons and W. Rytter, On the decidability of some problems about rational subsets of free partially commutative monoids **48** (2-3) (1986) 329–337

955. J. Engelfriet and H. Vogler, Pushdown machines for the macro tree transducer (*Corrigendum*) **48** (2-3) (1986) 339
956. M. Takahashi, Brzozowski hierarchy of  $\omega$ -languages **49** (1) (1987) 1–12
957. C.C. Squier, Units of special Church–Rosser monoids **49** (1) (1987) 13–22
958. R. Parchmann and J. Duske, Grammars, derivation modes and properties of indexed and type-0 languages **49** (1) (1987) 23–42
959. M. Oyamaguchi, The Church–Rosser property for ground term-rewriting systems is decidable **49** (1) (1987) 43–79
960. L.J. Guibas, J. Stolfi and K.L. Clarkson, Solving related two- and three-dimensional linear programming problems in logarithmic time **49** (1) (1987) 81–84
961. J.W. de Bakker, J.-J.C. Meyer and E.-R. Olderog, Infinite streams and finite observations in the semantics of uniform concurrency **49** (2-3) (1987) 87–112
962. M.G. Main, W. Bucher and D. Haussler, Applications of an infinite square-free co-CFL **49** (2-3) (1987) 113–119
963. M. Hennessy, An algebraic theory of fair asynchronous communicating processes **49** (2-3) (1987) 121–143
964. L. Bougé, Repeated snapshots in distributed systems with synchronous communications and their implementation in CSP **49** (2-3) (1987) 145–169
965. Z. Galil, G.M. Landau and M.M. Yung, Distributed algorithms in synchronous broadcasting networks **49** (2-3) (1987) 171–184
966. K.G. Larsen, A context dependent equivalence between processes **49** (2-3) (1987) 185–215
967. A. Prasad Sistla, M.Y. Vardi and P. Wolper, The complementation problem for Büchi automata with applications to temporal logic **49** (2-3) (1987) 217–237
968. R. Cole, Partitioning point sets in arbitrary dimension **49** (2-3) (1987) 239–265
969. T.G. Kurtz and U. Manber, A probabilistic distributed algorithm for set intersection and its analysis **49** (2-3) (1987) 267–282
970. P. Flajolet, Analytic models and ambiguity of context-free languages **49** (2-3) (1987) 283–309
971. C. Stirling, Modal logics for communicating systems **49** (2-3) (1987) 311–347
972. J.-Y. Girard, Linear logic **50** (1) (1987) 1–102
973. J.W. Gray, Categorical aspects of data type constructors **50** (2) (1987) 103–135
974. J.A. Bergstra and J.V. Tucker, Algebraic specifications of computable and semicomputable data types **50** (2) (1987) 137–181
975. J. Mazoyer, A six-state minimal time solution to the firing squad synchronization problem **50** (2) (1987) 183–238
976. I. Phillips, Refusal testing **50** (3) (1987) 241–284
977. I. Sain, Total correctness in nonstandard logics of programs **50** (3) (1987) 285–321
978. E.G. Wagner and H. Ehrig, Canonical constraints for parametrized data types **50** (3) (1987) 323–349
979. A.S. Troelstra, On the syntax of Martin–Löf’s type theories **51** (1-2) (1987) 1–26
980. P. Le Chenadec, Analysis of Dehn’s algorithm by critical pairs **51** (1-2) (1987) 27–52
981. K.W. Wagner, More complicated questions about maxima and minima, and some closures of NP **51** (1-2) (1987) 53–80
982. A. Habel and H.-J. Kreowski, Characteristics of graph languages generated by edge replacement **51** (1-2) (1987) 81–115
983. J. Beauquier and F. Gire, Une note sur le théorème de caractérisation des générateurs algébriques **51** (1-2) (1987) 117–127
984. J.C.M. Baeten, J.A. Bergstra and J.W. Klop, On the consistency of Koomen’s fair abstraction rule **51** (1-2) (1987) 129–176
985. K. Ambos-Spies, H. Fleischhack and H. Huwig, Diagonalizations over polynomial time computable sets **51** (1-2) (1987) 177–204
986. F. Orejas, A characterization of passing compatibility for parametrized specifications **51** (1-2) (1987) 205–214
987. A. Carpi, On unambiguous reductions of monoids of unambiguous relations **51** (1-2) (1987) 215–220
988. J. Vyskoč, An  $O(n^{\lg k} \cdot 2^{n/2})$  time and  $O(k \cdot 2^{n/k})$  space algorithm for certain NP-complete problems **51** (1-2) (1987) 221–227

989. E.G. Belaga, Constructive universal algebra: An introduction **51** (1-2) (1987) 229–238
990. I. Parberry, On the time required to sum  $n$  semigroup elements on a parallel machine with simultaneous writes **51** (1-2) (1987) 239–247
991. T. Head and B. Lando, Bounded D0L languages **51** (3) (1987) 255–264
992. S. Homer and T.J. Long, Honest polynomial degrees and  $P = NP$  **51** (3) (1987) 265–280
993. B. Berard, Literal shuffle **51** (3) (1987) 281–299
994. T. Yokomori, On purely morphic characterizations of context-free languages **51** (3) (1987) 301–308
995. S. Yamasaki, M. Yoshida and S. Doshita, A fixpoint semantics of Horn sentences based on substitution sets **51** (3) (1987) 309–324
996. J. Hromkovič, Reversal-bounded nondeterministic multicounter machines and complementation **51** (3) (1987) 325–330
997. T. Beth, On the computational complexity of the general discrete Fourier transform **51** (3) (1987) 331–339
998. Z. Galil and R. Giancarlo, Parallel string matching with  $k$  mismatches **51** (3) (1987) 341–348
999. M. Zaionc, Word operation definable in the typed  $\lambda$ -calculus **52** (1-2) (1987) 1–14
1000. K.-I. Ko, On helping by robust oracle machines **52** (1-2) (1987) 15–36
1001. R. Kennaway, On “On graph rewritings” **52** (1-2) (1987) 37–58
1002. J. Sakarovitch, On regular trace languages **52** (1-2) (1987) 59–75
1003. J. Von zur Gathen, Factoring polynomials and primitive elements for special primes **52** (1-2) (1987) 77–89
1004. B. Seite, A YACC extension for LLR grammar parsing **52** (1-2) (1987) 91–143
1005. D. Mundici, Satisfiability in many-valued sentential logic is NP-complete **52** (1-2) (1987) 145–153
1006. P. Spirakis, The parallel complexity of deadlock detection **52** (1-2) (1987) 155–163
1007. T. Moriya, Topological characterizations of infinite tree languages **52** (1-2) (1987) 165–171
1008. C. Kim and I.H. Sudborough, The membership and equivalence problems for picture languages **52** (3) (1987) 177–191
1009. J.M. Marberg and E. Gafni, Distributed sorting algorithms for multi-channel broadcast networks **52** (3) (1987) 193–203
1010. M. Felleisen, D.P. Friedman, E. Kohlbecker and B. Duba, A syntactic theory of sequential control **52** (3) (1987) 205–237
1011. R.G. Nigmatullin, Models of lower-bounds proofs **52** (3) (1987) 239–249
1012. J.L. Balcazar, J. Díaz and J. Gabarró, On characterizations of the class PSPACE/poly **52** (3) (1987) 251–267
1013. E. Gelenbe and D. Finkel, Stationary deterministic flows: II. The single-server queue **52** (3) (1987) 269–280
1014. R.W. Topor, Domain-independent formulas and databases **52** (3) (1987) 281–306
1015. G. Ștefănescu, On flowchart theories: Part II. The nondeterministic case **52** (3) (1987) 307–340
1016. F.J. Brandenburg, A note on: ‘Deque automata and a subfamily of context-sensitive languages which contains all semilinear bounded languages’ (by K. Ayers) **52** (3) (1987) 341–342
1017. E.G. Wagner, A categorical treatment of pre- and post-conditions **53** (1) (1987) 3–24
1018. G. Filé, Classical and incremental attribute evaluation by means of recursive procedures **53** (1) (1987) 25–65
1019. D. Frutos Escrib, Probabilistic Ianov’s schemes **53** (1) (1987) 67–97
1020. G. Louchard, Random walks, Gaussian processes and list structures **53** (1) (1987) 99–124
1021. A. Pelin and J.H. Gallier, Building exact computation sequences **53** (1) (1987) 125–150
1022. A. Pettorossi, Derivation of efficient programs for computing sequences of actions **53** (1) (1987) 151–167
1023. H. Attiya and Y. Mansour, Language complexity on the synchronous anonymous ring **53** (2-3) (1987) 169–185
1024. I. Litovsky and E. Timmerman, On generators of rational  $\omega$ -power languages **53** (2-3) (1987) 187–200
1025. C.P. Schnorr, A hierarchy of polynomial time lattice basis reduction algorithms **53** (2-3) (1987) 201–224
1026. S. Abramsky, Observation equivalence as a testing equivalence **53** (2-3) (1987) 225–241
1027. Z. Ésik and F. Gécseg, On a representation of tree automata **53** (2-3) (1987) 243–255
1028. H. Müller and A. Brandstädt, The NP-completeness of Steiner tree and dominating set for chordal bipartite graphs **53** (2-3) (1987) 257–265

1029. M. Beynon and J. Buckle, On the planar monotone computation of Boolean functions **53** (2-3) (1987) 267–279
1030. D. Peleg and E. Upfal, The generalized packet routing problem **53** (2-3) (1987) 281–293
1031. W. Rytter and R. Giancarlo, Optimal parallel parsing of bracket languages **53** (2-3) (1987) 295–306
1032. M. Garzon, Cyclic automata **53** (2-3) (1987) 307–317
1033. T. Nishida and Y. Kobuchi, Repeatable words for substitution **53** (2-3) (1987) 319–333
1034. L. Hallnäs, An intensional characterization of the largest bisimulation **53** (2-3) (1987) 335–343
1035. N. Santoro, J.B. Sidney, S.J. Sidney and J. Urrutia, Geometric containment and vector dominance **53** (2-3) (1987) 345–352
1036. J. Hsiang and M. Srivas, Automatic inductive theorem proving using PROLOG **54** (1) (1987) 3–28
1037. F.V. Jensen and K.G. Larsen, Recursively defined domains and their induction principles **54** (1) (1987) 29–51
1038. A. Marchetti-Spaccamela, New protocols for the election of a leader in a ring **54** (1) (1987) 53–64
1039. V. Pan, Complexity of parallel matrix computations **54** (1) (1987) 65–85
1040. C. Bajaj, Geometric optimization and the polynomial hierarchy **54** (1) (1987) 87–102
1041. V.S. Lakshmanan and C.E. Veni Madhavan, An algebraic theory of functional and multivalued dependencies in relational databases **54** (1) (1987) 103–128
1042. S.M. Venkatesan, Approximation algorithms for weighted matching **54** (1) (1987) 129–137
1043. L. Priese, R. Rehmann and U. Willecke-Klemme, An introduction to the regular theory of fairness **54** (2-3) (1987) 139–163
1044. G. Rindone, Construction d'une famille de codes associés à certains groupes finis **54** (2-3) (1987) 165–179
1045. A. Brandstädt and D. Kratsch, On domination problems for permutation and other graphs **54** (2-3) (1987) 181–198
1046. A. Szalas, A complete axiomatic characterization of first-order temporal logic of linear time **54** (2-3) (1987) 199–214
1047. J.R.B. Cockett, Discrete decision theory: manipulations **54** (2-3) (1987) 215–236
1048. P. Bertolazzi and A. Sassano, An  $O(mn)$  algorithm for regular set-covering problems **54** (2-3) (1987) 237–247
1049. O. Watanabe, A comparison of polynomial time completeness notions **54** (2-3) (1987) 249–265
1050. D.E. Muller and P.E. Schupp, Alternating automata on infinite trees **54** (2-3) (1987) 267–276
1051. H. Fauconnier, Sémantique asynchrone et comportements infinis en CSP **54** (2-3) (1987) 277–298
1052. S. Ginsburg and C.-J. Tang, Canonical forms for interval functions **54** (2-3) (1987) 299–313
1053. K. Sado and Y. Igarashi, A function for evaluating the computing time of a bubbling system **54** (2-3) (1987) 315–324
1054. S. Iwata and T. Kasai, Simultaneous (poly-time, log-space) lower bounds **54** (2-3) (1987) 325–329
1055. M. Liśkiewicz, K. Loryś and M. Piotrów, On reversal bounded alternating Turing machines **54** (2-3) (1987) 331–339
1056. K.-I. Ko, On the continued fraction representation of computable real numbers (*Corrigendum*) **54** (2-3) (1987) 341–343
1057. D. Peleg, Concurrent program schemes and their logics **55** (1) (1987) 1–45
1058. H. Seidl, Parameter-reduction of higher level grammars **55** (1) (1987) 47–85
1059. E. Best and R. Devillers, Sequential and concurrent behaviour in Petri net theory **55** (1) (1987) 87–136
1060. B. Courcelle, An axiomatic definition of context-free rewriting and its application to NLC graph grammars **55** (2-3) (1987) 141–181
1061. F.-J. Brandenburg, Representations of language families by homomorphic equality operations and generalized equality sets **55** (2-3) (1987) 183–263
1062. M. Bartha, An equational axiomatization of systolic systems **55** (2-3) (1987) 265–289
1063. J.-P. Lehmann, A universal machine without change of state **55** (2-3) (1987) 291–348
1064. D. Armbruster, A polynomial determination of the most-recent property in Pascal-like programs **56** (1) (1988) 3–15
1065. C. Hankin, G. Burn and S. Peyton Jones, A safe approach to parallel combinator reduction **56** (1) (1988) 17–36
1066. S. Kaplan, Rewriting with a nondeterministic choice operator **56** (1) (1988) 37–57

1067. F. Nielson and H.R. Nielson, Two-level semantics and code generation **56** (1) (1988) 59–133
1068. E.W. Stark, Proving entailment between conceptual state specifications **56** (1) (1988) 135–154
1069. E. Fachini and M. Napoli, C-tree systolic automata **56** (2) (1988) 155–186
1070. W. Marek, A natural semantics for modal logic over databases **56** (2) (1988) 187–209
1071. C.S. Iliopoulos, On the computational complexity of the abelian permutation group structure, membership and intersection problems **56** (2) (1988) 211–222
1072. S. Sekimoto and S. Hirokawa, One-step recurrent terms in  $\lambda$ - $\beta$ -calculus **56** (2) (1988) 223–231
1073. A. Carpi, Multidimensional unreplicative configurations **56** (2) (1988) 233–241
1074. J. Mohrherr, A remark on the length problem **56** (2) (1988) 243–248
1075. C. Tretkoff, Complexity, combinatorial group theory and the language of palutators **56** (3) (1988) 253–275
1076. J. Staples, Delaying unification algorithms for lambda calculi **56** (3) (1988) 277–288
1077. E. Grädel, Subclasses of Presburger arithmetic and the polynomial-time hierarchy **56** (3) (1988) 289–301
1078. A. Martino, A quantitative interpretation of Girard's system  $F$  **56** (3) (1988) 303–320
1079. R. Boonyavatana and G. Slutzki, The interchange or pump (dilemmas for context-free languages **56** (3) (1988) 321–338
1080. V. Bruyère, An answer to a question about finite maximal prefix sets of words **56** (3) (1988) 339–344
1081. F. Baader and W. Büttner, Unification in commutative idempotent monoids **56** (3) (1988) 345–352
1082. M. Broy, Equational specification of partial higher-order algebras **57** (1) (1988) 3–45
1083. O.H. Ibarra and M.A. Palis, Two-dimensional iterative arrays: characterizations and applications **57** (1) (1988) 47–86
1084. F.M. Ablyv, The complexity properties of probabilistic automata with isolated cut point **57** (1) (1988) 87–95
1085. J. Hromkovič, The advantages of a new approach to defining the communication complexity for VLSI **57** (1) (1988) 97–111
1086. S.P. Jukna, Entropy of contact circuits and lower bounds on their complexity **57** (1) (1988) 113–129
1087. J. Tarhio and E. Ukkonen, A greedy approximation algorithm for constructing shortest common superstrings **57** (1) (1988) 131–145
1088. W. Kuich, Matrix systems and principal cones of algebraic power series **57** (1) (1988) 147–152
1089. V. Skarbek, Generating ordered trees **57** (1) (1988) 153–159
1090. A. Avron, The semantics and proof theory of linear logic **57** (2-3) (1988) 161–184
1091. L. Pierre and J.-M. Farinone, Rational index of context-free languages in  $\exp \Theta(\sqrt[3]{n})$  and  $n^{\Theta((\ln n)^{1/p})}$  **57** (2-3) (1988) 185–204
1092. Y. Velinov, An algebraic structure for derivations in rewriting systems **57** (2-3) (1988) 205–224
1093. O.H. Ibarra and T. Jiang, Relating the power of cellular arrays to their closure properties **57** (2-3) (1988) 225–238
1094. G. Duchamp and J.Y. Thibon, Théorèmes de transfert pour les polynômes partiellement commutatifs **57** (2-3) (1988) 239–249
1095. J.-J.C. Meyer and E.P. De Vink, Applications of compactness in the Smyth powerdomain of streams **57** (2-3) (1988) 251–282
1096. M.P. Beal, Codes circulaires, automates locaux et entropie **57** (2-3) (1988) 283–302
1097. K. Hashiguchi, Notes on congruence relations and factor pumping conditions for rational languages **57** (2-3) (1988) 303–316
1098. A. Szalas and L. Holenderski, Incompleteness of first-order temporal logic with until **57** (2-3) (1988) 317–325
1099. J.W. Grossman and R.S. Zeitman, An inherently iterative computation of Ackermann's function **57** (2-3) (1988) 327–330
1100. D. Arques, J. Françon, M.T. Guichet and P. Guichet, Comparison of algorithms controlling concurrent access to a database: A combinatorial approach **58** (1-3) (1988) 3–16
1101. A. Averbuch, Z. Galil and S. Winograd, Classification of all the minimal bilinear algorithms for computing the coefficients of the product of two polynomials modulo a polynomial, Part I: The algebra  $G[u]/(Q(u)^l)$ ,  $l > 1$  **58** (1-3) (1988) 17–56
1102. A. Borodin, F.E. Fich, F. Meyer auf der Heide, E. Upfal and A. Wigderson, A tradeoff between search and update time for the implicit dictionary problem **58** (1-3) (1988) 57–68

1103. F.J. Brandenburg, On the intersection of stacks and queues **58** (1-3) (1988) 69–80
1104. C. Choffrut and M.P. Schützenberger, Counting with rational functions **58** (1-3) (1988) 81–101
1105. C. De Felice, Finite biprefix sets of paths in a graph **58** (1-3) (1988) 103–128
1106. J. Hartmanis and L.A. Hemachandra, Complexity classes without machines: On complete languages for UP **58** (1-3) (1988) 129–142
1107. P. Kirschenhofer and H. Prodinger, Further results on digital search trees **58** (1-3) (1988) 143–154
1108. S. Kraus and D. Lehmann, Knowledge, belief and time **58** (1-3) (1988) 155–174
1109. K.-J. Lange, Decompositions of nondeterministic reductions **58** (1-3) (1988) 175–181
1110. B. Lisper, Synthesis and equivalence of concurrent systems **58** (1-3) (1988) 183–199
1111. Y. Metivier, On recognizable subsets of free partially commutative monoids **58** (1-3) (1988) 201–208
1112. B. Monien and I.H. Sudborough, MIN CUT is NP-complete for edge weighted trees **58** (1-3) (1988) 209–229
1113. J.-P. Pecuchet, Etude syntaxique des parties reconnaissables de mots infinis **58** (1-3) (1988) 231–248
1114. G.M. Reed and A.W. Roscoe, A timed model for communicating sequential processes **58** (1-3) (1988) 249–261
1115. L.E. Rosier and H.-C. Yen, On the complexity of deciding fair termination of probabilistic concurrent finite-state programs **58** (1-3) (1988) 263–324
1116. K. Simon, An improved algorithm for transitive closure on acyclic digraphs **58** (1-3) (1988) 325–346
1117. C. Stirling, A generalization of Owicki–Gries’s Hoare logic for a concurrent while language **58** (1-3) (1988) 347–359
1118. H. Straubing, Semigroups and languages of dot-depth two **58** (1-3) (1988) 361–378
1119. P. Varman and K. Doshi, An efficient parallel algorithm for updating minimum spanning trees **58** (1-3) (1988) 379–397
1120. P.G. Bosco, E. Giovannetti and C. Moiso, Narrowing vs. SLD-resolution **59** (1-2) (1988) 3–23
1121. G. Boudol and I. Castellani, Concurrency and atomicity **59** (1-2) (1988) 25–84
1122. V. Breazu-Tannen and T. Coquand, Extensional models for polymorphism **59** (1-2) (1988) 85–114
1123. M.C. Browne, E.M. Clarke and O. Grumberg, Characterizing finite Kripke structures in propositional temporal logic **59** (1-2) (1988) 115–131
1124. W. Drabent and J. Małuszyński, Inductive assertion method for logic programs **59** (1-2) (1988) 133–155
1125. Y. Lafont, The linear abstract machine **59** (1-2) (1988) 157–180
1126. S. Ronchi della Rocca, Principal type scheme and unification for intersection type discipline **59** (1-2) (1988) 181–209
1127. W.H. Hesselink, Interpretations of recursion under unbounded nondeterminacy **59** (3) (1988) 211–234
1128. W.H. Hesselink, Deadlock and fairness in morphisms of transition systems **59** (3) (1988) 235–257
1129. A.S. Hodel and M.C. Loui, Optimal dynamic embedding of X-trees into arrays **59** (3) (1988) 259–276
1130. K. Kalorkoti, The trace invariant and matrix inversion **59** (3) (1988) 277–286
1131. M. Schmidt-Schauss, Implication of clauses is undecidable **59** (3) (1988) 287–296
1132. W. Rytter, On efficient parallel computations for some dynamic programming problems **59** (3) (1988) 297–307
1133. J. Engelfriet and G. Leih, Nonterminal bounded NLC graph grammars **59** (3) (1988) 309–315
1134. A. Stoughton, Substitution revisited **59** (3) (1988) 317–325
1135. I.J. Aalbersberg and G. Rozenberg, Theory of traces **60** (1) (1988) 1–82
1136. J. Tiuryn and P. Urzyczyn, Some relationships between logics of programs and complexity theory **60** (1) (1988) 83–108
1137. P. America and J. De Bakker, Designing equivalent semantic models for process creation **60** (2) (1988) 109–176
1138. A.W. Roscoe and C.A.R. Hoare, The laws of occam programming **60** (2) (1988) 177–229
1139. T. Eilam-Tzoref and U. Vishkin, Matching patterns in strings subject to multi-linear transformations **60** (3) (1988) 231–254
1140. J.-P. Duval, Génération d’une section des classes de conjugaison et arbre des mots de Lyndon de longueur bornée **60** (3) (1988) 255–283
1141. A. Carpi, On synchronizing unambiguous automata **60** (3) (1988) 285–296
1142. M.J. Beeson, Towards a computation system based on set theory **60** (3) (1988) 297–340

1143. J.-C. Spehner, La reconnaissance des facteurs d'un langage fini dans un texte en temps lineaire **60** (3) (1988) 341–381
1144. J. Shallit, A generalization of automatic sequences **61** (1) (1988) 1–16
1145. P. Dömösi and Z. Ésik, Critical classes for the  $\alpha_0$ -product **61** (1) (1988) 17–24
1146. I. Mezník, On a subclass of  $\infty$ -regular languages **61** (1) (1988) 25–32
1147. X. He, A nearly optimal parallel algorithm for constructing maximal independent set in planar graphs **61** (1) (1988) 33–47
1148. C.-J. Seger and J.A. Brzozowski, An optimistic ternary simulation of gate races **61** (1) (1988) 49–66
1149. P.M. Van Den Broek, Comparison of two graph-rewrite systems **61** (1) (1988) 67–81
1150. S. Thattai, Implementing first-order rewriting with constructor systems **61** (1) (1988) 83–92
1151. R. Cori, E. Sopena, M. Latteux and Y. Roos, 2-asynchronous automata **61** (1) (1988) 93–102
1152. R.V. Book and D.-Z. Du, The structure of generalized complexity cores **61** (2-3) (1988) 103–119
1153. E. Dahlhaus and M. Karpinski, Parallel construction of perfect matchings and Hamiltonian cycles on dense graphs **61** (2-3) (1988) 121–136
1154. T. Moriya and H. Yamasaki, Accepting conditions for automata on  $\omega$ -languages **61** (2-3) (1988) 137–147
1155. K.N. King, Alternating multihead finite automata **61** (2-3) (1988) 149–174
1156. G. Di Battista and R. Tamassia, Algorithms for plane representations of acyclic digraphs **61** (2-3) (1988) 175–198
1157. J.L. Gischer, The equational theory of pomsets **61** (2-3) (1988) 199–224
1158. W. Alexi, Extraction and verification of programs by analysis of formal proofs **61** (2-3) (1988) 225–258
1159. G. Gargov and S. Passy, Determinism and looping in combinatory PDL **61** (2-3) (1988) 259–277
1160. L. Staiger, Ein Satz über die Entropie von Untermonoiden (A theorem on the entropy of submonoids) **61** (2-3) (1988) 279–282
1161. T. Kretschmer, A closure property of regular languages **61** (2-3) (1988) 283–287
1162. A. Arnold, Logical definability of fixed points **61** (2-3) (1988) 289–297
1163. E.G. Belaga, Bilinear mincing rank **61** (2-3) (1988) 299–306
1164. N. Megiddo and U. Vishkin, On finding a minimum dominating set in a tournament **61** (2-3) (1988) 307–316
1165. R. Kennaway, On “On graph rewritings” (*Corrigendum*) **61** (2-3) (1988) 317–320
1166. S. Abiteboul and R. Hull, Restructuring hierarchical database objects **62** (1-2) (1988) 3–38
1167. P. Atzeni and D.S. Parker, Set containment inference and syllogisms **62** (1-2) (1988) 39–65
1168. E.P.F. Chan and H.J. Hernández, On the desirability of  $\gamma$ -acyclic BCNF database schemes **62** (1-2) (1988) 67–104
1169. V.S. Lakshmanan, Split-freedom and MVD-intersection: A new characterization of multivalued dependencies having conflict-free covers **62** (1-2) (1988) 105–122
1170. N. Lynch and M. Merritt, Introduction to the theory of nested transactions **62** (1-2) (1988) 123–185
1171. D. Saccà and C. Zaniolo, The generalized counting method for recursive logic queries **62** (1-2) (1988) 187–220
1172. D. Van Gucht, Interaction-free multivalued dependency sets **62** (1-2) (1988) 221–233
1173. V. Geffert, A representation of recursively enumerable languages by two homomorphisms and a quotient **62** (3) (1988) 235–249
1174. N.S.V. Rao, S.S. Iyengar and R.L. Kashyap, An average-case analysis of MAT and inverted file **62** (3) (1988) 251–266
1175. K. Salomaa, A pumping result for 2-context-free languages **62** (3) (1988) 267–287
1176. T. Zeugmann, On the power of recursive optimizers **62** (3) (1988) 289–310
1177. S.R. Buss and G. Turán, Resolution proofs of generalized pigeonhole principles **62** (3) (1988) 311–317
1178. C. Meinel, The power of nondeterminism in polynomial-size bounded-width branching programs **62** (3) (1988) 319–325
1179. Y. Lafont, The linear abstract machine (*Corrigendum*) **62** (3) (1988) 327–328
1180. U. Schmidt, Avoidable patterns on two letters **63** (1) (1989) 1–17
1181. M. Livesey, Stable families of behavioural equivalences **63** (1) (1989) 19–41
1182. K. Ambos-Spies, On the relative complexity of hard problems for complexity classes without complete problems **63** (1) (1989) 43–61
1183. S. Ginsburg and C.-J. Tang, Cohesion of object histories **63** (1) (1989) 63–90

1184. J.H. Johnson, A unified framework for disambiguating finite transductions **63** (1) (1989) 91–111
1185. M. Hagiya, Generalization from partial parametrization in higher-order type theory **63** (2) (1989) 113–139
1186. J.-C. Birget, Concatenation of inputs in a two-way automaton **63** (2) (1989) 141–156
1187. C. De Felice, Construction of a family of finite maximal codes **63** (2) (1989) 157–184
1188. A. Pelc, Searching with known error probability **63** (2) (1989) 185–202
1189. J. Hromkovič, Tradeoffs for language recognition on alternating machines **63** (2) (1989) 203–221
1190. T. Saito and H. Nishio, Structural and behavioral equivalence relations in automata networks **63** (2) (1989) 223–237
1191. D.-Z. Du and R.V. Book, On inefficient special cases of NP-complete problems **63** (3) (1989) 239–252
1192. G. Gardarin, I. Guessarian and C. De Maindreville, Translation of logic programs into functional fixpoint equations **63** (3) (1989) 253–274
1193. D.B. Benson and J. Tiuryn, Fixed points in free process algebras, Part I **63** (3) (1989) 275–294
1194. A. Lingas, Subgraph isomorphism for biconnected outerplanar graphs in cubic time **63** (3) (1989) 295–302
1195. S.L. Bloom and Z. Esik, Equational logic of circular data type specification **63** (3) (1989) 303–331
1196. A. De Luca and S. Varricchio, Some combinatorial properties of the Thue–Morse sequence and a problem in semigroups **63** (3) (1989) 333–348
1197. H.-J. Stoß, On the representation of rational functions of bounded complexity **64** (1) (1989) 1–13
1198. H.-J. Stoß, Lower bounds for the complexity of polynomials **64** (1) (1989) 15–23
1199. K. Jójczyk, J. Konieczny and T. Kuzak, On interleaving behaviour of PT-nets **64** (1) (1989) 25–38
1200. E. Tomita and K. Seino, A direct branching algorithm for checking the equivalence of two deterministic pushdown transducers, one of which is real-time strict **64** (1) (1989) 39–53
1201. H. Sato, E-CCC: between ccc and topos **64** (1) (1989) 55–66
1202. D.V. Hung and E. Knuth, Semi-commutations and Petri nets **64** (1) (1989) 67–81
1203. E. Shamir and A. Schuster, Communication aspects of networks based on geometric incidence relations **64** (1) (1989) 83–96
1204. J.R. Hindley, BCK-combinators and linear  $\lambda$ -terms have types **64** (1) (1989) 97–105
1205. Z. Galil and R. Giancarlo, Speeding up dynamic programming with applications to molecular biology **64** (1) (1989) 107–118
1206. M. Protasi and M. Talamo, On the number of arithmetical operations for finding Fibonacci numbers **64** (1) (1989) 119–124
1207. E. Korach, S. Moran and S. Zaks, Optimal lower bounds for some distributed algorithms for a complete network of processors **64** (1) (1989) 125–132
1208. C.P. Kruskal, L. Rudolph and M. Snir, Techniques for parallel manipulation of sparse matrices **64** (2) (1989) 135–157
1209. Y. Robert and D. Trystram, Optimal scheduling algorithms for parallel Gaussian elimination **64** (2) (1989) 159–173
1210. G. Lyon, Design factors for parallel processing benchmarks **64** (2) (1989) 175–189
1211. J.C. Bermond and J.-M. Fourneau, Independent connections: an easy characterization of baseline-equivalent multistage interconnection networks **64** (2) (1989) 191–201
1212. I.F. Akyildiz and H. Von Brand, Exact solutions for open, closed and mixed queueing networks with rejection blocking **64** (2) (1989) 203–219
1213. E.W. Stark, Concurrent transition systems **64** (3) (1989) 221–269
1214. D. Thérien, Programs over aperiodic monoids **64** (3) (1989) 271–280
1215. A. Mazurkiewicz, E. Ochmański and W. Penczek, Concurrent systems and inevitability **64** (3) (1989) 281–304
1216. R.R. Howell and L.E. Rosier, Problems concerning fairness and temporal logic for conflict-free Petri nets **64** (3) (1989) 305–329
1217. N. Alon and U. Zwick, On Nečiporuk's theorem for branching programs **64** (3) (1989) 331–342
1218. H. Kleine Büning, T. Lettmann and E.W. Mayr, Projections of vector addition system reachability sets are semilinear **64** (3) (1989) 343–350
1219. P. Enjalbert and L. Fariñas del Cerro, Modal resolution in clausal form **65** (1) (1989) 1–33
1220. M. Abadi, The power of temporal proofs **65** (1) (1989) 35–83



1221. S.R. Thatte, Full abstraction and limiting completeness in equational languages **65** (1) (1989) 85–119
1222. J.-P. Allouche, On a sequence of rational functions **65** (2) (1989) 123–130
1223. F. Blanchard,  $\beta$ -expansions and symbolic dynamics **65** (2) (1989) 131–141
1224. N. Bleuzen-Guernalec, On a possible classification of real-time constructed sequences **65** (2) (1989) 143–148
1225. F.M. Dekking, On the probability of occurrence of labelled subtrees of a randomly labelled tree **65** (2) (1989) 149–152
1226. J.-M. Dumont and A. Thomas, Systèmes de numération et fonctions fractales relatifs aux substitutions **65** (2) (1989) 153–169
1227. G. Hansel and D. Perrin, Rational probability measures **65** (2) (1989) 171–188
1228. P. Hellekalek and G. Larcher, On Weyl sums and skew products over irrational rotations **65** (2) (1989) 189–196
1229. C. Kraaikamp, Statistic and ergodic properties of Minkowski's diagonal continued fraction **65** (2) (1989) 197–212
1230. M. Mendes France and A.J. Van der Poorten, From geometry to Euler identities **65** (2) (1989) 213–220
1231. F. Mignosi, Infinite words with linear subword complexity **65** (2) (1989) 221–242
1232. M. Mori, On the Fredholm determinant of a piecewise linear transformation **65** (2) (1989) 243–248
1233. B. Mosse,  $q$ -adic spectral analysis of some arithmetic sequences **65** (2) (1989) 249–263
1234. A. Restivo, Finitely generated sofie systems **65** (2) (1989) 265–270
1235. H. Yokouchi, Church–Rosser theorem for a rewriting system on categorical combinators **65** (3) (1989) 271–290
1236. T. Hardin, Confluence results for the pure Strong Categorical Logic CCL.  $\lambda$ -calculi as subsystems of CCL **65** (3) (1989) 291–342
1237. J.C. Shepherdson, A sound and complete semantics for a version of negation as failure **65** (3) (1989) 343–371
1238. T. Lehmkuhl and T. Lickteig, On the order of approximation in approximative triadic decompositions of tensors **66** (1) (1989) 1–14
1239. P.E. Dunne, On monotone simulations of nonmonotone networks **66** (1) (1989) 15–25
1240. A. Piperno, Abstraction problems in combinatory logic: a compositive approach **66** (1) (1989) 27–43
1241. J. Kari, Observations concerning a public-key cryptosystem based on iterated morphisms **66** (1) (1989) 45–53
1242. Z.L. Xin, An efficient algorithm to decide whether a monoid presented by a regular Church–Rosser Thue system is a group **66** (1) (1989) 55–63
1243. R. Op Den Akker, On LC(0) grammars and languages **66** (1) (1989) 65–85
1244. A. Urquhart, The complexity of Gentzen systems for propositional logic **66** (1) (1989) 87–97
1245. R. Statman, On sets of solutions to combinator equations **66** (1) (1989) 99–104
1246. A. Pelc, Weakly adaptive comparison searching **66** (1) (1989) 105–111
1247. D. Mundici, Functions computed by monotone Boolean formulas with no repeated variables **66** (1) (1989) 113–114
1248. V. Diekert, On the Knuth–Bendix completion for concurrent processes **66** (2) (1989) 117–136
1249. M. Dietzfelbinger, Lower bounds for sorting of sums **66** (2) (1989) 137–155
1250. H. Edelsbrunner, G. Rote and E. Welzl, Testing the necklace condition for shortest tours and optimal factors in the plane **66** (2) (1989) 157–180
1251. C. Levcopoulos, A. Lingas and J.-R. Sack, Heuristics for optimum binary search trees and minimum weight triangulation problems **66** (2) (1989) 181–203
1252. M.A. Nait Abdallah, A logico-algebraic approach to the model theory of knowledge **66** (2) (1989) 205–232
1253. P. Weil, Inverse monoids of dot-depth two **66** (3) (1989) 233–245
1254. H. Yamasaki, Language-theoretical representations of  $\omega$ -languages **66** (3) (1989) 247–254
1255. D. Angluin, W.I. Gasarch and C.H. Smith, Training sequences **66** (3) (1989) 255–272
1256. A. Ito, K. Inoue and I. Takanami, Deterministic two-dimensional on-line tessellation acceptors are equivalent to two-way two-dimensional alternating finite automata through  $180^\circ$ -rotation **66** (3) (1989) 273–287
1257. G. Jacopini and P. Mentrasti, Generation of invertible functions **66** (3) (1989) 289–297

1258. J.A. Makowsky and I. Sain, Weak second order characterizations of various program verification systems **66** (3) (1989) 299–321
1259. M. Mezghiche, On pseudo- $c\beta$ normal form in combinatory logic **66** (3) (1989) 323–331
1260. M. Tiomkin, Probabilistic termination versus fair termination **66** (3) (1989) 333–340
1261. J. Honkala, A necessary condition for the rationality of the zeta function of a regular language **66** (3) (1989) 341–347
1262. C. Swart and D. Richards, On the inference of strategies **67** (1) (1989) 5–18
1263. F. Otto, On deciding confluence of finite string-rewriting systems modulo partial commutativity **67** (1) (1989) 19–35
1264. U. Martin, A geometrical approach to multiset orderings **67** (1) (1989) 37–54
1265. M. Clausen, Fast generalized Fourier transforms **67** (1) (1989) 55–63
1266. D. Beauquier, Minimal automaton for a factorial, transitive, and rational language **67** (1) (1989) 65–73
1267. E. Moriya, A grammatical characterization of alternating pushdown automata **67** (1) (1989) 75–85
1268. G. Marongiu and S. Tulipani, On a conjecture of Bergstra and Tucker **67** (1) (1989) 87–97
1269. K. Inoue, I. Takanami and J. Hromkovič, A leaf-size hierarchy of two-dimensional alternating Turing machines **67** (1) (1989) 99–110
1270. D. Pardubská and I. Štefánková, Nondeterministic multicounter machines and complementation **67** (1) (1989) 111–113
1271. M. Cosnard, J. Duprat and A. Ferreira, Complexity of selection in  $X + Y$  **67** (1) (1989) 115–120
1272. C. Petrucci, Entropie topologique des systèmes spécifiés **67** (1) (1989) 121–128
1273. R. Pino Perez, Decidability of the restriction equational theory in the partial lambda calculus **67** (1) (1989) 129–139
1274. K. Madlener and F. Otto, About the descriptive power of certain classes of finite string-rewriting systems **67** (2-3) (1989) 143–172
1275. L. Bachmair and N. Dershowitz, Completion for rewriting modulo a congruence **67** (2-3) (1989) 173–201
1276. J.H. Gallier and W. Snyder, Complete sets of transformations for general  $E$ -unification **67** (2-3) (1989) 203–260
1277. C. Choppy, S. Kaplan and M. Soria, Complexity analysis of term-rewriting systems **67** (2-3) (1989) 261–282
1278. J.C.M. Baeten, J.A. Bergstra, J.W. Klop and W.P. Weijland, Term-rewriting systems with rule priorities **67** (2-3) (1989) 283–301
1279. H. Kirchner, Schematization of infinite sets of rewrite rules generated by divergent completion processes **67** (2-3) (1989) 303–332
1280. P. Kirschenhofer, H. Prodinger and W. Szpankowski, On the balance property of Patricia tries: external path length viewpoint **68** (1) (1989) 1–17
1281. J.H. Chang, O.H. Ibarra and M.A. Palis, Efficient simulations of simple models of parallel computation by time-bounded ATMs and space-bounded TMs **68** (1) (1989) 19–36
1282. M. Droste, Event structures and domains **68** (1) (1989) 37–47
1283. G. Hofer, Left ideals and reachability in machines **68** (1) (1989) 49–56
1284. G. Gambosi, G.F. Italiano and M. Talamo, Worst-case analysis of the set-union problem with extended backtracking **68** (1) (1989) 57–70
1285. U. Huckenbeck, Euclidian geometry in terms of automata theory **68** (1) (1989) 71–87
1286. H.J. Karloff, An NC algorithm for Brooks' Theorem **68** (1) (1989) 89–103
1287. M.B. Josephs, The semantics of lazy functional languages **68** (1) (1989) 105–111
1288. B.S. Chlebus, A hierarchy of propositional Horn formulas **68** (1) (1989) 113–119
1289. V. Arvind and S. Biswas, On some bandwidth restricted versions of the satisfiability problem of propositional CNF formulas **68** (2) (1989) 123–134
1290. H.A. Blair and V.S. Subrahmanian, Paraconsistent logic programming **68** (2) (1989) 135–154
1291. A. Lingas and A. Proskurowski, On parallel complexity of the subgraph homeomorphism and the subgraph isomorphism problem for classes of planar graphs **68** (2) (1989) 155–173
1292. J. Parrow, Submodule construction as equation solving in CCS **68** (2) (1989) 175–202
1293. R. Ramanujam, Semantics of distributed definite clause programs **68** (2) (1989) 203–220
1294. T. Coquand, Categories of embeddings **68** (3) (1989) 221–237

1295. R. Gutbrod, A transformation system for generating description languages of chain code pictures **68** (3) (1989) 239–252
1296. F. Blanchard, Codes engendrant certains systèmes sofiqes **68** (3) (1989) 253–265
1297. N. Immerman and S.R. Mahaney, Relativizing relativized computations **68** (3) (1989) 267–276
1298. M.T. Hortalá-González and M. Rodríguez-Artalejo, Hoare's logic for nondeterministic regular programs: a nonstandard approach **68** (3) (1989) 277–302
1299. F. Bracho, Continuously generated fixed points **68** (3) (1989) 303–317
1300. P. Narendran and F. Otto, Some polynomial-time algorithms for finite monadic Church–Rosser Thue systems **68** (3) (1989) 319–332
1301. U. Solitro, A typed calculus based on a fragment of Linear Logic **68** (3) (1989) 333–342
1302. E. Gafni, J. Naor and P. Ragde, On separating the EREW and CREW PRAM models **68** (3) (1989) 343–346
1303. C.P. Rupert, Comment on a remark of Forsy **68** (3) (1989) 347–348
1304. L. Vieille, Recursive query processing: the power of logic **69** (1) (1989) 1–53
1305. J.-M. Kerisit, A relational approach to logic programming: the extended Alexander method **69** (1) (1989) 55–68
1306. S. Kaplan, Algebraic specification of concurrent systems **69** (1) (1989) 69–115
1307. F. Nielson, Two-level semantics and abstract interpretation **69** (2) (1989) 117–242
1308. M. Felleisen and D.P. Friedman, A syntactic theory of sequential state **69** (3) (1989) 243–287
1309. M. Falaschi, G. Levi, C. Palamidessi and M. Martelli, Declarative modeling of the operational behavior of logic languages **69** (3) (1989) 289–318
1310. K.A. Baker, G.F. McNulty and W. Taylor, Growth problems for avoidable words **69** (3) (1989) 319–345
1311. E.G. Wagner, Algebras, polynomials and programs **70** (1) (1990) 3–34
1312. E.S. Bainbridge, P.J. Freyd, A. Scedrov and P.J. Scott, Functorial polymorphism **70** (1) (1990) 35–64
1313. M. Barr, Fixed points in cartesian closed categories **70** (1) (1990) 65–72
1314. S.L. Bloom, A note on guarded theories **70** (1) (1990) 73–83
1315. P.S. Mulry, Categorical fixed point semantics **70** (1) (1990) 85–97
1316. H.R. Nielson and F. Nielson, Functional completeness of the mixed  $\lambda$ -calculus and combinatory logic **70** (1) (1990) 99–126
1317. A. Pasztor, Recursive programs and denotational semantics in absolute logics of programs **70** (1) (1990) 127–150
1318. C. Böttinger, On Scott's thesis for domains of information and well-quasi-orderings **70** (1) (1990) 151–158
1319. C. Wells, A generalization of the concept of sketch **70** (1) (1990) 159–178
1320. J. Tiuryn and D.B. Benson, Fixed points in free process algebras, Part II **70** (2) (1990) 179–192
1321. G. Longo and E. Moggi, A category-theoretic characterization of functional completeness **70** (2) (1990) 193–211
1322. G. Sénizergues, A characterisation of deterministic context-free languages by means of right-congruences **70** (2) (1990) 213–232
1323. A. Jung, Cartesian closed categories of algebraic cpos **70** (2) (1990) 233–250
1324. G. Gambosi, J. Nešetřil and M. Talamo, On locally presented posets **70** (2) (1990) 251–260
1325. A. Terlutte, Cyclic rational transductions and polynomials of rational functions **70** (2) (1990) 261–271
1326. J. Vyskoč, An  $O(n^{\lg k} \cdot 2^{n/2})$  time and  $O(k \cdot 2^{n/k})$  space algorithm for certain NP-complete problems (*Corrigendum*) **70** (2) (1990) 273–274
1327. M. Abadi, The power of temporal proofs (*Corrigendum*) **70** (2) (1990) 275
1328. A. Ehrenfeucht and G. Rozenberg, Theory of 2-structures, Part I: clans, basic subclasses, and morphisms **70** (3) (1990) 277–303
1329. A. Ehrenfeucht and G. Rozenberg, Theory of 2-structures, Part II: representation through labeled tree families **70** (3) (1990) 305–342
1330. A. Ehrenfeucht and G. Rozenberg, Primitivity is hereditary for 2-structures **70** (3) (1990) 343–358
1331. A. Aggarwal, A.K. Chandra and M. Snir, Communication complexity of PRAMs **71** (1) (1990) 3–28
1332. K. Culik, II, New techniques for proving the decidability of equivalence problems **71** (1) (1990) 29–45
1333. J. Gruska, Synthesis, structure and power of systolic computations **71** (1) (1990) 47–77
1334. J. Hartmanis, New developments in structural complexity theory **71** (1) (1990) 79–93

1335. C.P. Kruskal, L. Rudolph and M. Snir, A complexity theory of efficient parallel algorithms **71** (1) (1990) 95–132
1336. P.S. Thiagarajan, Some behavioural aspects of net theory **71** (1) (1990) 133–153
1337. W.P. Weijland, Semantics for logic programs without occur check **71** (1) (1990) 155–174
1338. J.-P. Arcangeli and C. Pomian, Principles of plasma pattern and alternative structure compilation **71** (2) (1990) 177–191
1339. M. Billaud, Simple operational and denotational semantics for Prolog with cut **71** (2) (1990) 193–208
1340. M.A. Bulyonkov, Mixed computation and compilation: new approaches to old problems **71** (2) (1990) 209–226
1341. D. Galmiche, Constructive system for automatic program synthesis **71** (2) (1990) 227–239
1342. J. Penjam, Computational and attribute models of formal languages **71** (2) (1990) 241–264
1343. V.K. Sabelfeld, An algorithm deciding functional equivalence in a new class of program schemes **71** (2) (1990) 265–279
1344. G. Sénizergues, Some decision problems about controlled rewriting systems **71** (3) (1990) 281–346
1345. H. Ehrig, F. Parisi-Presicce, P. Boehm, C. Rieckhoff, C. Dimitrovici and M. Grosse-Rhode, Combining data type and recursive process specifications using projection algebras **71** (3) (1990) 347–380
1346. S. Dulucq and D. Gouyou-Beauchamps, Sur les facteurs des suites de Sturm **71** (3) (1990) 381–400
1347. A. Gibbons and W. Rytter, Optimally edge-colouring outerplanar graphs is in NC **71** (3) (1990) 401–411
1348. E.G. Manes, A transformational characterization of if-then-else **71** (3) (1990) 413–417
1349. M. Chrobak, T. Szymacha and A. Krawczyk, A data structure useful for finding Hamiltonian cycles **71** (3) (1990) 419–424
1350. K. Skandalis, Non-recursiveness of the operations on real numbers **71** (3) (1990) 425–429
1351. E.S. Bainbridge, P.J. Freyd, A. Scedrov and P.J. Scott, Functorial polymorphism (*Corrigendum*) **71** (3) (1990) 431
1352. L. Budach, Topological invariants of classification problems **72** (1) (1990) 3–26
1353. K. Hashiguchi, Improved limitedness theorems on finite automata with distance functions **72** (1) (1990) 27–38
1354. A. Carpi and A. De Luca, Non-repetitive words relative to a rewriting system **72** (1) (1990) 39–53
1355. A. Restivo, Codes and local constraints **72** (1) (1990) 55–64
1356. I. Simon, Factorization forests of finite height **72** (1) (1990) 65–94
1357. G. Ausiello, U. Nanni and G.F. Italiano, Dynamic maintenance of directed hypergraphs **72** (2-3) (1990) 97–117
1358. E. Engeler, Combinatory differential fields **72** (2-3) (1990) 119–131
1359. R. Echahed, On completeness of narrowing strategies **72** (2-3) (1990) 133–146
1360. J. Françon, B. Randrianarimanana and R. Schott, Analysis of dynamic algorithms in Knuth's model **72** (2-3) (1990) 147–167
1361. I. Gnaedig, C. Kirchner and H. Kirchner, Equational completion in order-sorted algebras **72** (2-3) (1990) 169–202
1362. R. Gorrieri, S. Marchetti and U. Montanari, A<sup>2</sup>CCS: atomic actions for CCS **72** (2-3) (1990) 203–223
1363. R. Kennaway, Implementing term rewrite languages in Dactl **72** (2-3) (1990) 225–249
1364. R. Klein and D. Wood, A tight upper bound for the path length of AVL trees **72** (2-3) (1990) 251–264
1365. K.G. Larsen, Proof systems for satisfiability in Hennessy–Milner logic with recursion **72** (2-3) (1990) 265–288
1366. G. Jacopini and G. Sontacchi, Reversible parallel computation: an evolving space-model **73** (1) (1990) 1–46
1367. F. Kröger, On the interpretability of arithmetic in temporal logic **73** (1) (1990) 47–60
1368. C. Lavault, Exact average message complexity values for distributed election on bidirectional rings of processors **73** (1) (1990) 61–79
1369. S. Varricchio, Factorizations of free monoids and unavoidable regularities **73** (1) (1990) 81–89
1370. M. Jerrum and A. Sinclair, Fast uniform generation of regular graphs **73** (1) (1990) 91–100
1371. H. Huwig and A. Poigné, A note on inconsistencies caused by fixpoints in a cartesian closed category **73** (1) (1990) 101–112
1372. A. Aiken, A theory of compaction-based parallelization **73** (2) (1990) 121–154
1373. Y.-C. Fu and P. Mishra, Type inference with subtypes **73** (2) (1990) 155–175

1374. R. Giegerich, Code selection by inversion of order-sorted derivors **73** (2) (1990) 177–211
1375. S. Horwitz, Adding relational query facilities to software development environments **73** (2) (1990) 213–230
1376. P. Wadler, Deforestation: transforming programs to eliminate trees **73** (2) (1990) 231–248
1377. R. Beigel, Bi-immunity results for cheatable sets **73** (3) (1990) 249–263
1378. J.-E. Chen, The difference between one tape and two tapes: with respect to reversal complexity **73** (3) (1990) 265–278
1379. J. Hoffmann and M.G. Main, Results on NLC grammars with one-letter terminal alphabets **73** (3) (1990) 279–294
1380. C. Kim, Complexity and decidability for restricted classes of picture languages **73** (3) (1990) 295–311
1381. J.M. Robson, Strong time bounds: non-computable bounds and a hierarchy theorem **73** (3) (1990) 313–317
1382. A.A. Bertossi, F. Luccio, E. Lodi and L. Pagli, String matching with weighted errors **73** (3) (1990) 319–328
1383. T. Head, The set of strings mapped into a submonoid by iterates of a morphism **73** (3) (1990) 329–333
1384. W. Schmitt, Hopf algebras and identities in free partially commutative monoids **73** (3) (1990) 335–340
1385. V. Diekert, Word problems over traces which are solvable in linear time **74** (1) (1990) 3–18
1386. D. Fussell and R. Thurimella, Successive approximation in parallel graph algorithms **74** (1) (1990) 19–35
1387. A. Gavilanes-Franco and F. Lucio-Carrasco, A first order logic for partial functions **74** (1) (1990) 37–69
1388. P. Jančár, Decidability of a temporal logic problem for Petri nets **74** (1) (1990) 71–93
1389. F.P. Preparata and R. Tamassia, Dynamic planar point location with optimal query time **74** (1) (1990) 95–114
1390. A. Szepietowski, If deterministic and nondeterministic space complexities are equal for  $\log \log n$ , then they are also equal for  $\log n$  **74** (1) (1990) 115–119
1391. P. Gastin, Un modèle asynchrone pour les systèmes distribués **74** (2) (1990) 121–162
1392. F. Gécseg and H. Jürgensen, Automata represented by products of soliton automata **74** (2) (1990) 163–181
1393. B.J. Oommen, E.R. Hansen and J.I. Munro, Deterministic optimal and expedient move-to-rear list organizing strategies **74** (2) (1990) 183–197
1394. F. Okulicka, On priority in COSY **74** (2) (1990) 199–216
1395. J. Hartmanis and L.A. Hemachandra, Robust machines accept easy sets **74** (2) (1990) 217–225
1396. M. Bezem, Completeness of resolution revisited **74** (2) (1990) 227–237
1397. H. Hüttel,  $\mathcal{S}\mathcal{N}\mathcal{S}$  can be modally characterized **74** (2) (1990) 239–248
1398. M. Kummer, An easy priority-free proof of a theorem of Friedberg **74** (2) (1990) 249–251
1399. J. Zhang, L. Yang and M. Deng, The parallel numerical method of mechanical theorem proving **74** (3) (1990) 253–271
1400. R. Casas, M.-I. Fernández-Camacho and J.-M. Steyaert, Algebraic simplification in computer algebra: an analysis of bottom-up algorithms **74** (3) (1990) 273–298
1401. X. He, An efficient algorithm for edge colouring planar graphs with  $\Delta$  colours **74** (3) (1990) 299–312
1402. L. Babai, P. Pudlák, V. Rödl and E. Szemerédi, Lower bounds to the complexity of symmetric Boolean functions **74** (3) (1990) 313–323
1403. U. Hertrampf, Relations among mod-classes **74** (3) (1990) 325–328
1404. J.-F. Romeuf, A polynomial algorithm for solving systems of two linear diophantine equations **74** (3) (1990) 329–340
1405. M. Anselmo, Sur les codes zigzag et leur décidabilité **74** (3) (1990) 341–354
1406. J. Szymański, On the complexity of algorithms on recursive trees **74** (3) (1990) 355–361
1407. R. Milner, Interpreting one concurrent calculus in another **75** (1-2) (1990) 3–13
1408. J.W. De Bakker and J.N. Kok, Comparative metric semantics for concurrent Prolog **75** (1-2) (1990) 15–43
1409. M. Falaschi and G. Levi, Finite failures and partial computations in concurrent logic languages **75** (1-2) (1990) 45–66
1410. M. Murakami, A declarative semantics of flat guarded Horn clauses for programs with perpetual processes **75** (1-2) (1990) 67–83

1411. S. Hölldobler, Conditional equational theories and complete sets of transformations **75** (1-2) (1990) 85–110
1412. N. Dershowitz and M. Okada, A rationale for conditional equational programming **75** (1-2) (1990) 111–138
1413. T. Kawamura and T. Kanamori, Preservation of stronger equivalence in unfold/fold logic program transformation **75** (1-2) (1990) 139–156
1414. P. Devienne, Weighted graphs: a tool for studying the halting problem and time complexity in term rewriting systems and logic programming **75** (1-2) (1990) 157–215
1415. P. Degano, R. De Nicola and U. Montanari, A partial ordering semantics for CCS **75** (3) (1990) 223–262
1416. S. Katz and D. Peled, Interleaving set temporal logic **75** (3) (1990) 263–287
1417. M. Droste and R. Göbel, Non-deterministic information systems and their domains **75** (3) (1990) 289–309
1418. U. Blass and A.S. Fraenkel, The Sprague–Grundy function for Wythoff’s game **75** (3) (1990) 311–333
1419. E. Allender and C. Wilson, Downward translations of equality **75** (3) (1990) 335–346
1420. J. Du, J.Y.-T. Leung and G.H. Young, Minimizing mean flow time with release time constraint **75** (3) (1990) 347–355
1421. T. Lengauer and K.W. Wagner, The binary network flow problem is logspace complete for P **75** (3) (1990) 357–363
1422. A.J. Bonner, Hypothetical datalog: complexity and expressibility **76** (1) (1990) 3–51
1423. A. Ogori, Semantics of types for database objects **76** (1) (1990) 53–91
1424. D. Karabeg and V. Vianu, Parallel update transactions **76** (1) (1990) 93–114
1425. U.W. Lipeck, Transformation of dynamic integrity constraints into transaction specifications **76** (1) (1990) 115–142
1426. G. Dong and S. Ginsburg, On the decomposition of datalog program mappings **76** (1) (1990) 143–177
1427. J.N. Kok and J.J.M.M. Rutten, Contractions in comparing concurrency semantics **76** (2-3) (1990) 179–222
1428. Y. Sakakibara, Learning context-free grammars from structural data in polynomial time **76** (2-3) (1990) 223–242
1429. E. Timmerman, The three subfamilies of rational  $\omega$ -languages closed under  $\omega$ -transduction **76** (2-3) (1990) 243–250
1430. P. Weil, Products of languages with counter **76** (2-3) (1990) 251–260
1431. S. Tirri, The congruence theory of closure properties of regular tree languages **76** (2-3) (1990) 261–271
1432. K. Hashiguchi and H. Yoo, Extended regular expressions of star degree at most two **76** (2-3) (1990) 273–284
1433. A. Petit, Distribution and synchronized automata **76** (2-3) (1990) 285–308
1434. S. Yamasaki, Recursion equation sets computing logic programs **76** (2-3) (1990) 309–322
1435. T. Jiang, On the complexity of 1-tape ATMs and off-line 1-tape ATMs running in constant reversals **76** (2-3) (1990) 323–330
1436. E. Gannett, S.C. Kothari and H.-C. Yen, On optimal parallelization of sorting networks **76** (2-3) (1990) 331–341
1437. R. Sarnath and X. He, A P-complete graph partition problem **76** (2-3) (1990) 343–351
1438. L. Bradley, Abstract language design **77** (1-2) (1990) 5–26
1439. H. Ehrig, W. Fey, H. Hansen, M. Löwe, D. Jacobs and F. Parisi-Presicce, Compatibility problems in the development of algebraic module specifications **77** (1-2) (1990) 27–71
1440. S. Even and D.A. Schmidt, Category-sorted algebra-based action semantics **77** (1-2) (1990) 73–95
1441. R. Janicki and T. Müldner, Transformations of sequential specifications into concurrent specifications by synchronization guards **77** (1-2) (1990) 97–129
1442. V. Manca, A. Salibra and G. Scollo, Equational type logic **77** (1-2) (1990) 131–159
1443. D. Pigozzi, Data types over multiple-valued logics **77** (1-2) (1990) 161–194
1444. E.G. Wagner, An algebraically specified language for data directed design **77** (1-2) (1990) 195–219
1445. S. Toda, Positive relativizations for log space computability **77** (3) (1990) 221–235
1446. S. Bozapalidis, Constructions effectives sur les séries formelles d’arbres **77** (3) (1990) 237–247
1447. C.H. Smith and M. Velauthapillai, On the inference of approximate programs **77** (3) (1990) 249–266
1448. Y. Kawahara, Pushout-complements and basic concepts of grammars in toposes **77** (3) (1990) 267–289

1449. P. Atzeni and E.P.F. Chan, Efficient and optimal query answering on independent schemes **77** (3) (1990) 291–308
1450. W.F. Dowling and R. Kline, The fixed points of logic programs with Herbrand base  $\mathbb{N}$  **77** (3) (1990) 309–319
1451. H.M.A. Fahmy, Analysis of Petri nets by partitioning: splitting transitions **77** (3) (1990) 321–330
1452. M. Elbaz and J.-C. Spehner, Construction of Voronoi diagrams in the plane by using maps **77** (3) (1990) 331–343
1453. N. Bidoit, Negation in rule-based database languages: A survey **78** (1) (1991) 3–83
1454. N. Bidoit and C. Froidevaux, Negation by default and unstratifiable logic programs **78** (1) (1991) 85–112
1455. V. Royer, The semantics of incomplete databases as an expression of preferences **78** (1) (1991) 113–136
1456. S. Abiteboul and E. Simon, Fundamental properties of deterministic and nondeterministic extensions of Datalog **78** (1) (1991) 137–158
1457. S. Abiteboul, P. Kanellakis and G. Grahne, On the representation and querying of sets of possible worlds **78** (1) (1991) 159–187
1458. J.-P. Delahaye and V. Thibau, Programming in three-valued logic **78** (1) (1991) 189–216
1459. B. Courcelle, Recursive queries and context-free graph grammars **78** (1) (1991) 217–244
1460. R. Demolombe, An efficient strategy for non-Horn deductive databases **78** (1) (1991) 245–259
1461. J. Engelfriet and H. Vogler, Modular tree transducers **78** (2) (1991) 267–303
1462. R. Downey, On computational complexity and honest polynomial degrees **78** (2) (1991) 305–317
1463. R. König, Graphs and free partially commutative monoids **78** (2) (1991) 319–346
1464. T. Harju and J. Karhumäki, The equivalence problem of multitape finite automata **78** (2) (1991) 347–355
1465. D.A.M. Barrington and J. Corbett, A note on some languages in uniform  $\text{ACC}^0$  **78** (2) (1991) 357–362
1466. R.A. Baeza-Yates, Searching subsequences **78** (2) (1991) 363–376
1467. G. Burosch, J. Demetrovics, G.O.H. Katona, D.J. Kleitman and A.A. Sapozhenko, On the number of databases and closure operations **78** (2) (1991) 377–381
1468. M. Anselmo, The zigzag series: a two-way version of the  $*$  operator **79** (1) (1991) 3–24
1469. A. Bertoni, D. Bruschi and M. Goldwurm, Ranking and formal power series **79** (1) (1991) 25–35
1470. P. Flajolet, B. Salvy and P. Zimmermann, Automatic average case analysis of algorithms **79** (1) (1991) 37–109
1471. D. Krob, Some examples of formal series used in non-commutative algebra **79** (1) (1991) 111–135
1472. W. Kuich, Automata and languages generalized to  $\omega$ -continuous semirings **79** (1) (1991) 137–150
1473. C. Hespel and G. Jacob, Approximation of nonlinear dynamic systems by rational series **79** (1) (1991) 151–162
1474. V.H.N. Minh, Evaluation transform **79** (1) (1991) 163–177
1475. P. Leroux and X.G. Viennot, A combinatorial approach to nonlinear functional expansions: an introduction with an example **79** (1) (1991) 179–193
1476. N.E. Oussous, Computation, on Macsyma, of the minimal differential representation of noncommutative polynomials **79** (1) (1991) 195–207
1477. M. Delest, Enumeration of polyominoes using Macsyma **79** (1) (1991) 209–226
1478. G. Duchamp, Orthogonal projection onto the free Lie algebra **79** (1) (1991) 227–239
1479. P.-V. Koseleff, Jeux de mots dans les algèbres de Lie libres: quelques bases et formules **79** (1) (1991) 241–256
1480. F. Rotella, Shuffle product of generating series **79** (1) (1991) 257–261
1481. J. Honkala, On algebraic generalized zeta functions of formal power series **79** (1) (1991) 263–273
1482. F.W. Vaandrager, Determinism  $\rightarrow$  (event structure isomorphism = step sequence equivalence) **79** (2) (1991) 275–294
1483. M. Holden, Weak logic theory **79** (2) (1991) 295–321
1484. A. Jaoua, A. Mili, N. Boudriga and J.L. Durieux, Regularity of relations: A measure of uniformity **79** (2) (1991) 323–339
1485. A. Szalas, On strictly arithmetical completeness in logics of programs **79** (2) (1991) 341–355
1486. A. Stoughton, Interdefinability of parallel operations in PCF **79** (2) (1991) 357–358
1487. A. Jung, The dependent product construction in various categories of domains **79** (2) (1991) 359–363
1488. G. Koletsos, Polymorphic lambda calculus: the Church–Rosser property **79** (2) (1991) 365–371
1489. W. Reisig, Petri nets and algebraic specifications **80** (1) (1991) 1–34

1490. F. Gécseg and H. Jürgensen, On  $\alpha_0$ - $\nu_1$ -products of automata **80** (1) (1991) 35–51
1491. S. Heilbrunner and L. Schmitz, An efficient recognizer for the Boolean closure of context-free languages **80** (1) (1991) 53–75
1492. R.R. Howell, L.E. Rosier and H.-C. Yen, Global and local views of state fairness **80** (1) (1991) 77–104
1493. P. Powell and V. Ngo, Complexity of optimal vector code generation **80** (1) (1991) 105–115
1494. G. Hofer, Experiments and stability in group automata **80** (1) (1991) 117–120
1495. H. Andréka, I. Németi and I. Sain, On the strength of temporal proofs **80** (2) (1991) 125–151
1496. B. Courcelle, The monadic second-order logic of graphs V: On closing the gap between definability and recognizability **80** (2) (1991) 153–202
1497. L.A. Hemachandra, A. Hoene, D. Siefkes and P. Young, On sets polynomially enumerable by iteration **80** (2) (1991) 203–225
1498. S. Iwanowski, Testing approximate symmetry in the plane is NP-hard **80** (2) (1991) 227–262
1499. E.-R. Olderog, Correctness of concurrent processes **80** (2) (1991) 263–288
1500. D. Ranjan, R. Chang and J. Hartmanis, Space bounded computations: Review and new separation results **80** (2) (1991) 289–302
1501. B. Steffen and J. Knoop, Finite constants: Characterizations of a new decidable set of constants **80** (2) (1991) 303–318
1502. D. Szczepanska, A Hoare-like verification system for a language with an exception handling mechanism **80** (2) (1991) 319–335
1503. J. Wiedermann, On the computational efficiency of symmetric neural networks **80** (2) (1991) 337–345
1504. Z. Fülöp and S. Vágölggyi, A complete classification of deterministic root-to-frontier tree transformation classes **81** (1) (1991) 1–15
1505. J.-M. Boë, Les boîtes **81** (1) (1991) 17–34
1506. S. Tang and R.V. Book, Polynomial-time reducibilities and “almost all” oracle sets **81** (1) (1991) 35–47
1507. O. Dubois, Counting the number of solutions for instances of satisfiability **81** (1) (1991) 49–64
1508. O. Dubois and J. Carlier, Probabilistic approach to the satisfiability problem **81** (1) (1991) 65–75
1509. M. Piotrów, On the complexity of counting in the polynomial hierarchy **81** (1) (1991) 77–95
1510. A. Amir and G.M. Landau, Fast parallel and serial multidimensional approximate array matching **81** (1) (1991) 97–115
1511. F. Matúš, Abstract functional dependency structures **81** (1) (1991) 117–126
1512. J.H. Lutz, An upward measure separation theorem **81** (1) (1991) 127–135
1513. H. Leung, Limitedness theorem on finite automata with distance functions: An algebraic proof **81** (1) (1991) 137–145
1514. R. Cori and M.R. Formisano, On the number of partially abelian square-free words on a three-letter alphabet **81** (1) (1991) 147–153
1515. J. Hartmanis and L.A. Hemachandra, One-way functions and the nonisomorphism of NP-complete sets **81** (1) (1991) 155–163
1516. D. Kapur, D. Musser, P. Narendran and J. Stillman, Semi-unification **81** (2) (1991) 169–187
1517. S.N. Khadilkar and S. Biswas, Padding, commitment and self-reducibility **81** (2) (1991) 189–199
1518. K. Pingali and K. Ekanadham, Accumulators: New logic variable abstractions for functional languages **81** (2) (1991) 201–221
1519. K.S.H.S.R. Bhatta and H. Karnick, A resolution rule for well-formed formulae **81** (2) (1991) 223–235
1520. H.L. Bodlaender, New lower bound techniques for distributed leader finding and other problems on rings of processors **81** (2) (1991) 237–256
1521. K. Lenz and I. Wegener, The conjunctive complexity of quadratic Boolean functions **81** (2) (1991) 257–268
1522. P.R.J. Asveld, Abstract grammars based on transductions **81** (2) (1991) 269–288
1523. J. Dassow, On the connectedness of pictures in chain code picture languages **81** (2) (1991) 289–294
1524. T.-Y. Cheung and Y. Zhu, Recognizing different types of beta-cycles in a database scheme **81** (2) (1991) 295–304
1525. E. Csuhaj-Varjú and J. Kelemen, On the power of cooperation: A regular representation of recursively enumerable languages **81** (2) (1991) 305–310
1526. M. Chytil, M. Crochemore, B. Monien and W. Rytter, On the parallel recognition of unambiguous context-free languages **81** (2) (1991) 311–316



1527. N. Megiddo and C.H. Papadimitriou, On total functions, existence theorems and computational complexity **81** (2) (1991) 317–324
1528. K. Weihrauch and C. Kreitz, Type 2 computational complexity of functions on Cantor's space **82** (1) (1991) 1–18
1529. B. Lando, Periodicity and ultimate periodicity of D0L systems **82** (1) (1991) 19–33
1530. J.-J. Hebrard, An algorithm for distinguishing efficiently bit-strings by their subsequences **82** (1) (1991) 35–49
1531. K.-I. Ko, On adaptive versus nonadaptive bounded query machines **82** (1) (1991) 51–69
1532. F. Mignosi, On the number of factors of Sturmian words **82** (1) (1991) 71–84
1533. M. Snir, Size-depth trade-offs for monotone arithmetic circuits **82** (1) (1991) 85–93
1534. J. Engelfriet, G. Leih and G. Rozenberg, Nonterminal separation in graph grammars **82** (1) (1991) 95–111
1535. M. Dietzfelbinger, W. Maass and G. Schnitger, The complexity of matrix transposition on one-tape off-line Turing machines **82** (1) (1991) 113–129
1536. K. Salomaa and S. Yu, Decidability of structural equivalence of E0L grammars **82** (1) (1991) 131–139
1537. J.M. Robson, An  $O(T \log T)$  reduction from RAM computations to satisfiability **82** (1) (1991) 141–149
1538. C. Calude and G. Istrate, Determining and stationary sets for some classes of partial recursive functions **82** (1) (1991) 151–155
1539. V. Palko, O. Sýkora and I. Vrt'o, Area complexity of merging **82** (1) (1991) 157–163
1540. J.M.I.M. Leo, A general context-free parsing algorithm running in linear time on every LR(k) grammar without using lookahead **82** (1) (1991) 165–176
1541. M. Bauderon, Infinite hypergraphs I. Basic properties **82** (2) (1991) 177–214
1542. G.M. Germano and S. Mazzanti, Closure functions and general iterates as reflectors **82** (2) (1991) 215–252
1543. M. Abadi and L. Lamport, The existence of refinement mappings **82** (2) (1991) 253–284
1544. J.C.M. Baeten and J.A. Bergstra, Recursive process definitions with the state operator **82** (2) (1991) 285–302
1545. A. Lukassen and G. Vossen, A formal framework for independence with respect to transactions in the universal relation model **82** (2) (1991) 303–327
1546. W. Szwast, On Horn spectra **82** (2) (1991) 329–339
1547. R.R. Howell, L.E. Rosier and H.-C. Yen, A taxonomy of fairness and temporal logic problems for Petri nets **82** (2) (1991) 341–372
1548. F. Denis and J.-P. Delahaye, Is there an axiomatic semantics for standard pure Prolog **82** (2) (1991) 373–388
1549. P.-L. Curien, An abstract framework for environment machines **82** (2) (1991) 389–402
1550. E. Badouel and P. Darondeau, On guarded recursion **82** (2) (1991) 403–408
1551. R. Hoofman, Weakly expressive models for Hoare logic **82** (2) (1991) 409–418
1552. V. Breazu-Tannen and J. Gallier, Polymorphic rewriting conserves algebraic strong normalization **83** (1) (1991) 3–28
1553. F. Cardone, Recursive types for Fun **83** (1) (1991) 29–56
1554. L. Colson, About primitive recursive algorithms **83** (1) (1991) 57–69
1555. N. Dershowitz, S. Kaplan and D.A. Plaisted, Rewrite, rewrite, rewrite, rewrite, rewrite, ... **83** (1) (1991) 71–96
1556. Z. Manna and A. Pnueli, Completing the temporal picture **83** (1) (1991) 97–130
1557. F. Parisi-Presicce, Foundations of rule-based design of modular systems **83** (1) (1991) 131–155
1558. G. Winskel, A note on model checking the modal  $\nu$ -calculus **83** (1) (1991) 157–167
1559. H. Luckhardt, New formally undecidable propositions: Non-trivial lower bounds on proof complexity and related theorems **83** (2) (1991) 169–188
1560. D. Mauro, Derived linear systems of context-free grammars **83** (2) (1991) 189–203
1561. M.J.M. De Boer, A. Lindenmayer and Z. Tuza, A periodic division pattern that cannot be generated by D0L systems **83** (2) (1991) 205–218
1562. S. Labhalla, Complexité du calcul du développement d'un nombre réel en fractions continues **83** (2) (1991) 219–235
1563. S. Seki and Y. Kobuchi, On standard locally catenative L schemes **83** (2) (1991) 237–248

1564. E. Fachini, A.M. Schettini, G. Resta and D. Sangiorgi, Nonacceptability criteria and closure properties for the class of languages accepted by binary systolic tree automata **83** (2) (1991) 249–260
1565. G. Küster, On the Hurwitz product of formal power series and automata **83** (2) (1991) 261–273
1566. Y. Azar, Parallel comparison merging of many-ordered lists **83** (2) (1991) 275–285
1567. S. Kundu, Minimal strings in a regular language with respect to a partial order on the alphabet **83** (2) (1991) 287–300
1568. J. Cohen-Chesnot, On the expressive power of temporal logic for infinite words **83** (2) (1991) 301–312
1569. L.A. Hemachandra and G. Wechsung, Kolmogorov characterizations of complexity classes **83** (2) (1991) 313–322
1570. A.W. Mostowski, Hierarchies of weak automata and weak monadic formulas **83** (2) (1991) 323–335
1571. O. Watanabe, On the p-isomorphism conjecture **83** (2) (1991) 337–343
1572. D. Beauquier and J.-E. Pin, Languages and scanners **84** (1) (1991) 3–21
1573. G. Brassard, C. Crépeau and M. Yung, Constant-round perfect zero-knowledge computationally convincing protocols **84** (1) (1991) 23–52
1574. V. Bruyère, Maximal codes with bounded deciphering delay **84** (1) (1991) 53–76
1575. B. Chazelle, H. Edelsbrunner, L.J. Guibas and M. Sharir, A singly exponential stratification scheme for real semi-algebraic varieties and its applications **84** (1) (1991) 77–105
1576. G. Gambosi, E. Nardelli and M. Talamo, A pointer-free data structure for merging heaps and min-max heaps **84** (1) (1991) 107–126
1577. C.H. Papadimitriou and M. Yannakakis, Shortest paths without a map **84** (1) (1991) 127–150
1578. M. Clausen, A. Dress, J. Grabmeier and M. Karpinski, On zero-testing and interpolation of  $k$ -sparse multivariate polynomials over finite fields **84** (2) (1991) 151–164
1579. A. Saoudi, Generalized automata on infinite trees and Muller–McNaughton’s Theorem **84** (2) (1991) 165–177
1580. S. Moran and Y. Wolfstahl, Optimal covering of cacti by vertex-disjoint paths **84** (2) (1991) 179–197
1581. R. Beigel, Bounded queries to SAT and the Boolean hierarchy **84** (2) (1991) 199–223
1582. B. Becker and U. Sparmann, Computations over finite monoids and their test complexity **84** (2) (1991) 225–250
1583. C.P. Rupert, Which Kleene semigroups are finite **84** (2) (1991) 251–264
1584. H.A. Maurer, A. Salomaa and D. Wood, Bounded delay L codes **84** (2) (1991) 265–279
1585. J. Dassow and H. Jürgensen, Deterministic soliton automata with a single exterior node **84** (2) (1991) 281–292
1586. W.A. Baldwin and G.O. Strawn, Multidimensional trees **84** (2) (1991) 293–311
1587. J. Wang, On p-creative sets and p-completely creative sets **85** (1) (1991) 1–31
1588. J. Devolder and I. Litovsky, Finitely generated bi $\omega$ -languages **85** (1) (1991) 33–52
1589. O.H. Ibarra, T. Jiang and H. Wang, Parallel parsing on a one-way linear array of finite-state machines **85** (1) (1991) 53–74
1590. S. Lindell, An analysis of fixed-point queries on binary trees **85** (1) (1991) 75–95
1591. P.H. Rodenburg, Algebraic specifiability of data types with minimal computable parameters **85** (1) (1991) 97–116
1592. W. Szpankowski, A characterization of digital search trees from the successful search viewpoint **85** (1) (1991) 117–134
1593. M. Kutylowski, Multihead one-way finite automata **85** (1) (1991) 135–153
1594. I. Wegener, The complexity of the parity function in unbounded fan-in, unbounded depth circuits **85** (1) (1991) 155–170
1595. A. Cherubini, C. Citrini, S.C. Reghizzi and D. Mandrioli, QRT FIFO automata, breadth-first grammars and their relations **85** (1) (1991) 171–203
1596. P. Michel, An NP-complete language accepted in linear time by a one-tape Turing machine **85** (1) (1991) 205–212
1597. M. Cialdea, Resolution for some first-order modal systems **85** (2) (1991) 213–229
1598. N. Doggaz and C. Kirchner, Completion for unification **85** (2) (1991) 231–251
1599. E. Sopena, Hypermap rewriting: a combinatorial approach **85** (2) (1991) 253–281
1600. R.D. Tennent and J.K. Tobin, Continuations in possible-world semantics **85** (2) (1991) 283–303

1601. J. Kämper, Nonuniform proof systems: A new framework to describe nonuniform and probabilistic complexity classes **85** (2) (1991) 305–331
1602. S. Goto, Proof normalization with nonstandard objects **85** (2) (1991) 333–351
1603. I. Bethke, Coherence spaces are untopological **85** (2) (1991) 353–357
1604. F.S. De Boer, J.J.M.M. Rutten, J.N. Kok and C. Palamidessi, Semantic models for concurrent logic languages **86** (1) (1991) 3–33
1605. R.N. Bol, K.R. Apt and J.W. Klop, An analysis of loop checking mechanisms for logic programs **86** (1) (1991) 35–79
1606. L. Cavedon, Acyclic logic programs and the completeness of SLDNF-resolution **86** (1) (1991) 81–92
1607. J. Lobo, A. Rajasekar and J. Minker, Semantics of Horn and disjunctive logic programs **86** (1) (1991) 93–106
1608. H. Seki, Unfold/fold transformation of stratified programs **86** (1) (1991) 107–139
1609. A. Averbuch, Z. Galil and S. Winograd, Classification of all the minimal bilinear algorithms for computing the coefficients of the product of two polynomials modulo a polynomial. Part II: The algebra  $G[u]/\langle u^n \rangle$  **86** (2) (1991) 143–203
1610. J.-C. Spehner, Merging in maps and in pavings **86** (2) (1991) 205–232
1611. K. Hashiguchi, Recognizable closures and submonoids of free partially commutative monoids **86** (2) (1991) 233–241
1612. M. Chrobak and D. Eppstein, Planar orientations with low out-degree and compaction of adjacency matrices **86** (2) (1991) 243–266
1613. M. Krause, C. Meinel and S. Waack, Separating the eraser Turing machine classes  $L_e$ ,  $NL_e$ ,  $co-NL_e$  and  $P_e$  **86** (2) (1991) 267–275
1614. F. Gire and M. Nivat, Langages algébriques de mots biinfinis **86** (2) (1991) 277–323
1615. A. Bertoni, M. Goldwurm and N. Sabadini, The complexity of computing the number of strings of given length in context-free languages **86** (2) (1991) 325–342
1616. C.-J. Seger, On the existence of speed-independent circuits **86** (2) (1991) 343–364
1617. R.M. Capocelli, L. Gargano and U. Vaccaro, Decoders with initial state invariance for multivalued encodings **86** (2) (1991) 365–375
1618. G.M. Benedek and A. Itai, Learnability with respect to fixed distributions **86** (2) (1991) 377–390
1619. V. Stoltenberg-Hansen and J.V. Tucker, Algebraic and fixed point equations over inverse limits of algebras **87** (1) (1991) 1–24
1620. W.M. Farmer, Simple second-order languages for which unification is undecidable **87** (1) (1991) 25–41
1621. A.G. Heibig, Control machines: A new model of parallelism for compositional specifications and their effective compilation **87** (1) (1991) 43–80
1622. H. Balsters and M.M. Fokkinga, Subtyping can have a simple semantics **87** (1) (1991) 81–96
1623. R. Fournier and G. Von Bochmann, The equivalence in the DCP model **87** (1) (1991) 97–114
1624. L. Hallnäs, Partial inductive definitions **87** (1) (1991) 115–142
1625. P. Gardiner and C. Morgan, Data refinement of predicate transformers **87** (1) (1991) 143–162
1626. H. Zierer, Relation algebraic domain constructions **87** (1) (1991) 163–188
1627. A. Wilm, Determinism and non-determinism in PDL **87** (1) (1991) 189–202
1628. M. Mezghiche, Weak completeness of type assignment in  $\lambda$ -calculus models: a generalization of Hindley's result **87** (1) (1991) 203–208
1629. R. Milner and M. Tofte, Co-induction in relational semantics **87** (1) (1991) 209–220
1630. W. McCune and L. Wos, The absence and the presence of fixed point combinators **87** (1) (1991) 221–228
1631. Z. Ésik, Results on homomorphic realization of automata by  $\alpha_0$ -products **87** (2) (1991) 229–249
1632. K. Diks and W. Rytter, On optimal parallel computations for sequences of brackets **87** (2) (1991) 251–262
1633. M. Gyssens and D. Van Gucht, A comparison between algebraic query languages for flat and nested databases **87** (2) (1991) 263–286
1634. E. Csuhaj-Varjú and J. Dassow, On bounded interpretations of grammar forms **87** (2) (1991) 287–313
1635. A. De Luca and S. Varricchio, Finiteness and iteration conditions for semigroups **87** (2) (1991) 315–327
1636. N. Nirmal and R. Rama, Machine characterization of (E0L-E0L) array languages **87** (2) (1991) 329–346
1637. C. Calude, Relativized topological size of sets of partial recursive functions **87** (2) (1991) 347–352

1638. R. Gavalda and J.L. Balcázar, Strong and robustly strong polynomial-time reducibilities to sparse sets **88** (1) (1991) 1–14
1639. K.G. Larsen and B. Thomsen, Partial specifications and compositional verification **88** (1) (1991) 15–32
1640. S. Miyano,  $\Delta_2^P$ -complete lexicographically first maximal subgraph problems **88** (1) (1991) 33–57
1641. M. Crochemore and W. Rytter, Usefulness of the Karp–Miller–Rosenberg algorithm in parallel computations on strings and arrays **88** (1) (1991) 59–82
1642. M. Garzon and Y. Zalcstein, The complexity of Grigorchuk groups with application to cryptography **88** (1) (1991) 83–98
1643. S. Cho and D.T. Huynh, Finite-automaton aperiodicity is PSPACE-complete **88** (1) (1991) 99–116
1644. P. Shankar and B.S. Adiga, A graph-based regularity test for deterministic context-free languages **88** (1) (1991) 117–125
1645. A. Salomaa, A deterministic algorithm for modular knapsack problems **88** (1) (1991) 127–138
1646. J. Engelfriet, A regular characterization of graph languages definable in monadic second-order logic **88** (1) (1991) 139–150
1647. K. Aizawa and A. Nakamura, Graph grammars with path-controlled embedding **88** (1) (1991) 151–170
1648. S. Labhalla and H. Lombardi, Représentations des nombres réels par développements en base entière et complexité **88** (1) (1991) 171–182
1649. S. Khuller and V.V. Vazirani, Planar graph colouring is not self-reducible, assuming  $P \neq NP$  **88** (1) (1991) 183–189
1650. H. Seki, T. Matsumura, M. Fujii and T. Kasami, On multiple context-free grammars **88** (2) (1991) 191–229
1651. U. Hickenbeck, A result about the power of geometric oracle machines **88** (2) (1991) 231–251
1652. Z. Fülöp, A complete description for a monoid of deterministic bottom-up tree transformation classes **88** (2) (1991) 253–268
1653. K. Peeva, Equivalence, reduction and minimization of finite automata over semirings **88** (2) (1991) 269–285
1654. K. Inoue, A. Ito and I. Takanami, A note on real-time one-way alternating multicounter machines **88** (2) (1991) 287–296
1655. A. Bebják and I. Štefánková, Separation of deterministic, nondeterministic and alternating complexity classes **88** (2) (1991) 297–311
1656. W. Baur, On the algebraic complexity of rational iteration procedures **88** (2) (1991) 313–324
1657. A. Weber and H. Seidl, On the degree of ambiguity of finite automata **88** (2) (1991) 325–349
1658. H. Yoo and K. Hashiguchi, Extended automata-like regular expressions of star degree at most (2, 1) **88** (2) (1991) 351–363
1659. P. Séébold, Fibonacci morphisms and Sturmian words **88** (2) (1991) 365–384
1660. H. Ganzinger, Order-sorted completion: the many-sorted way **89** (1) (1991) 3–32
1661. A. Habel, H.-J. Kreowski and W. Vogler, Decidable boundedness problems for sets of graphs generated by hyperedge-replacement **89** (1) (1991) 33–62
1662. M. Hanus, Horn clause programs with polymorphic types: semantics and resolution **89** (1) (1991) 63–106
1663. R. Harper and R. Pollack, Type checking with universes **89** (1) (1991) 107–136
1664. F. Pfenning and P. Lee, Metacircularity in the polymorphic  $\lambda$ -calculus **89** (1) (1991) 137–159
1665. C. Stirling and D. Walker, Local model checking in the modal  $\mu$ -calculus **89** (1) (1991) 161–177
1666. C.A. Vissers, G. Scollo, M. Van Sinderen and E. Brinksma, Specification styles in distributed systems design and verification **89** (1) (1991) 179–206
1667. D. Krob, Complete systems of  $\mathcal{B}$ -rational identities **89** (2) (1991) 207–343
1668. D.E. Knuth, Theory and Practice **90** (1) (1991) 1–15
1669. I.V. Pottosin, Analysis of program optimization possibilities and further development **90** (1) (1991) 17–36
1670. V. Kasyanov, Transformational approach to program concretization **90** (1) (1991) 37–46
1671. M.A. Bulyonkov, From partial evaluation to mixed computation **90** (1) (1991) 47–60
1672. Y. Futamura, K. Nogi and A. Takano, Essence of generalized partial computation **90** (1) (1991) 61–79
1673. V.E. Itkin, An algebra of mixed computation **90** (1) (1991) 81–93
1674. N.D. Jones, Static semantics, types, and binding time analysis **90** (1) (1991) 95–118
1675. W.M. Turski, Prescribing behaviours **90** (1) (1991) 119–125

1676. J.W. De Bakker and J.H.A. Warmerdam, Four domains for concurrency **90** (1) (1991) 127–149
1677. L.A. Cherkasova and V.E. Kotov, An algebra of concurrent nondeterministic processes **90** (1) (1991) 151–170
1678. A. Mazurkiewicz, A. Rabinovich and B.A. Trakhtenbrot, Connectedness and synchronization **90** (1) (1991) 171–184
1679. E. Tyugu, Higher order dataflow schemes **90** (1) (1991) 185–198
1680. J.M. Barzdin and G.J. Barzdin, Rapid construction of algebraic axioms from samples **90** (1) (1991) 199–208
1681. A. Blikle, A. Tarlecki and M. Thorup, On conservative extensions of syntax in system development **90** (1) (1991) 209–233
1682. C.A.R. Hoare, A theory for the derivation of combinational C-mos circuit designs **90** (1) (1991) 235–251
1683. N.N. Nepejvoda, A bridge between constructive logic and computer programming **90** (1) (1991) 253–270
1684. T. Rus, Algebraic construction of compilers **90** (2) (1991) 271–308
1685. M. Tatsuta, Program synthesis using realizability **90** (2) (1991) 309–353
1686. T. Saito, Dynamics of equivalence relations in automata networks **90** (2) (1991) 355–367
1687. Y. Toyama, How to prove equivalence of term rewriting systems without induction **90** (2) (1991) 369–390
1688. G. Dong and S. Ginsburg, Localizable constraints for object histories **90** (2) (1991) 391–432
1689. D. Vakarelov, Modal logics for knowledge representation systems **90** (2) (1991) 433–456
1690. A. Srinivasan and C.P. Rangan, Efficient algorithms for the minimum weighted dominating clique problem on permutation graphs **91** (1) (1991) 1–21
1691. P. Buneman, A. Jung and A. Ohori, Using powerdomains to generalize relational databases **91** (1) (1991) 23–55
1692. K. Culik, II and S. Dube, An efficient solution of the firing mob problem **91** (1) (1991) 57–69
1693. M. Arfi, Opérations polynomiales et hiérarchies de concaténation **91** (1) (1991) 71–84
1694. K. Hashiguchi, Algorithms for determining relative inclusion star height and inclusion star height **91** (1) (1991) 85–100
1695. E.B. Kinber, On complete sets of samples for generalized regular expressions **91** (1) (1991) 101–117
1696. D. Moews, Sums of games born on Days 2 and 3 **91** (1) (1991) 119–128
1697. P. Kearney and J. Staples, An extensional fixed-point semantics for nondeterministic data flow **91** (2) (1991) 129–179
1698. P.M.W. Knijnenburg and J. Van Leeuwen, On models for propositional dynamic logic **91** (2) (1991) 181–203
1699. W. Vogler, Executions: a new partial-order semantics of Petri nets **91** (2) (1991) 205–238
1700. A. Tarlecki, R.M. Burstall and J.A. Goguen, Some fundamental algebraic tools for the semantics of computation: Part 3. Indexed categories **91** (2) (1991) 239–264
1701. W. Zhang, Cut elimination and automatic proof procedures **91** (2) (1991) 265–284
1702. B. Rozoy and P.S. Thiagarajan, Event structures and trace monoids **91** (2) (1991) 285–313
1703. A. Apostolico, S. Browne and C. Guerra, Fast linear-space computations of longest common subsequences **92** (1) (1992) 3–17
1704. R.A. Baeza-Yates and M. Régnier, Average running time of the Boyer–Moore–Horspool algorithm **92** (1) (1992) 19–31
1705. M. Crochemore, String-matching on ordered alphabets **92** (1) (1992) 33–47
1706. Z. Galil and K. Park, Dynamic programming with convexity, concavity and sparsity **92** (1) (1992) 49–76
1707. K. Hashiguchi and K. Yamada, Two recognizable string-matching problems over free partially commutative monoids **92** (1) (1992) 77–86
1708. C.S. Iliopoulos and W.F. Smyth, Optimal algorithms for computing the canonical form of a circular string **92** (1) (1992) 87–105
1709. J.Y. Kim and J. Shawe-Taylor, An approximate string-matching algorithm **92** (1) (1992) 107–117
1710. T. Lecroq, A variation on the Boyer–Moore algorithm **92** (1) (1992) 119–144
1711. J. Néraud and M. Crochemore, A string-matching interpretation of the equation  $x^m y^n = z^p$  **92** (1) (1992) 145–164
1712. R.W. Quong, Fast average-case pattern matching by multiplexing sparse tables **92** (1) (1992) 165–179
1713. D. Revuz, Minimization of acyclic deterministic automata in linear time **92** (1) (1992) 181–189
1714. E. Ukkonen, Approximate string-matching with  $q$ -grams and maximal matches **92** (1) (1992) 191–211

1715. M. Zipstein, Data compression with factor automata **92** (1) (1992) 213–221
1716. A. Ehrenfeucht and G. Rozenberg, Angular 2-structures **92** (2) (1992) 227–248
1717. M. Goldwurm, Probabilistic estimation of the number of prefixes of a trace **92** (2) (1992) 249–268
1718. U. Hebisch and H.J. Weinert, Generalized semigroup semirings which are zero-divisor-free or multiplicatively left-cancellative **92** (2) (1992) 269–289
1719. J. Bitar and E. Goles, Parallel chip firing games on graphs **92** (2) (1992) 291–300
1720. J.H. Lutz, On independent random oracles **92** (2) (1992) 301–307
1721. L.A. Hemachandra and R.S. Rubinfeld, Separating complexity classes with tally oracles **92** (2) (1992) 309–318
1722. H. Edelsbrunner, L. Guibas, J. Pach, R. Pollack, R. Seidel and M. Sharir, Arrangements of curves in the plane – topology, combinatorics, and algorithms **92** (2) (1992) 319–336
1723. A.J. Kfoury, J. Tiuryn and P. Urzyczyn, On the expressive power of finitely typed and universally polymorphic recursive procedures **93** (1) (1992) 1–41
1724. S. Vágvolgyi, Top-down tree transducers with two-way tree walking look-ahead **93** (1) (1992) 43–74
1725. G.E. Révész, A list-oriented extension of the lambda-calculus satisfying the Church–Rosser theorem **93** (1) (1992) 75–89
1726. P.G. Harrison and H. Khoshnevisan, A new approach to recursion removal **93** (1) (1992) 91–113
1727. V.S. Subrahmanian, Paraconsistent disjunctive deductive databases **93** (1) (1992) 115–141
1728. G.-Q. Zhang, Stable neighbourhoods **93** (1) (1992) 143–157
1729. A. Goerdt, Unrestricted resolution versus N-resolution **93** (1) (1992) 159–167
1730. K. Hiraishi and A. Ichikawa, On structural conditions for weak persistency and semilinearity of Petri nets **93** (2) (1992) 185–199
1731. G. Louchard, B. Randrianarimanana and R. Schott, Dynamic algorithms in D.E. Knuth’s model: a probabilistic analysis **93** (2) (1992) 201–225
1732. P. Bonizzoni and G. Mauri, On automata on infinite trees **93** (2) (1992) 227–244
1733. Z.M. Kedem and K.V. Palem, Optimal parallel algorithms for forest and term matching **93** (2) (1992) 245–264
1734. S. Toda, Restricted relativizations of probabilistic polynomial time **93** (2) (1992) 265–277
1735. P. Ramanan, Testing the optimality of alphabetic trees **93** (2) (1992) 279–301
1736. J. Boyar, G. Frandsen and C. Sturtevant, An arithmetic model of computation equivalent to threshold circuits **93** (2) (1992) 303–319
1737. P. Dehornoy, A criterion for proving noetherianity of a relation **93** (2) (1992) 321–325
1738. T. Herbst, On a kind of Fatou property of context-free groups **93** (2) (1992) 327–331
1739. U. Waldmann, Semantics of order-sorted specifications **94** (1) (1992) 1–35
1740. F. Lamarche, Quantitative domains and infinitary algebras **94** (1) (1992) 37–62
1741. I. Filippenko and F.L. Morris, Domains for logic programming **94** (1) (1992) 63–99
1742. V. Manca and A. Salibra, Soundness and completeness of the Birkhoff equational calculus for many-sorted algebras with possibly empty carrier sets **94** (1) (1992) 101–124
1743. P. Caspi, Clocks in dataflow languages **94** (1) (1992) 125–140
1744. M. Koutny, Adequacy-preserving transformations of COSY path programs **94** (1) (1992) 141–158
1745. J.-P. Allouche, P. Morton and J. Shallit, Pattern spectra, substring enumeration, and automatic sequences **94** (2) (1992) 161–174
1746. L. Baratchart, M. Olivi and F. Wielonsky, On a rational approximation problem in the real Hardy space  $H_2$  **94** (2) (1992) 175–197
1747. P. Dehornoy, Problème de mots dans les gerbes fibres **94** (2) (1992) 199–213
1748. S. Ferenczi, Tiling the Morse sequence **94** (2) (1992) 215–221
1749. C. Frougny, Systèmes de numération linéaires et  $\theta$ -représentations **94** (2) (1992) 223–236
1750. D. Galmiche, Program development in constructive type theory **94** (2) (1992) 237–259
1751. D. Gardy, Méthode de col et lois limites en analyse combinatoire **94** (2) (1992) 261–280
1752. B. Gil, Complete extension of general logic programs **94** (2) (1992) 281–294
1753. G. Lachaud, Artin–Schreier curves, exponential sums, and coding theory **94** (2) (1992) 295–310
1754. D. Méry, The  $\mathcal{NU}$  system as a development system for concurrent programs:  $\delta NU$  **94** (2) (1992) 311–334
1755. M. Parigot, Recursive programming with proofs **94** (2) (1992) 335–356

1756. D. Perrin, On positive matrices **94** (2) (1992) 357–366
1757. A. Restivo, A note on renewal systems **94** (2) (1992) 367–371
1758. Z.-X. Wen and Z.-Y. Wen, Some studies on the  $(p, q)$ -type sequences **94** (2) (1992) 373–393
1759. V. Vianu and G. Vossen, Conceptual level concurrency control of relational update transactions **95** (1) (1992) 1–42
1760. L. Giordano, A. Martelli and G. Rossi, Extending Horn clause logic with implication goals **95** (1) (1992) 43–74
1761. I. Sain, Temporal logics need their clocks **95** (1) (1992) 75–95
1762. S. Arikawa, T. Shinohara and A. Yamamoto, Learning elementary formal systems **95** (1) (1992) 97–113
1763. G. Bellin and J. Ketonen, A decision procedure revisited: Notes on direct logic, linear logic and its implementation **95** (1) (1992) 115–142
1764. B. Jacobs, I. Margaria and M. Zacchi, Filter models with polymorphic types **95** (1) (1992) 143–158
1765. S.R. Schwer, Fine covers of a VAS language **95** (1) (1992) 159–168
1766. J. Beauquier, Two distributed problems involving byzantine processes **95** (1) (1992) 169–185
1767. J.M. Ollagnier, Proof of Dejean's conjecture for alphabets with 5, 6, 7, 8, 9, 10 and 11 letters **95** (2) (1992) 187–205
1768. P. Quinton and Y. Robert, Systolic convolution of arithmetic functions **95** (2) (1992) 207–229
1769. Y. Rabani and Z. Galil, On the space complexity of some algorithms for sequence comparison **95** (2) (1992) 231–244
1770. G. Ausiello, G.F. Italiano, A.M. Spaccamela and U. Nanni, On-line computation of minimal and maximal length paths **95** (2) (1992) 245–261
1771. S. Zhang, Polynomial-time algorithms for testing strong isomorphism and computing the automorphism group of  $R$ -strongly connected automata **95** (2) (1992) 263–277
1772. L. Pierre, Rational indexes of generators of the cone of context-free languages **95** (2) (1992) 279–305
1773. J. Spencer, Ulam's searching game with a fixed number of lies **95** (2) (1992) 307–321
1774. S.G. Akl, M. Cosnard and A.G. Ferreira, Data-movement-intensive problems: two folk theorems in parallel computation revisited **95** (2) (1992) 323–337
1775. P. Shankar and B.S. Adiga, A graph-based regularity test for deterministic context-free languages (*Corrigendum*) **95** (2) (1992) 339–340
1776. M. Nielsen, G. Rozenberg and P.S. Thiagarajan, Elementary transition systems **96** (1) (1992) 3–33
1777. M. Mukund and P.S. Thiagarajan, A logical characterization of well branching event structures **96** (1) (1992) 35–72
1778. J. Meseguer, Conditional rewriting logic as a unified model of concurrency **96** (1) (1992) 73–155
1779. J. Bradfield and C. Stirling, Local model checking for infinite state spaces **96** (1) (1992) 157–174
1780. E. Best and M. Koutny, Petri net semantics of priority systems **96** (1) (1992) 175–215
1781. G. Berry and G. Boudol, The chemical abstract machine **96** (1) (1992) 217–248
1782. E. Astesiano, A. Giovini and G. Reggio, Observational structures and their logic **96** (1) (1992) 249–283
1783. V.K. Garg and M.T. Ragunath, Concurrent regular expressions and their relationship to Petri nets **96** (2) (1992) 285–304
1784. D.T. Huynh, Nonuniform complexity and the randomness of certain complete languages **96** (2) (1992) 305–324
1785. M. Ito, H. Jürgensen, H.J. Shyr and G. Thierrin, Languages whose  $n$ -element subsets are codes **96** (2) (1992) 325–344
1786. R. Barua, The Hausdorff–Kuratowski hierarchy of  $\omega$ -regular languages and a hierarchy of Muller automata **96** (2) (1992) 345–360
1787. T.E. Plambeck, Daisies, Kayles, and the Sibert–Conway decomposition in misère octal games **96** (2) (1992) 361–388
1788. T.S. Ferguson, Mate with bishop and knight in kriegspiel **96** (2) (1992) 389–403
1789. G. Duchamp and D. Krob, On the partially commutative shuffle product **96** (2) (1992) 405–410
1790. A. Slobodová, Some properties of space-bounded synchronized alternating Turing machines with universal states only **96** (2) (1992) 411–419
1791. J.-Y. Girard, A. Seedorf and P.J. Scott, Bounded linear logic: a modular approach to polynomial-time computability **97** (1) (1992) 1–66
1792. S.M. German, Semantics and reasoning with free procedures **97** (1) (1992) 67–81

1793. J. Perraud, O. Roux and M. Huou, Operational semantics of a kernel of the language ELECTRE **97** (1) (1992) 83–103
1794. A. Monfreglio, Integer programs for logic constraint satisfaction **97** (1) (1992) 105–130
1795. P. Darondeau, D. Nolte, L. Priese and S. Yoccoz, Fairness, distances and degrees **97** (1) (1992) 131–142
1796. S. Baratella, A completeness result for allowed semi-strict programs with respect to well-behaved and allowed query clauses **97** (1) (1992) 143–156
1797. T. Weibel, Extension of combinatory logic to a theory of combinatory representation **97** (1) (1992) 157–173
1798. K. Doets, A slight strengthening of a theorem of Blair and Kunen **97** (1) (1992) 175–181
1799. M.W. Krentel, Generalizations of Opt P to the polynomial hierarchy **97** (2) (1992) 183–198
1800. O. Watanabe and S. Tang, On polynomial-time Turing and many-one completeness in PSPACE **97** (2) (1992) 199–215
1801. H. Yoo and K. Hashiguchi, Extended regular expressions of arbitrary star degrees **97** (2) (1992) 217–231
1802. D.E. Muller, A. Saoudi and P.E. Schupp, Alternating automata, the weak monadic theory of trees and its complexity **97** (2) (1992) 233–244
1803. G. Karner, Nivat's theorem for pushdown transducers **97** (2) (1992) 245–262
1804. R.A. Shore and T.A. Slaman, The p-T-degrees of the recursive sets: lattice embeddings, extensions of embeddings and the two-quantifier theory **97** (2) (1992) 263–284
1805. J. Hromkovič, S.A. Ložkin, A.I. Rybko, A.A. Sapoženko and N.A. Škalikova, Lower bounds on the area complexity of Boolean circuits **97** (2) (1992) 285–300
1806. G. Guaiana, A. Restivo and S. Salemi, Star-free trace languages **97** (2) (1992) 301–311
1807. C. Choffrut, Rational relations and rational series **98** (1) (1992) 5–13
1808. J. Karhumäki, Multiplicities: A deterministic view of nondeterminism **98** (1) (1992) 15–25
1809. G. Karner, On transductions of formal power series over complete semirings **98** (1) (1992) 27–39
1810. S. Varricchio, Rational series with coefficients in a commutative ring **98** (1) (1992) 41–50
1811. A. Björner and C. Reutenauer, Rationality of the Möbius function of subword order **98** (1) (1992) 53–63
1812. M.P. Delest and J.M. Fedou, Attribute grammars are useful for combinatorics **98** (1) (1992) 65–76
1813. G. Cauchon, Séries de Malcev–Neumann sur le groupe fibre et questions de rationalité **98** (1) (1992) 79–97
1814. F. Dumas, Skew power series rings with general commutation formula **98** (1) (1992) 99–114
1815. B. Mourrain, Computable identities in the algebra of formal matrices **98** (1) (1992) 115–133
1816. S. Diop, Differential-algebraic decision methods and some applications to system theory **98** (1) (1992) 137–161
1817. J.-P. Allouche and J. Shallit, The ring of  $k$ -regular sequences **98** (2) (1992) 163–197
1818. S.R. Schwer, The context-freeness of the languages associated with vector addition systems is decidable **98** (2) (1992) 199–247
1819. L. Santean and J. Kari, The impact of the number of cooperating grammars on the generative power **98** (2) (1992) 249–262
1820. H.-C. Yen, A multiparameter analysis of domino tiling with an application to concurrent systems **98** (2) (1992) 263–287
1821. M.A. Palis and S.M. Shende, Upper bounds on recognition of a hierarchy of non-context-free languages **98** (2) (1992) 289–319
1822. D.L. Van and P.T. Huy, Varieties of finite monoids and Büchi–McNaughton theorem **98** (2) (1992) 321–337
1823. M. Chrobak and L.L. Larmore, HARMONIC is 3-competitive for two servers **98** (2) (1992) 339–346
1824. T. Amtoft and J.L. Träff, Partial memoization for obtaining linear time behavior of a 2DPDA **98** (2) (1992) 347–356
1825. V.-E. Căzănescu and G. Ștefănescu, A general result on abstract flowchart schemes with applications to the study of accessibility, reduction and minimization **99** (1) (1992) 1–63
1826. J. Hein, Completions of perpetual logic programs **99** (1) (1992) 65–78
1827. J.-L. Lambert, A structure to decide reachability in Petri nets **99** (1) (1992) 79–104
1828. W.H. Hesselink, Processes and formalisms for unbounded choice **99** (1) (1992) 105–119
1829. L. Priese and D. Nolte, Strong fairness and ultra metrics **99** (1) (1992) 121–140
1830. P.S. Mulry, Monads and algebras in the semantics of partial data types **99** (1) (1992) 141–155



1831. S. Rajasekaran and J.H. Reif, Nested annealing: a provable improvement to simulated annealing **99** (1) (1992) 157–176
1832. S. Bozapalidis, Alphabetic tree relations **99** (2) (1992) 177–211
1833. J. Nummenmaa, Constructing compact rectilinear planar layouts using canonical representation of planar graphs **99** (2) (1992) 213–230
1834. J. Néraud, On the rank of the subsets of a free monoid **99** (2) (1992) 231–241
1835. O.H. Ibarra and N.Q. Trân, On space-bounded synchronized alternating Turing machines **99** (2) (1992) 243–264
1836. S. Zhang, Efficient simplicity testing of automata **99** (2) (1992) 265–278
1837. J.L. Balcázar and U. Schöning, Logarithmic advice classes **99** (2) (1992) 279–290
1838. S. Varricchio, On the decidability of the equivalence problem for partially commutative rational power series **99** (2) (1992) 291–299
1839. O.H. Ibarra, T. Jiang and H. Wang, A characterization of exponential-time languages by alternating context-free grammars **99** (2) (1992) 301–313
1840. J.-D. Fouks, Tseitin's formulas revisited **99** (2) (1992) 315–326
1841. B. Mosse, Puissances de mots et reconnaissabilité des points fixes d'une substitution **99** (2) (1992) 327–334
1842. C.T. Hoàng, A parallel algorithm for minimum weighted colouring of triangulated graphs **99** (2) (1992) 335–344
1843. J.L. Trahan, M.C. Loui and V. Ramachandran, Multiplication, division, and shift instructions in parallel random access machines **100** (1) (1992) 1–44
1844. A. Goerdt, Characterizing complexity classes by higher type primitive recursive definitions **100** (1) (1992) 45–66
1845. A. De Luca and S. Varricchio, On noncounting regular classes **100** (1) (1992) 67–104
1846. R. Holte, L. Rosier, I. Tulchinsky and D. Varvel, Pinwheel scheduling with two distinct numbers **100** (1) (1992) 105–135
1847. D. Benninger and J. Schmid, Effective subdirect decomposition: a case study **100** (1) (1992) 137–156
1848. R. Board and L. Pitt, On the necessity of Occam algorithms **100** (1) (1992) 157–184
1849. N. Santoro, J.B. Sidney and S.J. Sidney, A distributed selection algorithm and its expected communication complexity **100** (1) (1992) 185–204
1850. S. Toda and O. Watanabe, Polynomial-time 1-Turing reductions from #PH to #P **100** (1) (1992) 205–221
1851. P. Erdős and D.F. Hsu, Distributed loop network with minimum transmission delay **100** (1) (1992) 223–241
1852. H. Prodinger, Hypothetical analyses: approximate counting in the style of Knuth, path length in the style of Flajolet **100** (1) (1992) 243–251
1853. P. Beame, E. Brisson and R. Ladner, The complexity of computing symmetric functions using threshold circuits **100** (1) (1992) 253–265
1854. L.S. Moss, J. Meseguer and J.A. Goguen, Final algebras, cosemicomputable algebras and degrees of unsolvability **100** (2) (1992) 267–302
1855. M. Dezani-Ciancaglini and J.R. Hindley, Intersection types for combinatory logic **100** (2) (1992) 303–324
1856. M. Bartha, Foundations of a theory of synchronous systems **100** (2) (1992) 325–346
1857. K. Wang, On characterizing boundedness of database schemes with bounded dependencies **100** (2) (1992) 347–364
1858. R.J.R. Back and J. Von Wright, Combining angels, demons and miracles in program specifications **100** (2) (1992) 365–383
1859. K. Meinke, Universal algebra in higher types **100** (2) (1992) 385–417
2001. B. Courcelle, The monadic second-order logic of graphs VII: Graphs as relational structures **101** (1) (1992) 3–33
2002. E. Graedel, Capturing complexity classes by fragments of second-order logic **101** (1) (1992) 35–57
2003. J. Mazoyer and N. Reimen, A linear speed-up theorem for cellular automata **101** (1) (1992) 59–98
2004. P. Michel, A survey of space complexity **101** (1) (1992) 99–132
2005. P. Peladeau, Formulas, regular languages and Boolean circuits **101** (1) (1992) 133–141
2006. M. de Rougemont, The functional dimension of inductive definitions **101** (2) (1992) 143–158

2007. E. Best, J. Desel and J. Esparza, Traps characterize home states in free choice systems **101** (2) (1992) 161–176
2008. S. Brookes and S. Geva, Towards a theory of parallel algorithms on concrete data structures **101** (2) (1992) 177–221
2009. B. Bloom and A.R. Meyer, Experimenting with process equivalence **101** (2) (1992) 223–237
2010. F.S. de Boer, J.N. Kok, C. Palamidessi and J.J.M.M. Rutten, From failure to success: comparing a denotational and a declarative semantics for Horn clause logic **101** (2) (1992) 239–263
2011. J. Gunawardena, Causal automata **101** (2) (1992) 265–288
2012. J.J.M. Hooman, S. Ramesh and W.P. de Roever, A compositional axiomatization of Statecharts **101** (2) (1992) 289–335
2013. S. Katz and D. Peled, Defining conditional independence using collapses **101** (2) (1992) 337–359
2014. K. Grue, Map theory **102** (1) (1992) 1–134
2015. S. van Bakel, Complete restrictions of the intersection type discipline **102** (1) (1992) 135–163
2016. R. Devillers, Maximality preserving bisimulation **102** (1) (1992) 165–183
2017. J. Esparza and M. Silva, A polynomial-time algorithm to decide liveness of bounded free choice nets **102** (1) (1992) 185–205
2018. K. Dosen, Nonmodal classical linear predicate logic is a fragment of intuitionistic logic **102** (1) (1992) 207–214
2019. D. Bruschi, Strong separations of the polynomial hierarchy with oracles: constructive separations by immune and simple sets **102** (2) (1992) 215–252
2020. M. Skubiszewski, Binary periodic synchronizing sequences **102** (2) (1992) 253–281
2021. P. Dagum and M. Luby, Approximating the permanent of graphs with large factors **102** (2) (1992) 283–305
2022. R. Mirwald and C.P. Schnorr, The multiplicative complexity of quadratic boolean forms **102** (2) (1992) 307–328
2023. L. Halpenney and C.J. Smyth, A classification of minimal standard-path  $2 \times 2$  switching networks **102** (2) (1992) 329–354
2024. L. Prasad and S.S. Iyengar, An asymptotic equality for the number of necklaces in a shuffle-exchange network **102** (2) (1992) 355–365
2025. R. Beigel and J. Gill, Counting classes: thresholds, parity, mods, and fewness **103** (1) (1992) 3–23
2026. J. Cai, A. Condon and R.J. Lipton, On games of incomplete information **103** (1) (1992) 25–38
2027. M. Clerbout and Y. Roos, Semicommutations and algebraic languages **103** (1) (1992) 39–49
2028. U. Montanari and A. Corradini, An algebraic semantics for structured transition systems and its application to logic programs **103** (1) (1992) 51–106
2029. G. Das and D. Joseph, Minimum vertex hulls for polyhedral domains **103** (1) (1992) 107–135
2030. J.-L. Lambert, Sorting the sums  $(x_i + y_j)$  in  $O(n^2)$  comparisons **103** (1) (1992) 137–141
2031. W. Thomas, Infinite trees and automaton-definable relations over  $\omega$ -words **103** (1) (1992) 143–159
2032. M. Bauderon, Infinite hypergraphs II. Systems of recursive equations **103** (2) (1992) 165–190
2033. K. Hamaguchi, H. Hiraishi and S. Yajima,  $\infty$ -Regular temporal logic and its model checking problem **103** (2) (1992) 191–204
2034. L.E. Palopoli, Testing logic programs for local stratification **103** (2) (1992) 205–234
2035. M. Felleisen and R. Hieb, The revised report on the syntactic theories of sequential control and state **103** (2) (1992) 235–271
2036. M. Kurihara and A. Ohuchi, Modularity of simple termination of term rewriting systems with shared constructors **103** (2) (1992) 273–282
2037. B. Man Kim and J. Wan Cho, A new subsumption method in the connection graph proof procedure **103** (2) (1992) 283–309
2038. C.A. Gunter, The mixed powerdomain **103** (2) (1992) 311–334
2039. A. Maggiolo-Schettini and J. Winkowski, Towards an algebra for timed behaviours **103** (2) (1992) 335–363
2040. W. Marek and V.S. Subrahmanian, The relationship between stable, supported, default and autoepistemic semantics for general logic programs **103** (2) (1992) 365–386
2041. H.G. Mairson, A simple proof of a theorem of Statman **103** (2) (1992) 387–394

2042. T. Streicher, Independence of the induction principle and the axiom of choice in the pure calculus of constructions **103** (2) (1992) 395–408
2043. M. Dauchet, Simulation of Turing machines by a regular rewrite rule **103** (2) (1992) 409–420
2044. R.N. Bol, Generalizing completeness results for loop checks in logic programming **104** (1) (1992) 3–28
2045. J.-P. Jouannaud and C. Marché, Termination and completion modulo associativity, commutativity and identity **104** (1) (1992) 29–51
2046. R. Hennicker, A semi-algorithm for algebraic implementation proofs **104** (1) (1992) 53–87
2047. C. Limongelli and M. Temperini, Abstract specification of structures and methods in symbolic mathematical computation **104** (1) (1992) 89–107
2048. M.E. Stickel, A Prolog technology theorem prover: a new exposition and implementation in Prolog **104** (1) (1992) 109–128
2049. C. Talcott, A theory for program and data type specification **104** (1) (1992) 129–159
2050. H. Straubing and P. Weil, On a conjecture concerning dot-depth two languages **104** (2) (1992) 161–183
2051. C. Kim and I.H. Sudborough, On reversal-bounded picture languages **104** (2) (1992) 185–206
2052. Y. Takada, Learning semilinear sets from examples and via queries **104** (2) (1992) 207–233
2053. D.J. Weir, A geometric hierarchy beyond context-free grammars **104** (2) (1992) 235–261
2054. D.P. Bovet, P. Crescenzi and R. Silvestri, A uniform approach to define complexity classes **104** (2) (1992) 263–283
2055. K. Jansen, Processor optimization for flow graphs **104** (2) (1992) 285–298
2056. R. Leermakers, Recursive ascent parsing: from Earley to Marcus **104** (2) (1992) 299–312
2057. R. Leermakers, L. Augusteijn and F.E.J. Kruseman Aretz, A functional LR parser **104** (2) (1992) 313–323
2058. P.M. Dung, On the relations between stable and well-founded semantics of logic programs **105** (1) (1992) 7–25
2059. K. Kanchanasut and P.J. Stuckey, Transforming normal logic programs to constraint logic programs **105** (1) (1992) 27–56
2060. T. Sato, Equivalence-preserving first-order unfold/fold transformation systems **105** (1) (1992) 57–84
2061. M. Gabbriellini and G. Levi, Unfolding and fixpoint semantics of concurrent constraint logic programs **105** (1) (1992) 85–128
2062. D. Hofbauer, Termination proofs by multiset path orderings imply primitive recursive derivation lengths **105** (1) (1992) 129–140
2063. F. Debart, P. Enjalbert and M. Lescot, Multimodal logic programming using equational and order-sorted logic **105** (1) (1992) 141–166
2064. I. Mason and C. Talcott, Inferring the equivalence of functional programs that mutate data **105** (2) (1992) 167–215
2065. J.A. Goguen and J. Meseguer, Order-sorted algebra I: equational deduction for multiple inheritance, overloading, exceptions and partial operations **105** (2) (1992) 217–273
2066. M.-H. Zhang, Data types with errors and exceptions **105** (2) (1992) 275–299
2067. G. Boudol and K.G. Larsen, Graphical versus logical specifications **106** (1) (1992) 3–20
2068. J. Cai, R. Paige and R. Tarjan, More efficient bottom-up multi-pattern matching in trees **106** (1) (1992) 21–60
2069. D. Caucal, On the regular structure of prefix rewriting **106** (1) (1992) 61–86
2070. E. Kounalis, Testing for the ground (co-)reducibility property in term-rewriting systems **106** (1) (1992) 87–117
2071. M.I. Schwartzbach, Interpretations of recursively defined types **106** (1) (1992) 119–134
2072. H. Seidl, Single-valuedness of tree transducers is decidable in polynomial time **106** (1) (1992) 135–181
2073. C. Frougny, Confluent linear numeration systems **106** (2) (1992) 183–219
2074. P. Michel, Complexity of logical theories involving coprimality **106** (2) (1992) 221–241
2075. M. El-Taha and S. Stidham Jr., Deterministic analysis of queuing systems with heterogeneous servers **106** (2) (1992) 243–264
2076. M.W. Bern, H.J. Karloff, P. Raghavan and B. Schieber, Fast geometric approximation techniques and geometric embedding problems **106** (2) (1992) 265–281
2077. R. Hausser, Complexity in left-associative grammar **106** (2) (1992) 283–308

2078. H.L. Bodlaender and D. Kratsch, The complexity of coloring games on perfect graphs **106** (2) (1992) 309–326
2079. J.M. Robson, More languages of generalised star height 1 **106** (2) (1992) 327–335
2080. R. Villemaire, The theory of  $(\mathbb{N}, +, V_k, V_l)$  is undecidable **106** (2) (1992) 337–349
2081. C. Damm and C. Meinel, Separating complexity classes related to  $\Omega$ -decision trees **106** (2) (1992) 351–360
2082. S.-H.S. Huang, H. Liu and V. Viswanathan, A sublinear parallel algorithm for some dynamic programming problems **106** (2) (1992) 361–371
2083. K.G. Subramanian, R. Siromoney and L. Mathew, Lyndon trees **106** (2) (1992) 373–383
2084. A.A. Razborov, On the distributional complexity of disjointness **106** (2) (1992) 385–390
2085. A. Andersson, Comments on “On the balance property of Patricia tries: External path length viewpoint” **106** (2) (1992) 391–393
2086. P. Kirschenhofer, H. Prodinger and W. Szpankowski, Probabilistic modeling of data structures on words. A reply to Professor Andersson’s letter **106** (2) (1992) 395–400
2087. B. Jenner and C. Alvarez, A very hard log-space counting class **107** (1) (1992) 3–30
2088. F. Bedard, F. Lemieux and P. McKenzie, Extensions to Barrington’s M-program model **107** (1) (1992) 31–61
2089. R. Heiman, I. Newman and A. Wigderson, On read-once threshold formulae and their randomized decision tree complexity **107** (1) (1992) 63–76
2090. K.-J. Lange, Unambiguity of circuits **107** (1) (1992) 77–94
2091. J.H. Lutz and W.J. Schmidt, Circuit size relative to pseudorandom oracles **107** (1) (1992) 95–120
2092. Y. Mansour, N. Nisan and P. Tiwari, The computational complexity of universal hashing **107** (1) (1992) 121–133
2093. N. Nisan, On read-once vs. multiple access to randomness in logspace **107** (1) (1992) 135–144
2094. A. Panconesi and D. Ranjan, Quantifiers and approximation **107** (1) (1992) 145–163
2095. B. Jacobs, Comprehension categories and the semantics of type dependency **107** (2) (1993) 169–207
2096. M. Bellia and M.E. Occhiuto, C-expressions: a variable-free calculus for equational logic programming **107** (2) (1993) 209–252
2097. S. Hirokawa, Principal types of BCK-lambda-terms **107** (2) (1993) 253–276
2098. A. Cortesi and G. Filé, Graph properties for normal logic programs **107** (2) (1993) 277–303
2099. M.G. Main and D.L. Black, Semantic models for total correctness and fairness **107** (2) (1993) 305–332
2100. V. Sreedhar and K. Taghva, Capturing strong reduction in director string calculus **107** (2) (1993) 333–347
2101. G. Dowek, The undecidability of pattern matching in calculi where primitive recursive functions are representable **107** (2) (1993) 349–356
2102. R. Milner and F. Moller, Unique decomposition of processes **107** (2) (1993) 357–363
2103. J. Almeida, Locally commutative power semigroups and counting factors of words **108** (1) (1993) 3–16
2104. S. Crvenković and R.S. Madarász, On Kleene algebras **108** (1) (1993) 17–24
2105. V. Diekert, Möbius functions and confluent semi-commutations **108** (1) (1993) 25–43
2106. Ch. Frougny and J. Sakarovitch, Synchronized rational relations of finite and infinite words **108** (1) (1993) 45–82
2107. M. Garzon, Cayley automata **108** (1) (1993) 83–102
2108. J. Karhumäki, Equations over finite sets of words and equivalence problems in automata theory **108** (1) (1993) 103–118
2109. M. Katsura and G. Tanaka, Groups of finite elementary codes **108** (1) (1993) 119–149
2110. M. Kunze, Standard automata and semidirect products of transformation semigroups **108** (1) (1993) 151–171
2111. L. Zhang and W. Qiu, Decompositions of recognizable strong maximal codes **108** (1) (1993) 173–183
2112. Z. Fülöp, F. Herrman, S. Vágválglyi and H. Vogler, Tree transducers with external functions **108** (2) (1992) 185–236
2113. D. Long Van, B. Le Saec and I. Litovsky, Stability for the zigzag submonoids **108** (2) (1992) 237–249
2114. M. Madonia, S. Salemi and T. Sportelli, A generalization of Sardinias and Patterson’s algorithm to z-codes **108** (2) (1992) 251–270
2115. M. Dietzfelbinger and W. Maass, The complexity of matrix transposition on one-tape off-line Turing machines with output tape **108** (2) (1992) 271–290

2116. U. Schmid, The average CRI-length of a controlled ALOHA collision resolution algorithm **108** (2) (1992) 291–310
2117. R. Bar Yehuda, T. Etzion and S. Moran, Rotating-table games and derivatives of words **108** (2) (1993) 311–329
2118. A. Apostolico, Efficient CRCW-PRAM algorithms for universal substring searching **108** (2) (1993) 331–344
2119. R. Grossi, On finding common subtrees **108** (2) (1993) 345–356
2120. K. Slowinski, Picture words with invisible lines **108** (2) (1993) 357–363
2121. M. Middendorf, The shortest common nonsubsequence problem is NP-complete **108** (2) (1993) 365–369
2122. F. d'Amore, A. Marchetti-Spaccamela and U. Nanni, The weighted list update problem and the lazy adversary **108** (2) (1993) 371–384
2123. S. Lehr, Sums and rational multiples of  $q$ -automatic sequences are  $q$ -automatic **108** (2) (1993) 385–391
2124. J. Hromkovič and K. Inoue, A note on realtime one-way synchronized alternating one-counter automata **108** (2) (1993) 393–400
2125. H. Ehrig and M. Löwe, The ESPRIT Basic Research Working Group COMPUGRAPH “Computing by Graph Transformation”: a survey **109** (1-2) (1993) 3–6
2126. A. Corradini and F. Rossi, Hyperedge replacement jungle rewriting for term-rewriting systems and logic programming **109** (1-2) (1993) 7–48
2127. B. Courcelle and M. Mosbah, Monadic second-order evaluations on tree-decomposable graphs **109** (1-2) (1993) 49–82
2128. F. Drewes, Recognising  $k$ -connected hypergraphs in cubic time **109** (1-2) (1993) 83–122
2129. H. Ehrig and M. Löwe, Parallel and distributed derivations in the single-pushout approach **109** (1-2) (1993) 123–143
2130. D. Janssens, Equivalence of computations in actor grammars **109** (1-2) (1993) 145–180
2131. M. Löwe, Algebraic approach to single-pushout graph transformation **109** (1-2) (1993) 181–224
2132. U. Montanari and F. Rossi, Graph rewriting for a partial ordering semantics of concurrent constraint programming **109** (1-2) (1993) 225–256
2133. H.J. Schneider, On categorical graph grammars integrating structural transformations and operations on labels **109** (1-2) (1993) 257–274
2134. J. Engelfriet and H.J. Hoogeboom,  $X$ -automata on  $\omega$ -words **110** (1) (1993) 1–51
2135. E. Goles, A. Maass and S. Martinez, On the limit set of some universal cellular automata **110** (1) (1993) 53–78
2136. W.D. Blizard, Dedekind multisets and function shells **110** (1) (1993) 79–98
2137. B. Patt-Shamir and D. Peleg, Time-space tradeoffs for set operations **110** (1) (1993) 99–129
2138. R. Freivalds, E.B. Kinber and R. Wiehagen, On the power of inductive inference from good examples **110** (1) (1993) 131–144
2139. A. Habel, H.-J. Kreowski and C. Lautemann, A comparison of compatible, finite, and inductive graph properties **110** (1) (1993) 145–168
2140. U. Zwick and M.S. Paterson, The memory game **110** (1) (1993) 169–196
2141. A.S. Fraenkel and S. Simonson, Geography **110** (1) (1993) 197–214
2142. H.L. Bodlaender, Complexity of path-forming games **110** (1) (1993) 215–245
2143. J. Gallier, Constructive logics Part I: A tutorial on proof systems and typed  $\lambda$ -calculi **110** (2) (1993) 249–339
2144. B. Charron-Bost, Coupling coefficients of a distributed execution **110** (2) (1993) 341–376
2145. M.J. Maher, A transformation system for deductive database modules with perfect model semantics **110** (2) (1993) 377–403
2146. T. Forster, A semantic characterization of the well-typed formulae of  $\lambda$ -calculus **110** (2) (1993) 405–418
2147. M. Sprenger and M. Wymann-Böni, How to decide the lark **110** (2) (1993) 419–432
2148. S. Abramsky, Computational interpretations of linear logic **111** (1-2) (1993) 3–57
2149. R. Heckmann, Power domains and second-order predicates **111** (1-2) (1993) 59–88
2150. M. Droste, On stable domains **111** (1-2) (1993) 89–101
2151. F. Lamarche, Stable domains are generalized topological spaces **111** (1-2) (1993) 103–123
2152. M.G. Main, Complete proof rules for strong fairness and strong extreme fairness **111** (1-2) (1993) 125–143

2153. H. Dybkjær and A. Melton, Comparing Hagino's categorical programming language and typed lambda-calculi **111** (1-2) (1993) 145–189
2154. L.S. Moss and S.R. Thatte, Modal logic and algebraic specifications **111** (1-2) (1993) 191–210
2155. P.C. Gilmore and G.K. Tsiknis, A logic for category theory **111** (1-2) (1993) 211–252
2156. P.C. Gilmore and G.K. Tsiknis, Logical foundations for programming semantics **111** (1-2) (1993) 253–290
2157. R. Janicki and M. Koutny, Structure of concurrency **112** (1) (1993) 5–52
2158. Y.V. Srinivas, A sheaf-theoretic approach to pattern matching and related problems **112** (1) (1993) 53–97
2159. C. Talcott, A theory of binding structures and applications to rewriting **112** (1) (1993) 99–143
2160. M. Thomas and P. Watson, Solving divergence in Knuth–Bendix completion by enriching signatures **112** (1) (1993) 145–185
2161. T. Herbst and R.M. Thomas, Group presentations, formal languages and characterizations of one-counter groups **112** (2) (1993) 187–214
2162. R.D. Bourgin and S.E. Howe, Shortest curves in planar regions with curved boundary **112** (2) (1993) 215–253
2163. M. Ogiwara and A. Lozano, On sparse hard sets for counting classes **112** (2) (1993) 255–275
2164. E. Csuhaj-Varjú and A. Kelemenová, Descriptive complexity of context-free grammar forms **112** (2) (1993) 277–289
2165. C. Sturtevant and G.S. Frandsen, The computational efficacy of finite-field arithmetic **112** (2) (1993) 291–309
2166. J. Néraud, Deciding whether a finite set of words has rank at most two **112** (2) (1993) 311–337
2167. J.-D. Boissonnat and M. Teillaud, On the randomized construction of the Delaunay tree **112** (2) (1993) 339–354
2168. J.A. Aslam and A. Dhagat, On-line algorithms for 2-coloring hypergraphs via chip games **112** (2) (1993) 355–369
2169. A.S. Fraenkel, E.R. Scheinerman and D. Ullman, Undirected edge geography **112** (2) (1993) 371–382
2170. C. Calude and C. Cămpăanu, Note on the topological structure of random strings **112** (2) (1993) 383–390
2171. O.H. Ibarra and N.Q. Trân, A note on simple programs with two variables **112** (2) (1993) 391–397
2172. I. Korec, Irrational speeds of Configurations growth in generalized Pascal triangles **112** (2) (1993) 399–412
2173. J. Skurczyński, The Borel hierarchy is infinite in the class of regular sets of trees **112** (2) (1993) 413–418
2174. O. Sýkora and I. Vrt'o, Edge separators for graphs of bounded genus with applications **112** (2) (1993) 419–420
2175. L. Albert, R. Casas and F. Fages, Average-case analysis of unification algorithms **113** (1) (1993) 3–34
2176. V. Diekert, On the concatenation of infinite traces **113** (1) (1993) 35–54
2177. L. Fortnow and C. Lund, Interactive proof systems and alternating time-space complexity **113** (1) (1993) 55–73
2178. M. Hühne, On the power of several queues **113** (1) (1993) 75–91
2179. T. Jéron and C. Jard, Testing for unboundedness of fifo channels **113** (1) (1993) 93–117
2180. K. Madlener, P. Narendran, F. Otto and L. Zhang, On weakly confluent monadic string-rewriting systems **113** (1) (1993) 119–165
2181. J. Tarui, Probabilistic polynomials,  $AC^0$  functions and the polynomial-time hierarchy **113** (1) (1993) 167–183
2182. K. Weihrauch, Computability on computable metric spaces **113** (2) (1993) 191–210
2183. B. Yi and J. Xu, Analogy calculus **113** (2) (1993) 211–230
2184. L. Ruqian, A true concurrency model of CCS semantics **113** (2) (1993) 231–258
2185. J. Lu and J. Xu, Analogical program derivation based on type theory **113** (2) (1993) 259–272
2186. A. Bucciarelli and T. Ehrhard, A theory of sequentiality **113** (2) (1993) 273–291
2187. R. van Glabbeek and F. Vaandrager, Modular specification of process algebras **113** (2) (1993) 293–348
2188. M. Masseron, Generating plans in linear logic I. Actions as proofs **113** (2) (1993) 349–370
2189. M. Masseron, Generating plans in linear logic II. A geometry of conjunctive actions **113** (2) (1993) 371–375
2190. M. Abadi and G.D. Plotkin, A logical view of composition **114** (1) (1993) 3–30
2191. G. Boudol, I. Castellani, M. Hennessy and A. Kiehn, Observing localities **114** (1) (1993) 31–61

2192. P. Degano, R. De Nicola and U. Montanari, Universal axioms for bisimulations **114** (1) (1993) 63–91
2193. J. Desel and J. Esparza, Reachability in cyclic extended free-choice systems **114** (1) (1993) 93–118
2194. K.G. Larsen, The expressive power of implicit specifications **114** (1) (1993) 119–147
2195. R. Milner, J. Parrow and D. Walker, Modal logics for mobile processes **114** (1) (1993) 149–171
2196. W. Vogler, Bisimulation and action refinement **114** (1) (1993) 173–200
2197. S. Vickers, Information systems for continuous posets **114** (2) (1993) 201–229
2198. T. Eiter and G. Gottlob, Propositional circumscription and extended closed-world reasoning are  $\Pi_2^P$ -complete [Theoretical Computer Science 114 (2) (21 June 1993) 231–245] **118** (2) (1993) 315
2199. J. Desharnais, A. Jaoua, F. Mili, N. Boudriga and A. Mili, A relational division operator: the conjugate kernel **114** (2) (1993) 247–272
2200. D.J. Dougherty, Higher-order unification via combinators **114** (2) (1993) 273–298
2201. M. Barr, Terminal coalgebras in well-founded set theory **114** (2) (1993) 299–315
2202. M. Elvang-Gøransson and O. Owe, A simple sequent calculus for partial functions **114** (2) (1993) 317–330
2203. R. Blute, Linear logic, coherence and dinaturality **115** (1) (1993) 3–41
2204. A. Burroni, Higher-dimensional word problems with applications to equational logic **115** (1) (1993) 43–62
2205. T. Coquand, Another proof of the intuitionistic Ramsey theorem **115** (1) (1993) 63–75
2206. A. Edalat and M.B. Smyth, I-Categories as a framework for solving domain equations **115** (1) (1993) 77–106
2207. P. Freyd, Structural polymorphism **115** (1) (1993) 107–129
2208. G. Jarzembki, Programs in partial algebras **115** (1) (1993) 131–149
2209. C.B. Jay, Tail recursion through universal invariants **115** (1) (1993) 151–189
2210. I. Litovsky and Y. Métivier, Computing with graph rewriting systems with priorities **115** (2) (1993) 191–224
2211. E. Allender, R. Beigel, U. Hertrampf and S. Homer, Almost-everywhere complexity hierarchies for nondeterministic time **115** (2) (1993) 225–241
2212. A. Carpi, Overlap-free words and finite automata **115** (2) (1993) 243–260
2213. O.H. Ibarra and N.Q. Tr  n, Synchronized finite automata and 2DFA reductions **115** (2) (1993) 261–275
2214. L. Longpr   and A.L. Selman, Hard promise problems and nonuniform complexity **115** (2) (1993) 277–290
2215. A. Troesch, Interpr  tation g  om  trique de l’algorithme d’Euclide et reconnaissance de segments **115** (2) (1993) 291–319
2216. E. Goles and M.A. Kiwi, Games on line graphs and sand piles **115** (2) (1993) 321–349
2217. R. Srikant, R. Sundaram, K.S. Singh and C.P. Rangan, Optimal path cover problem on block graphs and bipartite permutation graphs **115** (2) (1993) 351–357
2218. M. Katsura and Y. Kobayashi, The shuffle algebra and its derivations **115** (2) (1993) 359–369
2219. S. Tang, B. Fu and T. Liu, Exponential-time and subexponential-time sets **115** (2) (1993) 371–381
2220. S. Homer, S. Kurtz and J. Royer, On 1-truth-table-hard languages **115** (2) (1993) 383–389
2221. S. V  gv  lyi, A fast algorithm for constructing a tree automaton recognizing a congruential tree language **115** (2) (1993) 391–399
2222. R. Fagin, Finite-model theory – a personal perspective **116** (1) (1993) 3–31
2223. G.M. Kuper and M.Y. Vardi, On the complexity of queries in the logical data model **116** (1) (1993) 33–57
2224. C. Beeri and Y. Kornatzky, Algebraic optimization of object-oriented query languages **116** (1) (1993) 59–94
2225. M.P. Consens and A.O. Mendelzon, Low-complexity aggregation in GraphLog and Datalog **116** (1) (1993) 95–116
2226. P.Z. Revesz, A closed-form evaluation for Datalog queries with integer (gap)-order constraints **116** (1) (1993) 117–149
2227. R. van der Meyden, Recursively indefinite databases **116** (1) (1993) 151–194
2228. R.J. Lipton, J.F. Naughton, D.A. Schneider and S. Seshadri, Efficient sampling strategies for relational database operations **116** (1) (1993) 195–226
2229. A. Ehrenfeucht and G. Rozenberg, T-Structures, T-functions, and texts **116** (2) (1993) 227–290

2230. B. Brüderlin, Using geometric rewrite rules for solving geometric problems symbolically **116** (2) (1993) 291–303
2231. J. Karhumäki, W. Rytter and S. Jarominek, Efficient constructions of test sets for regular and context-free languages **116** (2) (1993) 305–316
2232. Y. Saouter and P. Quinton, Computability of recurrence equations **116** (2) (1993) 317–337
2233. M. Andraşiu, Gh. Păun, J. Dassow and A. Salomaa, Language-theoretic problems arising from Richelieu cryptosystems **116** (2) (1993) 339–357
2234. E. Feuerstein and A. Marchetti-Spaccamela, Dynamic algorithms for shortest paths in planar graphs **116** (2) (1993) 359–371
2235. K. Culik II and S. Dube, Affine automata and related techniques for generation of complex images **116** (2) (1993) 373–398
2236. E. Koutsoupias, Improvements on Khrapchenko's theorem **116** (2) (1993) 399–403
2237. H. Kleine Büning, On generalized Horn formulas and  $k$ -resolution **116** (2) (1993) 405–413
2238. P. Pudlák and P. Savický, On shifting networks **116** (2) (1993) 415–419
2239. B. Monien, W. Rytter and L. Schäpers, Fast recognition of deterministic cfl's with a smaller number of processors **116** (2) (1993) 421–429
2240. G. Labelle, Sur la symétrie et l'asymétrie des structures combinatoires **117** (1-2) (1993) 3–22
2241. D. Zeilberger, Identities in search of identity **117** (1-2) (1993) 23–38
2242. M. Anselmo, The operation  $\uparrow$  on formal power series **117** (1-2) (1993) 39–43
2243. D. Arques and I. Jacques, Classification des cartes pointées de genre 1 et relation fonctionnelle associée **117** (1-2) (1993) 45–65
2244. J. Bétréma and J.G. Penaud, Animaux et arbres guingois **117** (1-2) (1993) 67–89
2245. A. Björner, The Möbius function of factor order **117** (1-2) (1993) 91–98
2246. R. Casas, J. Díaz and C. Martínez, Average-case analysis on simple families of trees using a balanced probability model **117** (1-2) (1993) 99–112
2247. W.Y.C. Chen, Context-free grammars, differential operators and formal power series **117** (1-2) (1993) 113–130
2248. Y. Chiricota, Représentation symbolique d'espèces moléculaires **117** (1-2) (1993) 131–136
2249. S.H. Choi and D. Gouyou-Beauchamps, Enumeration of generalized Young tableaux with bounded height **117** (1-2) (1993) 137–151
2250. I. Constantineau, Auto-similarité dans la combinatoire des polynômes orthogonaux **117** (1-2) (1993) 153–167
2251. H. Décoste, Séries indicatrices et  $q$ -séries **117** (1-2) (1993) 169–186
2252. S. Dulucq and S. Gire, Complexité d'algorithmes et opérations sur les arbres **117** (1-2) (1993) 187–198
2253. S.B. Ekhad, A short, elementary, and easy, WZ proof of the Askey–Gasper inequality that was used by de Branges in his proof of the Bieberbach conjecture **117** (1-2) (1993) 199–202
2254. J.C. Lalanne, Sur une involution sur les chemins de Dyck **117** (1-2) (1993) 203–215
2255. P. Lalonde, Bases de Lyndon des algèbres de Lie libres partiellement commutatives **117** (1-2) (1993) 217–226
2256. S.K. Lando and A.K. Zvonkin, Plane and projective meanders **117** (1-2) (1993) 227–241
2257. R. Mantaci, Sur la distribution des anti-excédances dans le groupe symétrique et dans ses sous-groupes **117** (1-2) (1993) 243–253
2258. G. Melançon, Constructions des bases standard des  $K(A)$ -modules à droite **117** (1-2) (1993) 255–272
2259. B.E. Sagan, Combinatorial proofs of hook generating functions for skew plane partitions **117** (1-2) (1993) 273–287
2260. D. Svrtan, New plethysm operation, Chern characters of exterior and symmetric powers with applications to Stiefel–Whitney classes of grassmannians **117** (1-2) (1993) 289–301
2261. J. West, Sorting twice through a stack **117** (1-2) (1993) 303–313
2262. S.K. Baruah, R.R. Howell and L.E. Rosier, Feasibility problems for recurring tasks on one processor **118** (1) (1993) 3–20
2263. P. Darondeau and P. Degano, Refinement of actions in event structures and causal trees **118** (1) (1993) 21–48
2264. V. Geffert, A speed-up theorem without tape compression **118** (1) (1993) 49–65
2265. I. Walukiewicz, Gentzen-type axiomatization for PAL **118** (1) (1993) 67–79



2266. I. Wegener, BOTTOM-UP-HEAPSORT, a new variant of HEAPSORT beating, on an average, QUICK-SORT (if  $n$  is not very small) **118** (1) (1993) 81–98
2267. P. Deransart, Proof methods of declarative properties of definite programs **118** (2) (1993) 99–166
2268. H. Comon, Complete axiomatizations of some quotient term algebras **118** (2) (1993) 167–191
2269. I.A. Stewart, Methods for proving completeness via logical reductions **118** (2) (1993) 193–229
2270. M. Draghicescu and S. Purushothaman, A uniform treatment of order of evaluation and aggregate update **118** (2) (1993) 231–262
2271. J.F. Groote, Transition system specifications with negative premises **118** (2) (1993) 263–299
2272. A.K. Simpson, A characterisation of the least-fixed-point operator by dinaturality **118** (2) (1993) 301–314
2273. T. Eiter and G. Gottlob, Propositional circumscription and extended closed-world reasoning are  $\Pi_2^P$ -complete **114** (2) (1993) 231–245
2274. K. Barbar, Attributed tree grammars **119** (1) (1993) 3–22
2275. M.-M. Corsini and K. Musumbu, Type inference in Prolog: a new approach **119** (1) (1993) 23–38
2276. Ph. Devienne, P. Lebègue and M. Dauchet, Weighted systems of equations **119** (1) (1993) 39–62
2277. A.Ja. Dikovsky, On computational complexity of Prolog programs **119** (1) (1993) 63–101
2278. W. Dosch, On a generalized product for domains **119** (1) (1993) 103–125
2279. Z. Habbas, A complete modal proof system for HAL: the Herbrand agent language **119** (1) (1993) 127–143
2280. A.A. Letichevsky, J.V. Kapitonova and S.V. Konozenko, Computations in APS **119** (1) (1993) 145–171
2281. V.A. Nepomniaschy and A.A. Sulimov, Problem-oriented verification system and its application to linear algebra programs **119** (1) (1993) 173–185
2282. V.Yu. Sazonov, Hereditarily-finite sets, data bases and polynomial-time computability **119** (1) (1993) 187–214
2283. A.O. Slissenko, On fault tolerance of syntax **119** (1) (1993) 215–222
2284. M.K. Valiev,  $\Pi_1^1$ -universality of some propositional logics of concurrent programs **119** (1) (1993) 223–232
2285. M. Kutylowski, Stack versus sensitivity for one-way automata **119** (2) (1993) 233–245
2286. A. Apostolico and A. Ehrenfeucht, Efficient detection of quasiperiodicities in strings **119** (2) (1993) 247–265
2287. J.-C. Birget, Partial orders on words, minimal elements of regular languages, and state complexity **119** (2) (1993) 267–291
2288. M. Zimand, If not empty, NP-P is topologically large **119** (2) (1993) 293–310
2289. W. Stromquist and D. Ullman, Sequential compounds of combinatorial games **119** (2) (1993) 311–321
2290. D. Wolfe, Snakes in Domineering games **119** (2) (1993) 323–329
2291. R. Tamassia and I.G. Tollis, Dynamic reachability in planar digraphs with one source and one sink **119** (2) (1993) 331–343
2292. B. Litow and P. Dumas, Additive cellular automata and algebraic series **119** (2) (1993) 345–354
2293. B.J. Oommen and D.T.H. Ng, An optimal absorbing list organization strategy with constant memory requirements **119** (2) (1993) 355–361
2294. T. Jiang and M. Li, On the complexity of learning strings and sequences **119** (2) (1993) 363–371
2295. E. Knill, P.T. Cox and T. Pietrzykowski, Equality and abductive residua for Horn clauses **120** (1) (1993) 1–44
2296. G. Nota, S. Orefice, G. Pacini, F. Ruggiero and G. Tortora, Legality concepts for three-valued logic programs **120** (1) (1993) 45–68
2297. M. Grabowski, On the status of proving program properties in effective interpretations **120** (1) (1993) 69–81
2298. S. Baratella, A class of programs for which SLDNF resolution and NAF rule are complete **120** (1) (1993) 83–99
2299. P. Gastin and B. Rozoy, The poset of infinitary traces **120** (1) (1993) 101–121
2300. P. Cousot and R. Cousot, “A la Burstall” intermittent assertions induction principles for proving inevitability properties of programs **120** (1) (1993) 123–155
2301. W. Zhang, Cut formulas in propositional logic **120** (1) (1993) 157–168
2302. Y. Marcoux, Composition is almost (but not quite) as good as s-1-1 **120** (2) (1993) 169–195

2303. A. Brüggemann-Klein, Regular expressions into finite automata **120** (2) (1993) 197–213
2304. G.-H. Chen, B.-F. Wang and H. Li, Deriving algorithms on reconfigurable networks based on function decomposition **120** (2) (1993) 215–227
2305. J. Honkala, On DOL systems with immigration **120** (2) (1993) 229–245
2306. C. Kim and D.H. Lee, Separating  $k$ -separated eNCE graph languages **120** (2) (1993) 247–259
2307. R. Subbiah, S.S. Iyengar, S. Radhakrishnan and R.L. Kashyap, An optimal distributed algorithm for recognizing mesh-connected networks **120** (2) (1993) 261–278
2308. B. Fu and H. Li, On symmetric differences of NP-hard sets with weakly P-selective sets **120** (2) (1993) 279–291
2309. Gh. Păun and A. Salomaa, Closure properties of slender languages **120** (2) (1993) 293–301
2310. K. Sikkel, Parallel on-line parsing in constant time per word **120** (2) (1993) 303–310
2311. A. Ferreira, On space-efficient algorithms for certain NP-complete problems **120** (2) (1993) 311–315
2312. M. Abadi, L. Cardelli and P.-L. Curien, Formal parametric polymorphism **121** (1-2) (1993) 9–58
2313. H. Barendregt, Constructive proofs of the range property in lambda calculus **121** (1-2) (1993) 59–69
2314. A. Berarducci and B. Intrigila, Some new results on easy lambda-terms **121** (1-2) (1993) 71–88
2315. R.L. Constable and S.F. Smith, Computational foundations of basic recursive function theory **121** (1-2) (1993) 89–112
2316. M. Coppo and A. Ferrari, Type inference, abstract interpretation and strictness analysis **121** (1-2) (1993) 113–143
2317. G. Huet, An analysis of Böhm's theorem **121** (1-2) (1993) 145–167
2318. G. Jacopini and G. Sontacchi, General recursive functions in a very simply interpretable typed  $\lambda$ -calculus **121** (1-2) (1993) 169–178
2319. S. Brookes, Historical introduction to “Concrete domains” by G. Kahn and G.D. Plotkin **121** (1-2) (1993) 179–186
2320. G. Kahn and G.D. Plotkin, Concrete domains **121** (1-2) (1993) 187–277
2321. J.W. Klop, V. van Oostrom and F. van Raamsdonk, Combinatory reduction systems: introduction and survey **121** (1-2) (1993) 279–308
2322. D. Leivant, Functions over free algebras definable in the simply typed lambda calculus **121** (1-2) (1993) 309–321
2323. G. Longo, K. Milsted and S. Soloviev, The genericity theorem and parametricity in the polymorphic  $\lambda$ -calculus **121** (1-2) (1993) 323–349
2324. G.D. Plotkin, Set-theoretical and other elementary models of the  $\lambda$ -calculus **121** (1-2) (1993) 351–409
2325. D.S. Scott, A type-theoretical alternative to ISWIM, CUCH, OWHY **121** (1-2) (1993) 411–440
2326. R. Statman, Some examples of non-existent combinators **121** (1-2) (1993) 441–448
2327. A. Bossi, M. Gabbriellini, G. Levi and M.C. Meo, A compositional semantics for logic programs **122** (1-2) (1994) 3–47
2328. L.M. Pereira, J.J. Alferes and J.N. Aparício, Adding closed world assumptions to well-founded semantics **122** (1-2) (1994) 49–68
2329. T. Kawamura, Logic program synthesis from first-order logic specifications **122** (1-2) (1994) 69–96
2330. B. Martens, D. De Schreye and T. Horváth, Sound and complete partial deduction with unfolding based on well-founded measures **122** (1-2) (1994) 97–117
2331. M. Tatsuta, Realizability interpretation of coinductive definitions and program synthesis with streams **122** (1-2) (1994) 119–136
2332. Y. Takayama, Defining concurrent processes constructively **122** (1-2) (1994) 137–164
2333. A. Corradini, U. Montanari and F. Rossi, An abstract machine for concurrent modular systems: CHARM **122** (1-2) (1994) 165–200
2334. V. Poirriez, MLOG: a strongly typed confluent functional language with logical variables **122** (1-2) (1994) 201–223
2335. M. Denecker and D. De Schreye, On the duality of abduction and model generation in a framework for model generation with equality **122** (1-2) (1994) 225–262
2336. H. Ait-Kaci, A. Podelski and G. Smolka, A feature constraint system for logic programming with entailment **122** (1-2) (1994) 263–283
2337. J.-P. Allouche, Note on the cyclic towers of Hanoi **123** (1) (1994) 3–7

2338. M.R. Assous, V. Bouchitté, C. Charretton and B. Rozoy, Finite labelling problem in event structures **123** (1) (1994) 9–19
2339. A. Bertrand, Sur une conjecture d'Yves Métivier **123** (1) (1994) 21–30
2340. C. Bertrand, A natural semantics of first-order type dependency **123** (1) (1994) 31–53
2341. F. Blanchard and S. Fabre, Quelques procédés engendrant des suites infinies **123** (1) (1994) 55–60
2342. J.-P. Borel, Symbolic representation of piecewise linear functions on the unit interval and application to discrepancy **123** (1) (1994) 61–87
2343. C. Chaunier and N. Lygeros, Le nombre de posets à isomorphie près ayant 12 éléments **123** (1) (1994) 89–94
2344. H. Daudé and B. Vallée, An upper bound on the average number of iterations of the LLL algorithm **123** (1) (1994) 95–115
2345. D. Duval and P. Sénéchaud, Sketches and parametrization **123** (1) (1994) 117–130
2346. H. Faure, Méthodes quasi-Monte-Carlo multidimensionnelles **123** (1) (1994) 131–137
2347. Z.S. Kowalski, Multiple returns under a bounded number of iterations **123** (1) (1994) 139–144
2348. M. Mignotte, Sur l'équation de Catalan, II **123** (1) (1994) 145–149
2349. E. Rémila, A linear algorithm to tile the trapezes with  $h_m$  and  $v_n$  **123** (1) (1994) 151–165
2350. X. Ye, Coexistence of uniquely ergodic subsystems of interval mapping **123** (1) (1994) 167–181
2351. D.T. Huynh and L. Tian, Deciding bisimilarity of normed context-free processes is in  $\Sigma_2^P$  **123** (2) (1994) 183–197
2352. B. Martin, A universal cellular automaton in quasi-linear time and its S–m–n form **123** (2) (1994) 199–237
2353. F. Blanchet-Sadri, Equations and monoid varieties of dot-depth one and two **123** (2) (1994) 239–258
2354. M. Clerbout and D. Gonzalez, Atomic semicommutations **123** (2) (1994) 259–272
2355. J.-C. Birget, S.W. Margolis and J.C. Meakin, The word problem for inverse monoids presented by one idempotent relator **123** (2) (1994) 273–289
2356. Ph. Flajolet, P. Grabner, P. Kirschenhofer, H. Prodinger and R.F. Tichy, Mellin transforms and asymptotics: digital sums **123** (2) (1994) 291–314
2357. K. Aoki, J. Shinoda and T. Tsuda, On  $\Pi_2$  theories of hp-T degrees of low sets **123** (2) (1994) 315–327
2358. S. Iwata and T. Kasai, The Othello game on an  $n \times n$  board is PSPACE-complete **123** (2) (1994) 329–340
2359. D. Mey, Finite games for a predicate logic without contractions **123** (2) (1994) 341–349
2360. G. Bennett, Double dipping: the case of the missing binomial coefficient identities **123** (2) (1994) 351–375
2361. D. Kozen and S. Zaks, Optimal bounds for the change-making problem **123** (2) (1994) 377–388
2362. M.M. Klawe, Shallow grates **123** (2) (1994) 389–395
2363. S. Burckel, Functional equations associated with congruential functions **123** (2) (1994) 397–406
2364. E. Hemaspaandra and L.A. Hemaspaandra, Quasi-injective reductions **123** (2) (1994) 407–413
2365. N. Nishimura, Restricted CRCW PRAMs **123** (2) (1994) 415–426
2366. B. Monien, W. Rytter and H. Schäpers, Fast recognition of deterministic cfl's with a smaller number of processors [Theoretical Computer Science 116 (2) (16 August 1993) 421–429] **123** (2) (1994) 427–428
2367. M.E. Majster-Cederbaum and F. Zetsche, The comparison of a cpo-based semantics with a cms-based semantics for CSP **124** (1) (1994) 1–40
2368. B. Bérard, Global serializability of concurrent programs **124** (1) (1994) 41–70
2369. S. Yamasaki, A denotational semantics and dataflow construction for logic programs **124** (1) (1994) 71–91
2370. M. Codish, D. Dams and E. Yardeni, Bottom-up abstract interpretation of logic programs **124** (1) (1994) 93–125
2371. S.R. Thatte, Type inference with partial types **124** (1) (1994) 127–148
2372. J.A. Bergstra and J. Heering, Which data types have  $\omega$ -complete initial algebra specifications? **124** (1) (1994) 149–168
2373. U. Goltz and A. Rensink, Finite Petri nets as models for recursive causal behaviour **124** (1) (1994) 169–179
2374. K. Doets, Left termination turned into termination **124** (1) (1994) 180–187
2375. M. Barr, Additions and corrections to “Terminal coalgebras in well-founded set theory” **124** (1) (1994) 189–192

2376. A.M. Pitts, A co-induction principle for recursively defined domains **124** (2) (1994) 195–219
2377. M. More, Investigation of binary spectra by explicit polynomial transformations of graphs **124** (2) (1994) 221–272
2378. W.H. Hesselink, Nondeterminacy and recursion via stacks and games **124** (2) (1994) 273–295
2379. A. Bossi, N. Cocco and M. Fabris, Norms on terms and their use in proving universal termination of a logic program **124** (2) (1994) 297–328
2380. J.-H. Park and K.-Y. Chwa, On the construction of regular minimal broadcast digraphs **124** (2) (1994) 329–342
2381. J.-J. Hébrard, A linear algorithm for renaming a set of clauses as a Horn set **124** (2) (1994) 343–350
2382. E.G. Coffman, Jr., L. Flatto, B. Poonen and P.E. Wright, The processor minimization problem with independent waiting-time constraints **125** (1) (1994) 3–16
2383. M.B. Combé and O.J. Boxma, Optimization of static traffic allocation policies **125** (1) (1994) 17–43
2384. G. Louth, M. Mitzenmacher and F. Kelly, Computational complexity of loss networks **125** (1) (1994) 45–59
2385. M. Hofri and Y. Kogan, Asymptotic analysis of product-form distributions related to large interconnection networks **125** (1) (1994) 61–90
2386. R. Chakka and I. Mitrani, Heterogeneous multiprocessor systems with breakdowns: performance and optimal repair strategies **125** (1) (1994) 91–109
2387. I.F. Akyildiz and H. von Brand, Exact solutions for networks of queues with blocking-after-service **125** (1) (1994) 111–130
2388. E. Gelenbe and M. Hernández, Virus tests to maximize availability of software systems **125** (1) (1994) 131–147
2389. F. Baccelli, W.A. Massey and P.E. Wright, Determining the exit time distribution for a closed cyclic network **125** (1) (1994) 149–165
2390. P. Gastin, A. Petit and W. Zielonka, An extension of Kleene's and Ochmański's theorems to infinite traces **125** (2) (1994) 167–204
2391. M. Middendorf, More on the complexity of common superstring and supersequence problems **125** (2) (1994) 205–228
2392. M. Lempel and A. Paz, An algorithm for finding a shortest vector in a two-dimensional modular lattice **125** (2) (1994) 229–241
2393. T. Jiang, O.H. Ibarra and H. Wang, Some results concerning 2-D on-line tessellation acceptors and 2-D alternating finite automata **125** (2) (1994) 243–257
2394. A. Ehrenfeucht, P. ten Pas and G. Rozenberg, Properties of grammatical codes of trees **125** (2) (1994) 259–293
2395. M.J. Wolf, Nondeterministic circuits, space complexity and quasigroups **125** (2) (1994) 295–313
2396. S. Yu, Q. Zhuang and K. Salomaa, The state complexities of some basic operations on regular languages **125** (2) (1994) 315–328
2397. E. Goles, Lyapunov operators to study the convergence of extremal automata **125** (2) (1994) 329–337
2398. B. Litow, A context-free language decision problem **125** (2) (1994) 339–343
2399. V. Bafna, B. Kalyanasundaram and K. Pruhs, Not all insertion methods yield constant approximate tours in the Euclidean plane **125** (2) (1994) 345–353
2400. R.E. Matthews, An inherently iterative algorithm for the Grzegorzczuk hierarchy **125** (2) (1994) 355–360
2401. A. Mateescu, Scattered deletion and commutativity **125** (2) (1994) 361–371
2402. P. Chen, The communication complexity of computing differentiable functions in a multicompiler network **125** (2) (1994) 373–383
2403. H.R. Andersen, Model checking and boolean graphs **126** (1) (1994) 3–30
2404. A.-C. Caron and J.-L. Coquide, Decidability of reachability for disjoint union of term rewriting systems **126** (1) (1994) 31–52
2405. B. Courcelle, Monadic second-order definable graph transductions: a survey **126** (1) (1994) 53–75
2406. M. Dam, CTL\* and ECTL\* as fragments of the modal  $\mu$ -calculus **126** (1) (1994) 77–96
2407. A. Potthoff, Modulo-counting quantifiers over finite trees **126** (1) (1994) 97–112
2408. H. Seidl, Finite tree automata with cost functions **126** (1) (1994) 113–142
2409. D. Peled and A. Pnueli, Proving partial order properties **126** (2) (1994) 143–182
2410. R. Alur and D.L. Dill, A theory of timed automata **126** (2) (1994) 183–235

2411. J.A. Gerhard and M. Petrich, Unification in free distributive lattices **126** (2) (1994) 237–257
2412. V. van Oostrom, Confluence by decreasing diagrams **126** (2) (1994) 259–280
2413. L. Regnier, Une équivalence sur les lambda-termes **126** (2) (1994) 281–292
2414. C. Hosono and Y. Ikeda, A formal derivation of the decidability of the theory SA **127** (1) (1994) 1–23
2415. K. Salomaa, Synchronized tree automata **127** (1) (1994) 25–51
2416. J.W. Daykin, C.S. Iliopoulos and W.F. Smyth, Parallel RAM algorithms for factorizing words **127** (1) (1994) 53–67
2417. J.-L. Coquidé, M. Dauchet, R. Gilleron and S. Vágvolgyi, Bottom-up tree pushdown automata: classification and connection with rewrite systems **127** (1) (1994) 69–98
2418. B. Codenotti, M. Leoncini and G. Resta, Oracle computations in parallel numerical linear algebra **127** (1) (1994) 99–121
2419. J. Hromkovič, J. Kari and L. Kari, Some hierarchies for the communication complexity measures of cooperating grammar systems **127** (1) (1994) 123–147
2420. M. Jantzen and H. Petersen, Cancellation in context-free languages: enrichment by reduction **127** (1) (1994) 149–170
2421. K. Inoue, A. Ito and I. Takanami, On 1-inkdot alternating Turing machines with small space **127** (1) (1994) 171–179
2422. S. De Agostino, P-complete problems in data compression **127** (1) (1994) 181–186
2423. A. Del Lungo, Polyominoes defined by two vectors **127** (1) (1994) 187–198
2424. H. Cameron and D. Wood, Balance in AVL trees and space cost of brother trees **127** (2) (1994) 199–228
2425. J. Kari, Rice's theorem for the limit sets of cellular automata **127** (2) (1994) 229–254
2426. S. Khuller, S.G. Mitchell and V.V. Vazirani, On-line algorithms for weighted bipartite matching and stable marriages **127** (2) (1994) 255–267
2427. J. Honkala, On generalized DTOL systems and their fixed points **127** (2) (1994) 269–286
2428. A.B. Matos, Periodic sets of integers **127** (2) (1994) 287–312
2429. J.B. Yunès, Seven-state solutions to the Firing Squad Synchronization Problem **127** (2) (1994) 313–332
2430. E. Barcucci, R. Pinzani and R. Sprugnoli, The random generation of directed animals **127** (2) (1994) 333–351
2431. S. Jain and A. Sharma, Program size restrictions in computational learning **127** (2) (1994) 351–386
2432. A.H. Deutz, A. Ehrenfeucht and G. Rozenberg, Hyperedge channels are abelian **127** (2) (1994) 387–393
2433. J. Hromkovič, C.-D. Jeschke and B. Monien, Note on optimal gossiping in some weak-connected graphs **127** (2) (1994) 395–402
2434. Y. Aumann and M.O. Rabin, Clock construction in fully asynchronous parallel systems and PRAM simulation **128** (1-2) (1994) 3–30
2435. T. Leighton, Methods for message routing in parallel machines **128** (1-2) (1994) 31–62
2436. J. Garofalakis, P. Spirakis, B. Tampakas and S. Rajsbaum, Tentative and definite distributed computations: an optimistic approach to network synchronization **128** (1-2) (1994) 63–74
2437. G. Koren and D. Shasha, MOCA: a multiprocessor on-line competitive algorithm for real-time system scheduling **128** (1-2) (1994) 75–97
2438. D. Peled and M. Joseph, A compositional framework for fault tolerance by specification transformation **128** (1-2) (1994) 99–125
2439. H. Schäpers and J. Hooman, A trace-based compositional proof theory for fault tolerant distributed systems **128** (1-2) (1994) 127–157
2440. P. Krishnan, A semantic characterisation for faults in replicated systems **128** (1-2) (1994) 159–177
2441. H. de Meer, K.S. Trivedi and M. Dal Cin, Guarded repair of dependable systems **128** (1-2) (1994) 179–210
2442. V.S. Pai, A.A. Schäffer and P.J. Varman, Markov analysis of multiple-disk prefetching strategies for external merging **128** (1-2) (1994) 211–239
2443. J. Bruck, R. Cypher and C.-T. Ho, Tolerating faults in a mesh with a row of spare nodes **128** (1-2) (1994) 241–252
2444. U. Abraham and M. Magidor, On the mutual-exclusion problem – a quest for minimal solutions **129** (1) (1994) 1–38
2445. H. Yokouchi, F-semantics for type assignment systems **129** (1) (1994) 39–77
2446. J.-L. Krivine, A general storage theorem for integers in call-by-name  $\lambda$ -calculus **129** (1) (1994) 79–94

2447. C.-C. Chen and I.-P. Lin, The computational complexity of the satisfiability of modal Horn clauses for modal propositional logics **129** (1) (1994) 95–121
2448. J. Wei, Correctness of fixpoint transformations **129** (1) (1994) 123–142
2449. J.C. Shepherdson, The role of standardising apart in logic programming **129** (1) (1994) 143–166
2450. Z. Ognjanović, A tableau-like proof procedure for normal modal logics **129** (1) (1994) 167–186
2451. R. Banach, Regular relations and bicartesian squares **129** (1) (1994) 187–192
2452. W. Zhang, Depth of proofs, depth of cut-formulas and complexity of cut formulas **129** (1) (1994) 193–206
2453. A.H. Deutz, A. Ehrenfeucht and G. Rozenberg, Clans and regions in 2-structures **129** (2) (1994) 207–262
2454. J.-P. Allouche and M. Bousquet-Mélou, Canonical positions for the factors in paperfolding sequences **129** (2) (1994) 263–278
2455. B. Delyon and O. Maler, On the effects of noise and speed on computations **129** (2) (1994) 279–291
2456. J.F. Jájá and K.W. Ryu, An efficient parallel algorithm for the single function coarsest partition problem **129** (2) (1994) 293–307
2457. K. Ganesan, One-way functions and the isomorphism conjecture **129** (2) (1994) 309–321
2458. C.A. Rich and G. Slutzki, The complexity of optimizing finite-state transducers **129** (2) (1994) 323–336
2459. T. Knuutila and M. Steinby, The inference of tree languages from finite samples: an algebraic approach **129** (2) (1994) 337–367
2460. S. Ferenczi, Tiling and local rank properties of the Morse sequence **129** (2) (1994) 369–383
2461. M. Scheepers, Variations on a game of Gale (II): Markov strategies **129** (2) (1994) 385–396
2462. D.M. Yellin, An algorithm for dynamic subset and intersection testing **129** (2) (1994) 397–406
2463. Ö. Eğecioğlu and Ç.K. Koç, Exponentiation using canonical recoding **129** (2) (1994) 407–417
2464. M. Margenstern, Nonerasing Turing machines: a frontier between a decidable halting problem and universality **129** (2) (1994) 419–424
2465. G.J. Woeginger, On-line scheduling of jobs with fixed start and end times **130** (1) (1994) 5–16
2466. R. Motwani, S. Phillips and E. Torng, Nonclairvoyant scheduling **130** (1) (1994) 17–47
2467. A. Feldmann, J. Sgall and S.-H. Teng, Dynamic scheduling on parallel machines **130** (1) (1994) 49–72
2468. Y. Azar, A.Z. Broder and A.R. Karlin, On-line load balancing **130** (1) (1994) 73–84
2469. A. Fiat and M. Ricklin, Competitive algorithms for the weighted server problem **130** (1) (1994) 85–99
2470. F. d'Amore and V. Liberatore, The list update problem and the retrieval of sets **130** (1) (1994) 101–123
2471. B. Kalyanasundaram and K.R. Pruhs, Constructing competitive tours from local information **130** (1) (1994) 125–138
2472. J. Hershberger, M. Rauch and S. Suri, Data structures for two-edge connectivity in planar graphs **130** (1) (1994) 139–161
2473. M.M. Halldórsson and M. Szegedy, Lower bounds for on-line graph coloring **130** (1) (1994) 163–174
2474. N. Alon, G. Kalai, M. Ricklin and L. Stockmeyer, Lower bounds on the competitive ratio for mobile user tracking and distributed job scheduling **130** (1) (1994) 175–201
2475. P.B. Miltersen, S. Subramanian, J.S. Vitter and R. Tamassia, Complexity models for incremental computation **130** (1) (1994) 203–236
2476. V.A. Uspensky, Gödel's incompleteness theorem **130** (2) (1994) 239–319
2477. N.V. Murray and E. Rosenthal, On the relative merits of path dissolution and the method of analytic tableaux **131** (1) (1994) 1–28
2478. R. Banach, Term graph rewriting and garbage collection using opfibrations **131** (1) (1994) 29–94
2479. K.J. Compton, Stratified least fixpoint logic **131** (1) (1994) 95–120
2480. S. Kobayashi and M. Tatsuta, Realizability interpretation of generalized inductive definitions **131** (1) (1994) 121–138
2481. L. Fix, N. Francez and O. Grumberg, Program composition via unification **131** (1) (1994) 139–179
2482. L. Aceto, GSOS and finite labelled transition systems **131** (1) (1994) 181–195
2483. Ph. Mathieu and J.-P. Delahaye, A kind of logical compilation for knowledge bases **131** (1) (1994) 197–218
2484. D. Scholefield, H. Zedan and H. Jifeng, A specification-oriented semantics for the refinement of real-time systems **131** (1) (1994) 219–241
2485. Y. Etzion-Petruschka, D. Harel and D. Myers, On the solvability of domino snake problems **131** (2) (1994) 243–269

2486. C.C. Squier, F. Otto and Y. Kobayashi, A finiteness condition for rewriting systems **131** (2) (1994) 271–294
2487. R.M. Idury and A.A. Schäffer, Dynamic dictionary matching with failure functions **131** (2) (1994) 295–310
2488. E.L. Leiss, Language equations over a one-letter alphabet with union, concatenation and star: a complete solution **131** (2) (1994) 311–330
2489. H.T. Siegelmann and E.D. Sontag, Analog computation via neural networks **131** (2) (1994) 331–360
2490. P. Eades and S. Whitesides, Drawing graphs in two layers **131** (2) (1994) 361–374
2491. D. Gardy, Join sizes, urn models and normal limiting distributions **131** (2) (1994) 375–414
2492. J. Spencer, Randomization, derandomization and antirandomization: three games **131** (2) (1994) 415–429
2493. K. Eriksson, Reachability is decidable in the numbers game **131** (2) (1994) 431–439
2494. D.T. Huynh and L. Tian, A note on the complexity of deciding bisimilarity of normed unary processes **131** (2) (1994) 441–448
2495. A. Bergey and R. Cori, On the orbits of the product of two permutations **131** (2) (1994) 449–461
2496. C. Picouleau, Complexity of the hamiltonian cycle in regular graph problem **131** (2) (1994) 463–473
2497. N. Anderson and D. Manley, A matrix extension of Winograd's inner product algorithm **131** (2) (1994) 475–477
2498. Ph. Flajolet, P. Zimmerman and B. Van Cutsem, A calculus for the random generation of labelled combinatorial structures **132** (1-2) (1994) 1–35
2499. D.W. Juedes, J.I. Lathrop and J.H. Lutz, Computational depth and reducibility **132** (1-2) (1994) 37–70
2500. E.L. Leiss, Unrestricted complementation in language equations over a one-letter alphabet **132** (1-2) (1994) 71–84
2501. C. Kim, Retreat bounded picture languages **132** (1-2) (1994) 85–112
2502. P. Koiran, M. Cosnard and M. Garzon, Computability with low-dimensional dynamical systems **132** (1-2) (1994) 113–128
2503. L. Kari, On language equations with invertible operations **132** (1-2) (1994) 129–150
2504. P. Bonizzoni, Primitive 2-structures with the  $(n - 2)$ -property **132** (1-2) (1994) 151–178
2505. G. Pighizzini, Asynchronous automata versus asynchronous cellular automata **132** (1-2) (1994) 179–207
2506. A. Ehrenfeucht and R. McConnell, A  $k$ -structure generalization of the theory of 2-structures **132** (1-2) (1994) 209–227
2507. K. Ambos-Spies, S. Homer and R.I. Soare, Minimal pairs and complete problems **132** (1-2) (1994) 229–241
2508. J.-C. Birget and J.B. Stephen, Formal languages defined by uniform substitutions **132** (1-2) (1994) 243–258
2509. Z. Róka, One-way cellular automata on Cayley graphs **132** (1-2) (1994) 259–290
2510. A. De Santis, G. Di Crescenzo and G. Persiano, The knowledge complexity of quadratic residuosity languages **132** (1-2) (1994) 291–317
2511. J. Hromkovič, B. Rován and A. Slobodová, Deterministic versus nondeterministic space in terms of synchronized alternating machines **132** (1-2) (1994) 319–336
2512. R. Diestel and I. Leader, Domination games on infinite graphs **132** (1-2) (1994) 337–345
2513. J.A. Shufelt and H.J. Berliner, Generating Hamiltonian circuits without backtracking from errors **132** (1-2) (1994) 347–375
2514. A.M. Ben-Amram, Unit-cost pointers versus logarithmic-cost addresses **132** (1-2) (1994) 377–385
2515. D. Bridges and C. Calude, On recursive bounds for the exceptional values in speed-up **132** (1-2) (1994) 376–383
2516. P. Lescanne, On termination of one rule rewrite systems **132** (1-2) (1994) 384–390
2517. M. Crochemore and W. Rytter, On two-dimensional pattern matching by optimal parallel algorithms **132** (1-2) (1994) 391–402
2518. J. Berstel and M. Pocchiola, Average cost of Duval's algorithm for generating Lyndon words **132** (1-2) (1994) 403–413
2519. L. Ilie, On a conjecture about slender context-free languages **132** (1-2) (1994) 414–421
2520. P. Āuriš and J.D.P. Rolim, A note on the density of oracle decreasing time-space complexity **132** (1-2) (1994) 422–431

2521. F. Cucker, M. Shub and S. Smale, Separation of complexity classes in Koiran's weak model **133** (1) (1994) 3–14
2522. T. Emerson, Relativizations of the  $P=?NP$  question over the reals (and other ordered rings) **133** (1) (1994) 15–22
2523. D.Yu. Grigoriev, Deviation theorems for solutions of differential equations and applications to lower bounds on parallel complexity of sigmoids **133** (1) (1994) 23–33
2524. P. Koiran, Computing over the reals with addition and order **133** (1) (1994) 35–47
2525. P. Kârka, Regular unimodal systems and factors of finite automata **133** (1) (1994) 49–64
2526. G. Malajovich, On generalized Newton algorithms: quadratic convergence, path-following and error analysis **133** (1) (1994) 65–84
2527. K. Meer, On the complexity of quadratic programming in real number models of computation **133** (1) (1994) 85–94
2528. C. Michaux,  $P \neq NP$  over the nonstandard reals implies  $P \neq NP$  over  $\mathbb{R}$  **133** (1) (1994) 95–104
2529. J.M. Rojas, A convex geometric approach to counting the roots of a polynomial system **133** (1) (1994) 105–140
2530. M. Shub and S. Smale, Complexity of Bezout's theorem V: Polynomial time **133** (1) (1994) 141–164
2531. J. Verschelde and A. Haegemans, Homotopies for solving polynomial systems within a bounded domain **133** (1) (1994) 165–185
2532. A.J. Bonner and M. Kifer, An overview of transaction logic **133** (2) (1994) 205–265
2533. F. Dong and L.V.S. Lakshmanan, Intuitionistic interpretation of deductive databases with incomplete information **133** (2) (1994) 267–306
2534. D. Kapur, X. Nie and D.R. Musser, An overview of the Tecton proof system **133** (2) (1994) 307–340
2535. G. Ramanathan, Refinement of events in the development of real-time distributed systems **133** (2) (1994) 341–359
2536. J. Han, Towards efficient induction mechanisms in database systems **133** (2) (1994) 361–385
2537. R. Godin and R. Missaoui, An incremental concept formation approach for learning from databases **133** (2) (1994) 387–419
2538. F. Sadri, Aggregate operations in the information source tracking method **133** (2) (1994) 421–442
2539. J.A. Anderson, Semiretracts of a free monoid **134** (1) (1994) 3–11
2540. D. Beauquier and A. Podelski, Rabin tree automata and finite monoids **134** (1) (1994) 13–25
2541. A. Bonnier-Rigny and D. Krob, A complete system of identities for one-letter rational expressions with multiplicities in the tropical semiring **134** (1) (1994) 27–50
2542. F. Botelho and M. Garzon, Boolean neural nets are observable **134** (1) (1994) 51–61
2543. R.M. Capocelli, L. Gargano and U. Vaccaro, A fast algorithm for the unique decipherability of multivalued encodings **134** (1) (1994) 63–78
2544. S. Crvenković and R.S. Madarász, On dynamic algebras **134** (1) (1994) 79–86
2545. V. Diekert, A partial trace semantics for Petri nets **134** (1) (1994) 87–105
2546. H. Jürgensen, K. Salomaa and S. Yu, Transducers and the decidability of independence in free monoids **134** (1) (1994) 107–117
2547. Á. Kelemenová and E. Csuhaj-Varjú, Languages of colonies **134** (1) (1994) 119–130
2548. T. Mora, An introduction to commutative and noncommutative Gröbner bases **134** (1) (1994) 131–173
2549. F. Otto and P. Narendran, Codes modulo finite monadic string-rewriting systems **134** (1) (1994) 175–188
2550. N.R. Reilly, Bounds on the variety generated by completely regular syntactic monoids from finite prefix codes **134** (1) (1994) 189–208
2551. J.-C. Spehner, A bijection between cliques in graphs and factorizations in free monoids **134** (1) (1994) 209–223
2552. A. Weber, Finite-valued distance automata **134** (1) (1994) 225–251
2553. A. Weber, Exponential upper and lower bounds for the order of a regular language **134** (1) (1994) 253–262
2554. J. Köbler, Locating P/poly optimally in the extended low hierarchy **134** (2) (1994) 263–285
2555. E.P.F. Chan, Testing satisfiability of a class of object-oriented conjunctive queries **134** (2) (1994) 287–309
2556. Z. Fülöp, Undecidable properties of deterministic top-down tree transducers **134** (2) (1994) 311–328
2557. M. Kaminski and N. Francez, Finite-memory automata **134** (2) (1994) 329–363



- 2558. F.L. Tiplea, C. Ene, C.M. Ionescu and O. Procopiuc, Some decision problems for parallel communicating grammar systems **134** (2) (1994) 365–385
- 2559. B. Durand, Inversion of 2D cellular automata: some complexity results **134** (2) (1994) 387–401
- 2560. T. Harju, H.C.M. Kleijn, M. Latteux and A. Terlutte, Representation of rational functions with prefix and suffix codings **134** (2) (1994) 403–413
- 2561. E. Remila, On the tiling of a torus with two bars **134** (2) (1994) 415–426
- 2562. L. Mak, Speedup of determinism by alternation for multidimensional Turing machines **134** (2) (1994) 427–453
- 2563. F. Matúš, Stochastic independence, algebraic independence and abstract connectedness **134** (2) (1994) 455–471
- 2564. T. Jiang and M. Li, Approximating shortest superstrings with constraints **134** (2) (1994) 473–491
- 2565. E. Dahlhaus and M. Karpinski, An efficient parallel algorithm for the minimal elimination ordering (MEO) of an arbitrary graph **134** (2) (1994) 493–528
- 2566. L. Alonso, Uniform generation of a Motzkin word **134** (2) (1994) 529–536
- 2567. J. Harrison, Morphic congruences and DOL languages **134** (2) (1994) 537–544
- 2568. L. Fortnow, J. Rompel and M. Sipser, On the power of multi-prover interactive protocols **134** (2) (1994) 545–557
- 2569. G. Xunrang and Z. Yuzhang, Asymptotic optimal HEAPSORT algorithm **134** (2) (1994) 559–565
- 2570. S. Abramsky, Proofs as processes **135** (1) (1994) 5–9
- 2571. G. Bellin and P.J. Scott, On the  $\pi$ -calculus and linear logic **135** (1) (1994) 11–65
- 2572. D. Galmiche and G. Perrier, On proof normalization in linear logic **135** (1) (1994) 67–110
- 2573. G.F. Mascari and M. Pedicini, Head linear reduction and pure proof net extraction **135** (1) (1994) 111–137
- 2574. P. Lincoln and A. Scedrov, First-order linear logic without modalities is NEXPTIME-hard **135** (1) (1994) 139–153
- 2575. P. Lincoln and T. Winkler, Constant-only multiplicative linear logic is NP-complete **135** (1) (1994) 155–169
- 2576. C. Baier and M.E. Majster-Cederbaum, Denotational semantics in the cpo and metric approach **135** (2) (1994) 171–220
- 2577. H. Ehrig and M. Große-Rhode, Functorial theory of parameterized specifications in a general specification framework **135** (2) (1994) 221–266
- 2578. A.L. Lastovetsky and S.S. Gaissaryan, An algebraic approach to semantics of programming languages **135** (2) (1994) 267–288
- 2579. F. Bracho and M. Droste, Labelled domains and automata with concurrency **135** (2) (1994) 289–318
- 2580. P. Manoury and M. Simonot, Automatizing termination proofs of recursively defined functions **135** (2) (1994) 319–343
- 2581. E.A. Scott, Weights for total division orderings on strings **135** (2) (1994) 345–359
- 2582. K. Hiraishi, Some complexity results on transition systems and elementary net systems **135** (2) (1994) 361–376
- 2583. J. Li, I. Suzuki and M. Yamashita, Fair Petri nets and structural induction for rings of processes **135** (2) (1994) 377–404
- 2584. P. Trigg, J.R. Hindley and M.W. Bunder, Combinatory abstraction using **B**, **B'** and friends **135** (2) (1994) 405–422
- 2585. R. David, The Inf function in the system  $F$  **135** (2) (1994) 423–431
- 2586. P.T. Johnstone, Variations on the bagdomain theme **136** (1) (1994) 3–20
- 2587. R. Heckmann, Stable power domains **136** (1) (1994) 21–56
- 2588. A. Fiech and M. Huth, Algebraic domains of natural transformations **136** (1) (1994) 57–78
- 2589. A. Melton, B.S.W. Schröder and G.E. Strecker, Lagois connections – a counterpart to Galois connections **136** (1) (1994) 79–107
- 2590. P.S. Mulry, Partial map classifiers and partial cartesian closed categories **136** (1) (1994) 109–123
- 2591. E. Ritter, Categorical abstract machines for higher-order typed  $\lambda$ -calculi **136** (1) (1994) 125–162
- 2592. E. Robinson, Parametricity as isomorphism **136** (1) (1994) 163–181
- 2593. F. Kamareddine and R. Nederpelt, A unified approach to type theory through a refined  $\lambda$ -calculus **136** (1) (1994) 183–216

2594. R.L. Crole, Computational adequacy of the FIX-logic **136** (1) (1994) 217–242
2595. B. Blaaberg and C. Clausen, Adequacy for a lazy functional language with recursive and polymorphic types **136** (1) (1994) 243–275
2596. D.A. Wolfram, A semantics for  $\lambda$ Prolog **136** (1) (1994) 277–289
2597. E. Remila, Recognition of graphs by automata **136** (2) (1994) 291–332
2598. E. Ohlebusch, On the modularity of termination of term rewriting systems **136** (2) (1994) 333–360
2599. A. de Luca and F. Mignosi, Some combinatorial properties of Sturmian words **136** (2) (1994) 361–385
2600. H. Senoussi and A. Saoudi, A quadtree algorithm for template matching on a pyramid computer **136** (2) (1994) 387–417
2601. V. Stetsenko, On almost bad Boolean bases **136** (2) (1994) 419–469
2602. M. Ito and G. Thierrin, Congruences, infix and cohesive prefix codes **136** (2) (1994) 471–485
2603. E. Mayordomo, Almost every set in exponential time is P-bi-immune **136** (2) (1994) 487–506
2604. M. Chrobak and W. Rytter, Two results on linear embeddings of complete binary trees **136** (2) (1994) 507–526
2605. M.A. Kiwi, R. Ndoundam, M. Tchunte and E. Goles, No polynomial bound for the period of the parallel chip firing game on graphs **136** (2) (1994) 527–532
2606. M. Hagiya, A typed  $\lambda$ -calculus for proving-by-example and bottom-up generalization procedure **137** (1) (1995) 3–23
2607. K.P. Jantke and S. Lange, Case-based representation and learning of pattern languages **137** (1) (1995) 25–51
2608. Y. Mukouchi and S. Arikawa, Towards a mathematical theory of machine discovery from facts **137** (1) (1995) 53–84
2609. S. Jain and A. Sharma, On aggregating teams of learning machines **137** (1) (1995) 85–108
2610. A. Sakurai, On the VC-dimension of depth four threshold circuits and the complexity of Boolean-valued functions **137** (1) (1995) 109–127
2611. A. Shinohara, Complexity of computing Vapnik–Chervonenkis dimension and some generalized dimensions **137** (1) (1995) 129–144
2612. S. Hasegawa, H. Imai and M. Ishiguro,  $\epsilon$ -approximations of  $k$ -label spaces **137** (1) (1995) 145–157
2613. A. Nakamura and N. Abe, Exact learning of linear combinations of monotone terms from function value queries **137** (1) (1995) 159–176
2614. H. Fernau, Valuations of languages, with applications to fractal geometry **137** (2) (1995) 177–217
2615. S. Fabre, Substitutions et  $\beta$ -systèmes de numération **137** (2) (1995) 219–236
2616. Z. Ésik and L. Bernátsky, Equational properties of Kleene algebras of relations with conversion **137** (2) (1995) 237–251
2617. A. Takahashi, S. Ueno and Y. Kajitani, Mixed searching and proper-path-width **137** (2) (1995) 253–268
2618. D. Breslauer, Fast parallel string prefix-matching **137** (2) (1995) 269–278
2619. V. Arvind, J. Köbler, U. Schöning and R. Schuler, If NP has polynomial-size circuits, then MA=AM **137** (2) (1995) 279–282
2620. R. Alur, C. Courcoubetis, N. Halbwachs, T.A. Henzinger, P.-H. Ho, X. Nicollin, A. Olivero, J. Sifakis and S. Yovine, The algorithmic analysis of hybrid systems **138** (1) (1995) 3–34
2621. E. Asarin, O. Maler and A. Pnueli, Reachability analysis of dynamical systems having piecewise-constant derivatives **138** (1) (1995) 35–65
2622. M.S. Branicky, Universal computation and other capabilities of hybrid and continuous dynamical systems **138** (1) (1995) 67–100
2623. R.L. Grossman and R.G. Larson, An algebraic approach to hybrid systems **138** (1) (1995) 101–112
2624. M.R. Hansen, P.K. Pandya and Z. Chaochen, Finite divergence **138** (1) (1995) 113–139
2625. W. Kohn, A. Nerode, J.B. Remmel and A. Yakhnis, Viability in hybrid systems **138** (1) (1995) 141–168
2626. Y. Lakhneche and J. Hooman, Metric temporal logic with durations **138** (1) (1995) 169–199
2627. M. Lemmon and P.J. Antsaklis, Inductively inferring valid logical models of continuous-state dynamical systems **138** (1) (1995) 201–210
2628. Y. Zhang and A.K. Mackworth, Constraint nets: a semantic model for hybrid dynamic systems **138** (1) (1995) 211–239
2629. J. Davies and S. Schneider, A brief history of Timed CSP **138** (2) (1995) 243–271

2630. M.W. Mislove, A.W. Roscoe and S.A. Schneider, Fixed points without completeness **138** (2) (1995) 273–314
2631. G. Lowe, Probabilistic and prioritized models of timed CSP **138** (2) (1995) 315–352
2632. M. Hennessy and H. Lin, Symbolic bisimulations **138** (2) (1995) 353–389
2633. R. De Nicola and R. Segala, A process algebraic view of input/output automata **138** (2) (1995) 391–423
2634. G.M. Pinna and A. Poigné, On the nature of events: another perspective in concurrency **138** (2) (1995) 425–454
2635. I. Hodkinson, On Gabbay's temporal fixed point operator **139** (1-2) (1995) 1–25
2636. P. Păppinghaus, On the logic of UNITY **139** (1-2) (1995) 27–67
2637. J.R.B. Cockett and D. Spencer, Strong categorical datatypes II: A term logic for categorical programming **139** (1-2) (1995) 69–113
2638. M. Barr, Nonsymmetric \*-autonomous categories **139** (1-2) (1995) 115–130
2639. G. Ghelli, Divergence of  $F_{\leq}$  type checking **139** (1-2) (1995) 131–162
2640. A. Bergeron, Sharing out control in distributed processes **139** (1-2) (1995) 163–186
2641. P. Malacaria, Studying equivalences of transition systems with algebraic tools **139** (1-2) (1995) 187–205
2642. D.J. Dougherty and P. Johann, A combinatory logic approach to higher-order  $E$ -unification **139** (1-2) (1995) 207–242
2643. Y.N. Moschovakis, Computable concurrent processes **139** (1-2) (1995) 243–273
2644. G. Bernot, M. Bidoit and T. Knapik, Observational specifications and the indistinguishability assumption **139** (1-2) (1995) 275–314
2645. P. Inverardi and M. Nesi, Deciding observational congruence of finite-state CCS expressions by rewriting **139** (1-2) (1995) 315–354
2646. A. Weiermann, Termination proofs for term rewriting systems by lexicographic path orderings imply multiply recursive derivation lengths **139** (1-2) (1995) 355–362
2647. D. Pigozzi and A. Salibra, Lambda abstraction algebras: representation theorems **140** (1) (1995) 5–52
2648. F. Laroussinie, S. Pinchinat and P. Schnoebelen, Translations between modal logics of reactive systems **140** (1) (1995) 53–71
2649. R. Gorrieri, M. Roccetti and E. Stancampiano, A theory of processes with durational Actions **140** (1) (1995) 73–94
2650. A. Mokkedem and D. Méry, On using temporal logic for refinement and compositional verification of concurrent systems **140** (1) (1995) 95–138
2651. M. Navarro, F. Orejas and A. Sánchez, On the correctness of modular systems **140** (1) (1995) 139–177
2652. E.G. Wagner, On the role of memory in object-based and object-oriented languages **140** (1) (1995) 179–199
2653. A. Dattasharma and S.S. Keerthi, An augmented Voronoi roadmap for 3D translational motion planning for a convex polyhedron moving amidst convex polyhedral obstacles **140** (2) (1995) 205–230
2654. M. Sarrafzadeh and S.R. Maddila, Discrete warehouse problem **140** (2) (1995) 231–247
2655. L. Prasad and S.S. Iyengar, A note on the combinatorial structure of the visibility graph in simple polygons **140** (2) (1995) 249–263
2656. N.S.V. Rao, On fast planning of suboptimal paths amidst polygonal obstacles in plane **140** (2) (1995) 265–289
2657. R. Sridhar, K. Han and N. Chandrasekharan, Efficient algorithms for shortest distance queries on special classes of polygons **140** (2) (1995) 291–300
2658. M. de Berg, L. Guibas, D. Halperin, M. Overmars, O. Schwarzkopf, M. Sharir and M. Teillaud, Reaching a goal with directional uncertainty **140** (2) (1995) 301–317
2659. G. Seetharaman, A simplified design strategy for mapping image processing algorithms on a SIMD torus **140** (2) (1995) 319–331
2660. S. Bettayeb, On the  $k$ -ary hypercube **140** (2) (1995) 333–339
2661. F. Gruau, J.-Y. Ratajszczak and G. Wiber, A neural compiler **141** (1-2) (1995) 1–52
2662. P. Johansen, On-line string matching with feedback **141** (1-2) (1995) 53–67
2663. D.E. Müller and P.E. Schupp, Simulating alternating tree automata by nondeterministic automata: New results and new proofs of the theorems of Rabin, McNaughton and Safra **141** (1-2) (1995) 69–107
2664. R.G. Downey and M.R. Fellows, Fixed-parameter tractability and completeness II: On completeness for  $W[1]$  **141** (1-2) (1995) 109–131

2665. A.C.-C. Yao, Algebraic decision trees and Euler characteristics **141** (1-2) (1995) 133–150
2666. S. Kapur and G. Bilardi, Language learning without overgeneralization **141** (1-2) (1995) 151–162
2667. A. Apostolico, D. Breslauer and Z. Galil, Parallel detection of all palindromes in a string **141** (1-2) (1995) 163–173
2668. B. Jenner and J. Torán, Computing functions with parallel queries to NP **141** (1-2) (1995) 175–193
2669. R. Gorrieri and U. Montanari, On the implementation of concurrent calculi in net calculi: two case studies **141** (1-2) (1995) 195–252
2670. L. Kari, A. Mateescu, Gh. Păun and A. Salomaa, Multi-pattern languages **141** (1-2) (1995) 253–268
2671. J. Hästad, A. Razborov and A. Yao, On the shrinkage exponent for read-once formulae **141** (1-2) (1995) 269–282
2672. D. Sieling and I. Wegener, Graph driven BDDs – a new data structure for Boolean functions **141** (1-2) (1995) 283–310
2673. Y. Mizoguchi and Y. Kawahara, Relational graph rewritings **141** (1-2) (1995) 311–328
2674. H. Petersen, A remark on a paper by A.B. Matos **141** (1-2) (1995) 329–330
2675. V. Terrier, On real time one-way cellular array **141** (1-2) (1995) 331–335
2676. A. Dessmark, A. Lingas and A. Maheshwari, Multilist layering: Complexity and applications **141** (1-2) (1995) 337–350
2677. J. Justin and G. Pirillo, On a question about factorization forests **141** (1-2) (1995) 351–355
2678. A. Aasa, Precedences in specifications and implementations of programming languages **142** (1) (1995) 3–26
2679. M. Alpuente, M. Falaschi and G. Levi, Incremental constraint satisfaction for equational logic programming **142** (1) (1995) 27–57
2680. R. Loogen and S. Winkler, Dynamic detection of determinism in functional logic languages **142** (1) (1995) 59–87
2681. M. Proietti and A. Pettorossi, Unfolding–definition–folding, in this order, for avoiding unnecessary variables in logic programs **142** (1) (1995) 89–124
2682. U. Nilsson, Abstract interpretation: a kind of magic **142** (1) (1995) 125–138
2683. C. Lynch and W. Snyder, Redundancy criteria for constrained completion **142** (2) (1995) 141–177
2684. N. Dershowitz and C. Hoot, Natural termination **142** (2) (1995) 179–207
2685. A. Rubio and R. Nieuwenhuis, A total AC-compatible ordering based on RPO **142** (2) (1995) 209–227
2686. F. Baader and K.U. Schulz, Combination techniques and decision problems for disunification **142** (2) (1995) 229–255
2687. G. Sénizergues, Some undecidable termination problems for semi-Thue systems **142** (2) (1995) 257–276
2688. A. Asperti and C. Laneve, Paths, computations and labels in the  $\lambda$ -calculus **142** (2) (1995) 277–297
2689. J. Gallier, Proving properties of typed  $\lambda$ -terms using realizability, covers, and sheaves **142** (2) (1995) 299–368
2690. D. Long Van, B.L. Säe and I. Litovsky, Characterizations of rational  $\omega$ -languages by means of right congruences **143** (1) (1995) 1–21
2691. K. Krithivasan and M. Mahajan, Nondeterministic, probabilistic and alternating computations on cellular array models **143** (1) (1995) 23–49
2692. V.M. Antimirov and P.D. Mosses, Rewriting extended regular expressions **143** (1) (1995) 51–72
2693. M.A. Bender, M. Gastaldo and M. Morvan, Parallel interval order recognition and construction of interval representations **143** (1) (1995) 73–91
2694. A.S. Goldstein and E.M. Reingold, The complexity of pursuit on a graph **143** (1) (1995) 93–112
2695. T. Jiang and V.G. Timkovsky, Shortest consistent superstrings computable in polynomial time **143** (1) (1995) 113–122
2696. A. Ito, K. Inoue, I. Takamami and Y. Wang, Optimal simulation of two-dimensional alternating finite automata by three-way nondeterministic Turing machines **143** (1) (1995) 123–135
2697. T. Jiang, L. Wang and K. Zhang, Alignment of trees – an alternative to tree edit **143** (1) (1995) 137–148
2698. D.W. Juedes and J.H. Lutz, Weak completeness in E and E<sub>2</sub> **143** (1) (1995) 149–158
2699. P. Crescenzi and C.H. Papadimitriou, Reversible simulation of space-bounded computations **143** (1) (1995) 159–165
2700. P.B. Miltersen, On the cell probe complexity of polynomial evaluation **143** (1) (1995) 167–174

2701. R. De Prisco, G. Parlati and G. Persiano, Minimal path length of trees with known fringe **143** (1) (1995) 175–188
2702. R. Malgouyres, Graphs generalizing closed curves with linear construction of the Hamiltonian cycle. Parametrization of discretized curves **143** (2) (1995) 189–249
2703. M. Matamala, Recursive construction of periodic steady state for neural networks **143** (2) (1995) 251–267
2704. J. Harrison, Dynamical properties of PWDOL systems **143** (2) (1995) 269–284
2705. G. Slutzki and S. Vágvolgyi, Deterministic top-down tree transducers with iterated look-ahead **143** (2) (1995) 285–308
2706. Z.-Z. Chen, The maximal  $f$ -dependent set problem for planar graphs is in  $NC$  **143** (2) (1995) 309–318
2707. A.S. Fraenkel, A. Jaffray, A. Kotzig and G. Sabidussi, Modular Nim **143** (2) (1995) 319–333
2708. X. Gubáš, J. Hromkovič and J. Waczulík, A nonlinear lower bound on the practical combinational complexity **143** (2) (1995) 335–342
2709. W. Rytter, Context-free recognition via shortest paths computation: a version of Valiant's algorithm **143** (2) (1995) 343–352
2710. L. Zhang, On the approximation of longest common nonsupersequences and shortest common nonsubsequences **143** (2) (1995) 353–362
2711. P. Flajolet, X. Gourdon and P. Dumas, Mellin transforms and asymptotics: harmonic sums **144** (1-2) (1995) 3–58
2712. F. Bergeron and U. Sattler, Constructible differentially finite algebraic series in several variables **144** (1-2) (1995) 59–65
2713. M. Drmota and M. Soria, Marking in combinatorial constructions: Generating functions and limiting distributions **144** (1-2) (1995) 67–99
2714. P. Flajolet and R. Sedgewick, Mellin transforms and asymptotics: Finite differences and Rice's integrals **144** (1-2) (1995) 101–124
2715. D. Gardy and G. Louchard, Dynamic analysis of some relational databases parameters **144** (1-2) (1995) 125–159
2716. P. Jacquet and W. Szpankowski, Asymptotic behavior of the Lempel–Ziv parsing scheme and digital search trees **144** (1-2) (1995) 161–197
2717. P. Kirschenhofer, C. Martínez and H. Prodinger, Analysis of an optimized search algorithm for skip lists **144** (1-2) (1995) 199–220
2718. H.M. Mahmoud and R.T. Smythe, Probabilistic analysis of bucket recursive trees **144** (1-2) (1995) 221–249
2719. W. Schachinger, On the variance of a class of inductive valuations of data structures for digital search **144** (1-2) (1995) 251–275
2720. U. Schmid, Random trees in queueing systems with deadlines **144** (1-2) (1995) 277–314
2721. G. Braga, G. Cattaneo, P. Flocchini and C.Q. Vogliotti, Pattern growth in elementary cellular automata **145** (1-2) (1995) 1–26
2722. G. Srikrishna and C.P. Rangan, Optimal parallel algorithms for path problems on planar graphs **145** (1-2) (1995) 27–43
2723. Y. Breitbart, H. Hunt III and D. Rosenkrantz, On the size of binary decision diagram representing Boolean functions **145** (1-2) (1995) 45–69
2724. E.L. Leiss, Implicit language equations: existence and uniqueness of solutions **145** (1-2) (1995) 71–93
2725. K. Diks, E. Kranakis, A. Malinowski and A. Pelc, Anonymous wireless rings **145** (1-2) (1995) 95–109
2726. N. Creignou, The class of problems that are linearly equivalent to Satisfiability or a uniform method for proving NP-completeness **145** (1-2) (1995) 111–145
2727. I.A. Stewart, Complete problems for monotone NP **145** (1-2) (1995) 147–157
2728. F. Drewes, A. Habel, H.-J. Kreowski and S. Taubenberger, Generating self-affine fractals by collage grammars **145** (1-2) (1995) 159–187
2729. J. Cai and R. Paige, Using multiset discrimination to solve language processing problems without hashing **145** (1-2) (1995) 189–228
2730. C. Reutenauer and M.-P. Schützenberger, Variétés et fonctions rationnelles **145** (1-2) (1995) 229–240
2731. K.-I. Ko, A polynomial-time computable curve whose interior has a nonrecursive measure **145** (1-2) (1995) 241–270

2732. O. Biran, S. Moran and S. Zaks, Tight bounds on the round complexity of distributed 1-solvable tasks **145** (1-2) (1995) 271–290
2733. S. Ginsburg and K. Tanaka, Interval queries on object histories **145** (1-2) (1995) 291–316
2734. M. Middendorf, On finding minimal, maximal, and consistent sequences over a binary alphabet **145** (1-2) (1995) 317–327
2735. B. Jamison and S. Olariu, A linear-time recognition algorithm for  $P_4$ -reducible graphs **145** (1-2) (1995) 329–344
2736. L. Zhang and Z. Shen, Completion of recognizable bifix codes **145** (1-2) (1995) 345–355
2737. G. Benson, A space efficient algorithm for finding the best nonoverlapping alignment score **145** (1-2) (1995) 357–369
2738. L.A. Hemaspaandra and Z. Jiang, P-selectivity: Intersections and indices **145** (1-2) (1995) 371–380
2739. S.-H. Teng, Independent sets versus perfect matchings **145** (1-2) (1995) 381–390
2740. O. Maler, A decomposition theorem for probabilistic transition systems **145** (1-2) (1995) 391–396
2741. A. Scedrov, D. DeTurk and W. Ziller, Moez Alimohamed, 1967–1994 **146** (1-2) (1995) 1–3
2742. M. Alimohamed, A characterization of lambda definability in categorical models of implicit polymorphism **146** (1-2) (1995) 5–23
2743. B. Bloom, Structural operational semantics for weak bisimulations **146** (1-2) (1995) 25–68
2744. Z.M. Ariola and Arvind, Properties of a first-order functional language with sharing **146** (1-2) (1995) 69–108
2745. F. Cassez and O. Roux, Compilation of the *ELECTRE* reactive language into finite transition systems **146** (1-2) (1995) 109–143
2746. D.B. Kemp, D. Srivastava and P.J. Stuckey, Bottom-up evaluation and query optimization of well-founded models **146** (1-2) (1995) 145–184
2747. R. Berghammer, B. Elbl and U. Schmerl, Formalizing Dijkstra's predicate transformer wp in weak second-order logic **146** (1-2) (1995) 185–197
2748. M.P. Bonacina and J. Hsiang, Towards a foundation of completion procedures as semidecision procedures **146** (1-2) (1995) 199–242
2749. R. Backofen and G. Smolka, A complete and recursive feature theory **146** (1-2) (1995) 243–268
2750. J.F. Naughton, R. Ramakrishnan, Y. Sagiv and J.D. Ullman, Argument reduction by factoring **146** (1-2) (1995) 269–310
2751. F. Alessi, P. Baldan and G. Bellè, A fixed-point theorem in a category of compact metric spaces **146** (1-2) (1995) 311–320
2752. Y. Kobayashi, A finitely presented monoid which has solvable word problem but has no regular complete presentation **146** (1-2) (1995) 321–329
2753. G.-Q. Zhang, On maximal stable functions **146** (1-2) (1995) 331–339
2754. A. Ingólfssdóttir, Late and early semantics coincide for testing **146** (1-2) (1995) 341–349
2755. E. Bampis, J.-C. König and D. Trystram, Optimal parallel execution of complete binary trees and grids into most popular interconnection networks **147** (1-2) (1995) 1–18
2756. L. Gasieniec, W. Plandowski and W. Rytter, The zooming method: a recursive approach to time-space efficient string-matching **147** (1-2) (1995) 19–30
2757. H. Bodlaender, R.G. Downey, M.R. Fellows and H.T. Warcham, The parameterized complexity of sequence alignment and consensus **147** (1-2) (1995) 31–54
2758. C. Sureson,  $NP \neq co-NP$  and models of arithmetic **147** (1-2) (1995) 55–67
2759. K. Jansen and H. Müller, The minimum broadcast time problem for several processor networks **147** (1-2) (1995) 69–85
2760. T.Y. Nishida, Quasi-deterministic OL systems and their representation **147** (1-2) (1995) 87–116
2761. A. Cheng, J. Esparza and J. Palsberg, Complexity results for 1-safe nets **147** (1-2) (1995) 117–136
2762. M. Zimand, On the topological size of p-m-complete degrees **147** (1-2) (1995) 137–147
2763. G. Schurz, Most general first order theorems are not recursively enumerable **147** (1-2) (1995) 149–163
2764. P. Aigrain and D. Beauquier, Polyomino tilings, cellular automata and codicity **147** (1-2) (1995) 165–180
2765. E. Amaldi and V. Kann, The complexity and approximability of finding maximum feasible subsystems of linear relations **147** (1-2) (1995) 181–210
2766. D. Arquès and O. Grange, A fast scan-line algorithm for topological filling of well-nested objects in 2.5D digital pictures **147** (1-2) (1995) 211–248

2767. C.-W. Yu and G.-H. Chen, Efficient parallel algorithms for doubly convex-bipartite graphs **147** (1-2) (1995) 249–265
2768. J. Blot, W. Fernandez de la Vega, V.T. Paschos and R. Saad, Average case analysis of greedy algorithms for optimisation problems on set systems **147** (1-2) (1995) 267–298
2769. P. Diamond, P. Kloeden, V. Kozyakin and A. Pokrovskii, On the fragmentary complexity of symbolic sequences **148** (1) (1995) 1–17
2770. B. Durand, A random NP-complete problem for inversion of 2D cellular automata **148** (1) (1995) 19–32
2771. L. Cai and J. Chen, On input read-modes of alternating Turing machines **148** (1) (1995) 33–55
2772. T. Shoudai and S. Miyano, Using maximal independent sets to solve problems in parallel **148** (1) (1995) 57–65
2773. R. Kumar and V.K. Garg, Extremal solutions of inequations over lattices with applications to supervisory control **148** (1) (1995) 67–92
2774. H.L. Bodlaender and K. Jansen, Restrictions of graph partition problems. Part I **148** (1) (1995) 93–109
2775. I. Althöfer and J. Bültermann, Superlinear period lengths in some subtraction games **148** (1) (1995) 111–119
2776. A. Arnold, An initial semantics for the  $\mu$ -calculus on trees and Rabin's complementation lemma **148** (1) (1995) 121–132
2777. D.P. Dubhashi, G.E. Pantziou, P.G. Spirakis and C.D. Zaroliagis, The fourth moment in Luby's distribution **148** (1) (1995) 133–140
2778. D. Kimber and P.M. Long, On-line learning of smooth functions of a single variable **148** (1) (1995) 141–156
2779. K. Morita, Reversible simulation of one-dimensional irreversible cellular automata **148** (1) (1995) 157–163
2780. U. Zwick, The smallest networks on which the Ford–Fulkerson maximum flow procedure may fail to terminate **148** (1) (1995) 165–170
2781. M.C. Pinotti and G. Pucci, Parallel algorithms for priority queue operations **148** (1) (1995) 171–180
2782. C. Álvarez and B. Jenner, On adaptive DLOGTIME and POLYLOGTIME reductions **148** (2) (1995) 183–205
2783. B. Borchert, On the acceptance power of regular languages **148** (2) (1995) 207–225
2784. V. Bruyère, C. De Felice and G. Guaiana, On some decision problems for trace codings **148** (2) (1995) 227–260
2785. K. Etessami and N. Immerman, Reachability and the power of local ordering **148** (2) (1995) 261–279
2786. P. Jančar, Undecidability of bisimilarity for Petri nets and some related problems **148** (2) (1995) 281–301
2787. F. Laroussinie and P. Schnoebelen, A hierarchy of temporal logics with past **148** (2) (1995) 303–324
2788. A.V. Naik, K.W. Regan and D. Sivakumar, On quasilinear-time complexity theory **148** (2) (1995) 325–349
2789. P. Buneman, S. Naqvi, V. Tannen and L. Wong, Principles of programming with complex objects and collection types **149** (1) (1995) 3–48
2790. J. Van den Bussche and D. Van Gucht, The expressive power of cardinality-bounded set values in object-based data models **149** (1) (1995) 49–66
2791. S. Grumbach and C. Tollu, On the expressive power of counting **149** (1) (1995) 67–99
2792. S. Abiteboul, M.Y. Vardi and V. Vianu, Computing with infinitary logic **149** (1) (1995) 101–128
2793. J. Kivinen and H. Mannila, Approximate inference of functional dependencies from relations **149** (1) (1995) 129–149
2794. A. Fekete, N. Lynch and W.E. Weihl, Hybrid atomicity for nested transactions **149** (1) (1995) 151–178
2795. M.H. Wong and D. Agrawal, Context-specific synchronization for atomic data types in object-based databases **149** (1) (1995) 179–199
2796. A. Brogi and F. Turini, Fully abstract compositional semantics for an algebra of logic programs **149** (2) (1995) 201–229
2797. S. Costantini, Contributions to the stable model semantics of logic programs with negation **149** (2) (1995) 231–255
2798. U. Abraham, On interprocess communication and the implementation of multi-writer atomic registers **149** (2) (1995) 257–298
2799. U. Montanari and D. Yankelevich, Location equivalence in a parametric setting **149** (2) (1995) 299–332

2800. J. Desharnais, N. Belkhir, S.B.M. Sghaier, F. Tchier, A. Jaoua, A. Mili and N. Zaguia, Embedding a demonic semilattice in a relation algebra **149** (2) (1995) 333–360
2801. M. Schmidt-Schauß, M. Marchiori and S.E. Panitz, Modular termination of  $r$ -consistent and left-linear, term rewriting systems **149** (2) (1995) 361–374
2802. G. Ausiello, P. Crescenzi and M. Protasi, Approximate solution of NP optimization problems **150** (1) (1995) 1–55
2803. J. Adámek and V. Koubek, On the greatest fixed point of a set functor **150** (1) (1995) 57–75
2804. M. Droste, Recognizable languages in concurrency monoids **150** (1) (1995) 77–109
2805. D.A. Naumann, Predicate transformers and higher-order programs **150** (1) (1995) 111–159
2806. P.H.B. Gardiner, Algebraic proofs of consistency and completeness **150** (1) (1995) 161–191
2850. V. Kagan, A. Nerode and V.S. Subrahmanian, Computing minimal models by partial instantiation **155** (1) (1996) 157–177
2878. P. Inverardi and M. Nesi, Infinite normal forms for non-linear term rewriting systems **152** (2) (1995) 285–303
2879. W. Hodges, The meaning of specifications I: Domains and initial models **152** (1) (1995) 67–89
2880. E. Astesiano and M. Cerioli, Free objects and equational deduction for partial conditional specifications **152** (1) (1995) 91–138
2882. M. Kurihara and A. Ohuchi, Modularity in noncopying term rewriting **152** (1) (1995) 139–169
2889. R.M. Verma, Transformations and confluence for rewrite systems **152** (2) (1995) 269–283
2892. V. Mitran, Gh. Păun, G. Rozenberg and A. Salomaa, Pattern systems **154** (2) (1996) 183–201
2896. C. Fiorio and J. Gustedt, Two linear time Union–Find strategies for image processing **154** (2) (1996) 165–181
2897. J.F. Jájá, K.W. Ryu and U. Vishkin, Sorting strings and constructing digital search trees in parallel **154** (2) (1996) 225–245
2902. D. Fredholm, Intensional aspects of function definitions **152** (1) (1995) 1–66
2904. R.M. Idury and A.A. Schäffer, Multiple matching of parameterized patterns **154** (2) (1996) 203–224
2906. J. Engelfriet, T. Harju, A. Proskurowski and G. Rozenberg, Characterization and complexity of uniformly nonprimitive labeled 2-structures **154** (2) (1996) 247–282
2918. S. Lange, T. Zeugmann and S. Kapur, Monotonic and dual monotonic language learning **155** (2) (1996) 365–410
2919. L. Aceto and A. Jeffrey, A complete axiomatization of timed bisimulation for a class of timed regular behaviours **152** (2) (1995) 251–268
2920. K. Seidel, Probabilistic communicating processes **152** (2) (1995) 219–249
2921. N. Immerman, S. Patnaik and D. Stemple, The expressiveness of a family of finite set languages **155** (1) (1996) 111–140
2922. J. Gabarró, C. Martínez and X. Messeguer, A design of a parallel dictionary using skip lists **158** (1-2) (1996) 1–33
2926. J. Keller, Fast rehashing in PRAM emulations **155** (2) (1996) 349–363
2927. E. Barcucci, A. Del Lungo, M. Nivat and R. Pinzani, Reconstructing convex polyominoes from horizontal and vertical projections **155** (2) (1996) 321–347
2929. A. Benveniste, B.C. Levy, E. Fabre and P. Le Guernic, A calculus of stochastic systems for the specification, simulation, and hidden state estimation of mixed stochastic/nonstochastic systems **152** (2) (1995) 171–217
2933. K. Iwama, C. Iwamoto and M. Morshed, Time lower bounds do not exist for CRCW PRAMs **155** (2) (1996) 411–424
2935. R. Banach, Locating the contractum in the double pushout approach **152** (2) (1995) 305–320
2936. R. Kemp, Binary search trees constructed from nondistinct keys with/without specified probabilities **156** (1-2) (1996) 39–70
2937. P. Gyenizse and S. Vágvolgyi, Compositions of deterministic bottom-up, top-down, and regular look-ahead tree transformations **156** (1-2) (1996) 71–97
2945. M. Krause, Geometric arguments yield better bounds for threshold circuits and distributed computing **156** (1-2) (1996) 99–117
2946. N. Bedon, Finite automata and ordinals **156** (1-2) (1996) 119–144
2947. N. Lafaye de Micheaux and C. Rambaud, Confluence for graph transformations **154** (2) (1996) 329–348



2948. M. Koskas, About the  $p$ -paperfolding words **158** (1-2) (1996) 35–51
2949. O. Louscou-Bozapalidou, Stochastically costed tree automata: Turakainen's theorem **156** (1-2) (1996) 145–158
2950. S.L. Bloom and Z. Ésik, Fixed-point operations on ccc's. Part I **155** (1) (1996) 1–38
2957. F. Nielson and H.R. Nielson, From CML to its process algebra **155** (1) (1996) 179–219
2959. J.-M. Fourneau, E. Gelenbe and R. Suros, G-networks with multiple classes of negative and positive customers **155** (1) (1996) 141–156
2961. D. Sangiorgi, Locality and interleaving semantics in calculi for mobile processes **155** (1) (1996) 39–83
2981. P. Nehlig, Applications quasi affines: pavages par images réciproques **156** (1-2) (1996) 1–38
2982. A. Ferreira and M. Grammatikakis, Randomized routing on generalized hypercubes **158** (1-2) (1996) 53–64
2983. S. Fabre, Dépendance de systèmes de numération associés à des puissances d'un nombre de Pisot **158** (1-2) (1996) 65–79
2986. S. Ambler, M. Kwiatkowska and N. Measor, Duality and the completeness of the modal  $\mu$ -calculus **151** (1) (1995) 3–27
2987. A. Arnold, A topological property of rational  $\omega$ -languages **151** (1) (1995) 29–36
2988. F.S. de Boer, A. Di Pierro and C. Palamidessi, Nondeterminism and infinite computations in constraint programming **151** (1) (1995) 37–78
2989. M.M. Bonsangue, B. Jacobs and J.N. Kok, Duality beyond sober spaces: Topological spaces and observation frames **151** (1) (1995) 79–124
2990. B. Courcelle, The monadic second-order logic of graphs IX: Machines and their behaviours **151** (1) (1995) 125–162
2991. A. Edalat, Domain theory and integration **151** (1) (1995) 163–193
2992. S.G. Matthews, An extensional treatment of lazy data flow deadlock **151** (1) (1995) 195–205
2993. M.W. Mislove and F.J. Oles, Full abstraction and recursion **151** (1) (1995) 207–256
2994. M.B. Smyth, Semi-metrics, closure spaces and digital topology **151** (1) (1995) 257–276
2995. Ph. Sünderhauf, A faithful computational model of the real numbers **151** (1) (1995) 277–294
2996. N. Jonoska, Sofic shifts with synchronizing presentations **158** (1-2) (1996) 81–115
2997. J. Françon, Sur la topologie d'un plan arithmétique **156** (1-2) (1996) 159–176
2998. M. Demange and V.T. Paschos, On an approximation measure founded on the links between optimization and polynomial approximation theory **158** (1-2) (1996) 117–141
2999. R. Bündgen, Buchberger's algorithm: The term rewriter's point of view **159** (2) (1996) 143–190
3000. A. Asperti and C. Laneve, Interaction systems II: The practice of optimal reductions **159** (2) (1996) 191–244
3001. T.F. Gritzner and R. Berghammer, A relation algebraic model of robust correctness **159** (2) (1996) 245–270
3002. Y. Hirshfeld, M. Jerrum and F. Møller, A polynomial algorithm for deciding bisimilarity of normed context-free processes **158** (1-2) (1996) 143–159
3003. C. Blundo, A. De Santis, L. Gargano and U. Vaccaro, On the information rate of secret sharing schemes **154** (2) (1996) 283–306
3004. C. Calude and M. Zimand, Effective category and measure in abstract complexity theory **154** (2) (1996) 307–327
3005. T.Y. Nishida and A. Salomaa, Slender 0L languages **158** (1-2) (1996) 161–176
3006. D. Breslauer, Saving comparisons in the Crochemore–Perrin string-matching algorithm **158** (1-2) (1996) 177–192
3009. G. Castagna, A meta-language for typed object-oriented languages **151** (2) (1995) 297–352
3010. H. Aït-Kaci and J. Garrigue, Label-selective  $\lambda$ -calculus syntax and confluence **151** (2) (1995) 353–383
3011. S. van Bakel, Intersection type assignment systems **151** (2) (1995) 385–435
3012. K. Honda and N. Yoshida, On reduction-based process semantics **151** (2) (1995) 437–486
3013. M.R.K. Krishna Rao, Modular proofs for completeness of hierarchical term rewriting systems **151** (2) (1995) 487–512
3014. M. Agrawal and V. Arvind, Geometric sets of low information content **158** (1-2) (1996) 193–219
3017. L.A. Hemaspaandra and L. Torenvliet, Optimal advice **154** (2) (1996) 367–377
3018. J. Justin and G. Pirillo, On a combinatorial property of Sturmian words **154** (2) (1996) 387–394

3019. S.E. Mocas, Separating classes in the exponential-time hierarchy from classes in *PH* **158** (1-2) (1996) 221–231
3020. G. Ramalingam and T. Reps, On the computational complexity of dynamic graph problems **158** (1-2) (1996) 233–277
3022. U. Park, An algebraic formulation of the aggregative closure query **166** (1-2) (1996) 49–62
3023. R.D. Maddux, Relation-algebraic semantics **160** (1-2) (1996) 1–85
3024. B. Courcelle, The monadic second-order logic of graphs X: Linear orderings **160** (1-2) (1996) 87–143
3025. F. Carrere, On the Kleijn–Rozenberg *k*-adjacent languages **161** (1-2) (1996) 23–68
3026. Y. Takahashi, Solving optimization problems with variable-constraint by an extended Cohen–Grossberg model **158** (1-2) (1996) 279–341
3027. M.I. Schwartzbach, Static correctness of hierarchical procedures **156** (1-2) (1996) 177–201
3028. M. Forti and F. Honsell, A general construction of hyperuniverses **156** (1-2) (1996) 203–215
3029. S. Ramesh and B.N. Srinivas, A direct characterization of completion **154** (2) (1996) 379–385
3030. C. Tuijn and M. Gyssens, CGOOD, a categorical graph-oriented object data model **160** (1-2) (1996) 217–239
3031. S. Labhalla, H. Lombardi and R. Marlin, Algorithmes de calcul de la réduction de Hermite d’une matrice à coefficients polynomiaux **161** (1-2) (1996) 69–92
3032. R. Barua and S. Ramakrishnan,  $\sigma$ -game,  $\sigma^+$ -game and two-dimensional additive cellular automata **154** (2) (1996) 349–366
3033. T. Harju, M. Lipponen and A. Mateescu, Flatwords and Post Correspondence Problem **161** (1-2) (1996) 93–108
3034. A. Ehrenfeucht, P. ten Pas and G. Rozenberg, A note on binary grammatical codes of trees **155** (2) (1996) 425–438
3035. L.A. Hemaspaandra, A. Hoene and M. Ogihara, Reducibility classes of P-selective sets **155** (2) (1996) 447–457
3036. A.J. Mayer and L.J. Stockmeyer, The complexity of PDL with interleaving **161** (1-2) (1996) 109–122
3038. L. Fortnow and M. Kummer, On resource-bounded instance complexity **161** (1-2) (1996) 123–140
3039. H. Petersen, On the language of primitive words **161** (1-2) (1996) 141–156
3040. C. Sureson, P, NP, Co-NP and weak systems of arithmetic **154** (2) (1996) 145–163
3041. C. Selmi, Over testable languages **161** (1-2) (1996) 157–190
3042. F. Kamareddine and R. Nederpelt, A useful  $\lambda$ -notation **155** (1) (1996) 85–109
3043. T. Drakengren, Uniqueness of Scott’s reflexive domain in  $P\omega$  **155** (1) (1996) 267–276
3044. O. Carton, Chain automata **161** (1-2) (1996) 191–203
3045. J. Berstel and J.-E. Pin, Local languages and the Berry–Sethi algorithm **155** (2) (1996) 439–446
3046. E. Tronci, Equational programming in  $\lambda$ -calculus via SL-systems. Part 1 **160** (1-2) (1996) 145–184
3047. E. Tronci, Equational programming in  $\lambda$ -calculus via SL-systems. Part 2 **160** (1-2) (1996) 185–216
3048. M. Baaz, A. Leitsch and R. Zach, Completeness of a first-order temporal logic with time-gaps **160** (1-2) (1996) 241–270
3049. M. Kaminski and C.K. Wong, The power of the “always” operator in first-order temporal logic **160** (1-2) (1996) 271–281
3050. S. Yamasaki, *SLDNF* resolution with non-safe rule and fixpoint semantics for general logic programs **160** (1-2) (1996) 283–303
3051. Z.-Z. Chen, Parallel constructions of maximal path sets and applications to short superstrings **161** (1-2) (1996) 1–21
3052. V. Terrier, Language not recognizable in real time by one-way cellular automata **156** (1-2) (1996) 281–287
3053. A. Durand and S. Ranaivoson, First-order spectra with one binary predicate **160** (1-2) (1996) 305–320
3054. E. Shen and Q. Tian, Monadic partition logics and finite automata **166** (1-2) (1996) 63–81
3055. G. Hotz and G. Pitsch, On parsing coupled-context-free languages **161** (1-2) (1996) 205–233
3057. C.A. Petri, Nets, time and space **153** (1-2) (1996) 3–48
3058. J. Desel, K.-P. Neuendorf and M.-D. Radola, Proving nonreachability by modulo-invariants **153** (1-2) (1996) 49–64
3059. J. Engelfriet, A multiset semantics for the pi-calculus with replication **153** (1-2) (1996) 65–94
3060. J. Esparza and G. Bruns, Trapping mutual exclusion in the box calculus **153** (1-2) (1996) 95–128

3061. P.W. Hoogers, H.C.M. Kleijn and P.S. Thiagarajan, An event structure semantics for general Petri nets **153** (1-2) (1996) 129–170
3062. J. Meseguer, U. Montanari and V. Sassone, Process versus unfolding semantics for Place/Transition Petri nets **153** (1-2) (1996) 171–210
3063. M. Nielsen and G. Winskel, Petri nets and bisimulation **153** (1-2) (1996) 211–244
3064. E. Smith, On the border of causality: contact and confusion **153** (1-2) (1996) 245–270
3065. E. Teruel and M. Silva, Structure theory of equal conflict systems **153** (1-2) (1996) 271–300
3067. A. Czumaj and A. Gibbons, Guthrie's problem: new equivalences and rapid reductions **154** (1) (1996) 3–22
3068. M. Karpinski and R. Verbeek, On randomized versus deterministic computation **154** (1) (1996) 23–39
3069. J.W. Jaromczyk and G. Świątek, A theory of even functionals and their algorithmic applications **154** (1) (1996) 41–56
3070. D.M. Cohen and M.L. Fredman, Products of finite state machines with full coverage **154** (1) (1996) 57–65
3071. W. Ebinger and A. Muscholl, Logical definability on infinite traces **154** (1) (1996) 67–84
3072. T. Wilke, An algebraic characterization of frontier testable tree languages **154** (1) (1996) 85–106
3073. L. Jategaonkar and A.R. Meyer, Deciding true concurrency equivalences on safe, finite nets **154** (1) (1996) 107–143
3074. G.-Q. Zhang, Quasi-prime algebraic domains **155** (1) (1996) 221–264
3075. Y. Takahashi, A unified constructive network model for problem-solving **156** (1-2) (1996) 217–261
3076. M. Fulk and S. Jain, Learning in the presence of inaccurate information **161** (1-2) (1996) 235–261
3077. D. Niwiński and I. Walukiewicz, Games for the  $\mu$ -calculus **163** (1-2) (1996) 99–116
3078. L. Colussi and L. Toniolo, How the character comparison order shapes the shift function of on-line pattern matching algorithms **163** (1-2) (1996) 117–144
3079. C. Fraser, Consistent subsequences and supersequences **165** (2) (1996) 233–246
3080. D. Derencourt, A three-word code which is not prefix-suffix composed **163** (1-2) (1996) 145–160
3081. R. Hoofman, Comparing models of the intensional typed  $\lambda$ -calculus **166** (1-2) (1996) 83–99
3082. A. Arnold and I. Castellani, An algebraic characterization of observational equivalence **156** (1-2) (1996) 289–299
3084. E. Hausen-Tropper, A framework for a theory of automated learning **163** (1-2) (1996) 161–176
3085. W. Zhang, Number of models and satisfiability of sets of clauses **155** (1) (1996) 277–288
3086. B. Courcelle, Basic notions of universal algebra for language theory and graph grammars **163** (1-2) (1996) 1–54
3087. K.W. Regan, Index sets and presentations of complexity classes **161** (1-2) (1996) 263–287
3088. M.W. Bunder and J.R. Hindley, Two beta-equal lambda-*I*-terms with no types in common **155** (1) (1996) 265–266
3089. S. Etalle and M. Gabbriellini, Transformations of CLP modules **166** (1-2) (1996) 101–146
3090. R. Beigel, W. Gasarch and E. Kinber, Frequency computation and bounded queries **163** (1-2) (1996) 177–192
3091. Y. Kim, New values in Domineering **156** (1-2) (1996) 263–280
3092. G. Manzini, On the ordering of sparse linear systems **156** (1-2) (1996) 301–313
3093. S. Carlsson, J. Chen and C. Mattsson, Heaps with bits **164** (1-2) (1996) 1–12
3094. R. De Prisco and A. De Santis, New lower bounds on the cost of binary search trees **156** (1-2) (1996) 315–325
3095. J. Case, S. Jain and A. Sharma, Anomalous learning helps succinctness **164** (1-2) (1996) 13–28
3096. J.-D. Fouks and J.-C. Spehner, Meta-resolution: An algorithmic formalisation **166** (1-2) (1996) 147–172
3097. O. Maruyama and S. Miyano, Inferring a tree from walks **161** (1-2) (1996) 289–300
3098. F. Abloyev, Lower bounds for one-way probabilistic communication complexity and their application to space complexity **157** (2) (1996) 139–159
3099. D. Burago, M. de Rougemont and A. Slissenko, On the complexity of partially observed Markov decision processes **157** (2) (1996) 161–183
3100. D. Grigoriev and N. Vorobjov, Complexity lower bounds for computation trees with elementary transcendental function gates **157** (2) (1996) 185–214

3101. A.V. Karzanov, How to tidy up a symmetric set-system by use of uncrossing operations **157** (2) (1996) 215–225
3102. A.A. Muchnik and N.K. Vereshchagin, A general method to construct oracles realizing given relationships between complexity classes **157** (2) (1996) 227–258
3103. M. Karpinski and I. Shparlinski, On some approximation problems concerning sparse polynomials over finite fields **157** (2) (1996) 259–266
3104. L.A. Levin, Computational complexity of functions **157** (2) (1996) 267–271
3105. I. Shparlinski, On finding primitive roots in finite fields **157** (2) (1996) 273–275
3106. O. Verbitsky, Towards the parallel repetition conjecture **157** (2) (1996) 277–282
3107. H. Erdogmus, R. Johnston and M. Ferguson, On the operational semantics of nondeterminism and divergence **159** (2) (1996) 271–317
3108. M. Agrawal and V. Arvind, Quasi-linear truth-table reductions to p-selective sets **158** (1-2) (1996) 361–370
3109. J. Harrison, On almost cylindrical languages and the decidability of the D0L and PWD0L primitivity problems **164** (1-2) (1996) 29–40
3110. G. Sambin, S. Valentini and P. Virgili, Constructive domain theory as a branch of intuitionistic pointfree topology **159** (2) (1996) 319–341
3111. V.F. Sirvent, Relationships between the dynamical systems associated to the Rauzy substitutions **164** (1-2) (1996) 41–57
3112. S. Burckel, Closed iterative calculus **158** (1-2) (1996) 371–378
3114. M. Bronstein and M. Petkovšek, An introduction to pseudo-linear algebra **157** (1) (1996) 3–33
3115. O. Devillers, An introduction to randomization in computational geometry **157** (1) (1996) 35–52
3116. Y. Elihai and Y. Yomdin, Flexible high-order discretization of geometric data for global motion planning **157** (1) (1996) 53–77
3117. D. Grigoriev, NC solving of a system of linear ordinary differential equations in several unknowns **157** (1) (1996) 79–90
3118. D. Grigoriev and M. Karpinski, Computability of the additive complexity of algebraic circuits with root extracting **157** (1) (1996) 91–99
3119. J.-P. Laumond and J.-J. Risler, Nonholonomic systems: Controllability and complexity **157** (1) (1996) 101–114
3120. J.M. Ollagnier, Algorithms and methods in differential algebra **157** (1) (1996) 115–127
3121. J.-J. Risler, A bound for the degree of nonholonomy in the plane **157** (1) (1996) 129–136
3122. G. Kucherov, P. Lescanne and P. Mosses, Valentin Antimirov (1961–1995) **155** (2) (1996) 289–290
3123. V. Antimirov, Partial derivatives of regular expressions and finite automaton constructions **155** (2) (1996) 291–319
3124. M. Ying, When is the ideal completion of abstract basis algebraic **159** (2) (1996) 355–356
3125. C. Picouleau, Worst-case analysis of fast heuristics for packing squares into a square **164** (1-2) (1996) 59–72
3126. M. Middendorf, Two-Dimensional partitioning problems **164** (1-2) (1996) 73–106
3127. K. Diks and A. Pelc, Reliable computations on faulty EREW PRAM **164** (1-2) (1996) 107–122
3128. K. Salomaa, D. Wood and S. Yu, Structural equivalence and ET0L grammars **164** (1-2) (1996) 123–140
3129. U. Zwick and M. Paterson, The complexity of mean payoff games on graphs **158** (1-2) (1996) 343–359
3130. J.H. Lutz and E. Mayordomo, Cook versus Karp–Levin: Separating completeness notions if NP is not small **164** (1-2) (1996) 141–163
3131. S. Demri and E. Orlowska, Logical analysis of demonic nondeterministic programs **166** (1-2) (1996) 173–202
3132. G.-Q. Zhang, The largest cartesian closed category of stable domains **166** (1-2) (1996) 203–219
3133. P.A. Bonatti and T. Eiter, Querying disjunctive databases through nonmonotonic logics **160** (1-2) (1996) 321–363
3134. N.H. Arai, A proper hierarchy of propositional sequent calculi **159** (2) (1996) 343–354
3138. H.S. Wilf, Récents développements et problèmes dans le domaine de la génération aléatoire **159** (1) (1996) 5–13
3139. L. Alonso and R. Schott, A parallel algorithm for the generation of a permutation and applications **159** (1) (1996) 15–28

3140. E. Barcucci, A. Del Lungo and R. Pinzani, “Deco” polyominoes, permutations and random generation **159** (1) (1996) 29–42
3141. A. Denise, Génération aléatoire uniforme de mots de langages rationnels **159** (1) (1996) 43–63
3142. G. Louchard, Probabilistic analysis of some (un)directed animals **159** (1) (1996) 65–79
3143. M. Mosbah, Probabilistic hyperedge replacement grammars **159** (1) (1996) 81–102
3145. J.C. Fournier, Pavage des figures planes sans trous par des dominos: Fondement graphique de l’algorithme de Thurston, parallélisation, unicité et décomposition **159** (1) (1996) 105–128
3146. E. Barcucci, A. Del Lungo, R. Pinzani and R. Sprugnoli, Polyominoes defined by their vertical and horizontal projections **159** (1) (1996) 129–136
3147. T. Chaboud, Domino tiling in planar graphs with regular and bipartite dual **159** (1) (1996) 137–142
3148. G. Gottlob, S. Marcus, A. Nerode, G. Salzer and V.S. Subrahmanian, A non-ground realization of the stable and well-founded semantics **166** (1-2) (1996) 221–262
3149. P. Hubert, Propriétés combinatoires des suites définies par le billard dans les triangles pavants **164** (1-2) (1996) 165–183
3150. K. Marriott and M. Odersky, Negative Boolean constraints **160** (1-2) (1996) 365–380
3151. J.A. Fill, Limits and rates of convergence for the distribution of search cost under the move-to-front rule **164** (1-2) (1996) 185–206
3152. A. Finkel and I. Tellier, A polynomial algorithm for the membership problem with categorial grammars **164** (1-2) (1996) 207–221
3162. F. Maurin, Exact complexity bounds for ordinal addition **165** (2) (1996) 247–273
3163. L. Pélecq, Automorphism groups of context-free graphs **165** (2) (1996) 275–293
3164. C. De Felice, An application of Hajós factorizations to variable-length codes **164** (1-2) (1996) 223–252
3165. V. Berthé, Fréquences des facteurs des suites sturmiennes **165** (2) (1996) 295–309
3166. J.I. Munro and V. Raman, Selection from read-only memory and sorting with minimum data movement **165** (2) (1996) 311–323
3167. M. Morcrette, Sur l’équivalence de descriptions de figures itérées **165** (2) (1996) 325–354
3171. S.L. Bloom and Z. Ésik, Free shuffle algebras in language varieties **163** (1-2) (1996) 55–98
3172. S.R. Kulkarni and P. Shankar, Linear time parsers for classes of non context free languages **165** (2) (1996) 355–390
3173. M. Habib and L. Nourine, Tree structure for distributive lattices and its applications **165** (2) (1996) 391–405
3174. X. Gu and Y. Zhu, Optimal heapsort algorithm **163** (1-2) (1996) 239–243
3175. S. Lehr, J. Shallit and J. Tromp, On the vector space of the automatic reals **163** (1-2) (1996) 193–210
3176. M. Dezani-Ciancaglini, U. de Liguoro and A. Piperno, Filter models for conjunctive-disjunctive  $\lambda$ -calculi **170** (1-2) (1996) 83–128
3177. P. Fischer, K.-U. Höffgen and H. Lefmann, PAC-learning from general examples **172** (1-2) (1997) 43–65
3178. H. Vollmer and K.W. Wagner, Recursion theoretic characterizations of complexity classes of counting functions **163** (1-2) (1996) 245–258
3179. D. Long, On group codes **163** (1-2) (1996) 259–267
3180. I. Fagnot, Sur les facteurs des mots automatiques **172** (1-2) (1997) 67–89
3181. B. Apolloni and S. Chiaravalli, PAC learning of concept classes through the boundaries of their items **172** (1-2) (1997) 91–120
3182. N.H. Arai, Tractability of cut-free Gentzen type propositional calculus with permutation inference **170** (1-2) (1996) 129–144
3183. E. Goles and M. Margenstern, Universality of the chip-firing game **172** (1-2) (1997) 121–134
3184. D. Fredholm, Computing minimum with primitive recursion over lists **163** (1-2) (1996) 269–276
3185. R.H. Gilman, A shrinking lemma for indexed languages **163** (1-2) (1996) 277–281
3186. W.G. Handley, Deterministic summation modulo  $\mathcal{B}_n$ , the semigroup of binary relations on  $0, 1 \dots n - 1$  **172** (1-2) (1997) 135–174
3188. S. Vigna, On the relations between distributive computability and the BSS model **162** (1) (1996) 5–21
3189. C. Moore, Recursion theory on the reals and continuous-time computation **162** (1) (1996) 23–44
3190. V. Brattka, Recursive characterization of computable real-valued functions and relations **162** (1) (1996) 45–77
3191. M.H. Escardó, PCF extended with real numbers **162** (1) (1996) 79–115

3192. H. Pélibossian, On the linearity of on-line computable functions **162** (1) (1996) 117–132
3193. N. Revol and J.-L. Roch, Parallel evaluation of arithmetic circuits **162** (1) (1996) 133–150
3194. A.I. Mikov, Large-scale addition of machine real numbers: Accuracy estimates **162** (1) (1996) 151–170
3195. Y.S. Ramakrishna, P.M. Melliar-Smith, L.E. Moser, L.K. Dillon and G. Kutty, Interval logics and their decision procedures Part I: An interval logic **166** (1-2) (1996) 1–47
3196. Y.S. Ramakrishna, P.M. Melliar-Smith, L.E. Moser, L.K. Dillon and G. Kutty, Interval logics and their decision procedures Part II: A real-time interval logic **170** (1-2) (1996) 1–46
3197. C. Levkopoulos and O. Petersson, Exploiting few inversions when sorting: Sequential and parallel algorithms **163** (1-2) (1996) 211–238
3198. G. Kant and X. He, Regular edge labeling of 4-connected plane graphs and its applications in graph drawing problems **172** (1-2) (1997) 175–193
3199. S. Dumitrescu, Nonreturning PC grammar systems can be simulated by returning systems **165** (2) (1996) 463–474
3200. I. Tomescu, On the asymptotic average length of a maximum common subsequence for words over a finite alphabet **164** (1-2) (1996) 277–285
3201. K. Ambos-Spies, S.A. Terwijn and X. Zheng, Resource bounded randomness and weakly complete problems **172** (1-2) (1997) 195–207
3202. K. Meinke, Topological methods for algebraic specification **166** (1-2) (1996) 263–290
3203. M.E. Majster-Cederbaum and C. Baier, Metric completion versus ideal completion **170** (1-2) (1996) 145–171
3204. F. Barbanera and M. Fernández, Intersection type assignment systems with higher-order algebraic rewriting **170** (1-2) (1996) 173–207
3205. F. Cucker and M. Shub, Generalized Knapsack problems and fixed degree separations **161** (1-2) (1996) 301–306
3206. C. Blundo, A. Cresti, A. De Santis and U. Vaccaro, Fully dynamic secret sharing schemes **165** (2) (1996) 407–440
3207. Y. Dimopoulos and A. Torres, Graph theoretical structures in logic programs and default theories **170** (1-2) (1996) 209–244
3208. A. Bouhoula, Using induction and rewriting to verify and complete parameterized specifications **170** (1-2) (1996) 245–276
3209. I. Litovsky and L. Staiger, Finite acceptance of infinite words **174** (1-2) (1997) 1–21
3210. T. Tsukiji, On a small class of Boolean sums **163** (1-2) (1996) 283–289
3211. M.V. Marathe, V. Radhakrishnan, H.B. Hunt III and S.S. Ravi, Hierarchically specified unit disk graphs **174** (1-2) (1997) 23–65
3212. V. Sassone, An axiomatization of the algebra of Petri net concatenable processes **170** (1-2) (1996) 277–296
3213. G. Chiola, C. Dutheillet, G. Franceschinis and S. Haddad, A symbolic reachability graph for coloured petri nets **176** (1-2) (1997) 39–65
3214. V. Sassone, M. Nielsen and G. Winskel, Models for concurrency: Towards a classification **170** (1-2) (1996) 297–348
3215. F. Bracho, M. Droste and D. Kuske, Representation of computations in concurrent automata by dependence orders **174** (1-2) (1997) 67–96
3216. J.J.M.M. Rutten, Elements of generalized ultrametric domain theory **170** (1-2) (1996) 349–381
3217. A.E. Andreev, A.E.F. Clementi and J.D.P. Rolim, Constructing the highest degree subgraph for dense graphs is in  $\mathcal{NCAS}$  **161** (1-2) (1996) 307–314
3218. S. Arora and R. Fagin, On winning strategies in Ehrenfeucht–Fraïssé games **174** (1-2) (1997) 97–121
3219. K. Imai and K. Morita, Firing squad synchronization problem in reversible cellular automata **165** (2) (1996) 475–482
3220. P. Orponen, Computing with truly asynchronous threshold logic networks **174** (1-2) (1997) 123–136
3221. F. Blanchard and A. Maass, Dynamical behaviour of Coven’s aperiodic cellular automata **163** (1-2) (1996) 291–302
3222. M. Krause and P. Pudlák, On the computational power of depth-2 circuits with threshold and modulo gates **174** (1-2) (1997) 137–156
3223. J. Edmonds, Removing Ramsey theory: Lower bounds with smaller domain size **172** (1-2) (1997) 1–41

3224. R. Maltouyres, There is no local characterization of separating and thin objects in  $\mathbb{Z}^3$  **163** (1-2) (1996) 303–308
3225. P. Favati, G. Lotti and L. Margara, Additive one-dimensional cellular automata are chaotic according to Devaney's definition of chaos **174** (1-2) (1997) 157–170
3226. M.-L. Santini-Bouchard, Echanges de trois intervalles et suites minimales **174** (1-2) (1997) 171–191
3227. P. Berman and A. Lingas, A nearly optimal parallel algorithm for the Voronoi diagram of a convex polygon **174** (1-2) (1997) 193–202
3228. P. Kůrka, On topological dynamics of Turing machines **174** (1-2) (1997) 203–216
3229. A. Finkel and P. McKenzie, Verifying identical communicating processes is undecidable **174** (1-2) (1997) 217–230
3230. J. Mullins, On an effective hierarchy of communicating processes: separation principle and testing **174** (1-2) (1997) 231–246
3231. D. Ziadi, Regular expression for a language without empty word **163** (1-2) (1996) 309–315
3233. V.Y. Pan, Parallel computation of polynomial GCD and some related parallel computations over abstract fields **162** (2) (1996) 173–223
3234. B.S. Baker and E.G. Coffman, Jr., Mutual exclusion scheduling **162** (2) (1996) 225–243
3235. F. Meyer auf der Heide, C. Scheideler and V. Stemann, Exploiting storage redundancy to speed up randomized shared memory simulations **162** (2) (1996) 245–281
3236. E.W. Mayr and R. Werchner, Divide-and-conquer algorithms on the hypercube **162** (2) (1996) 283–296
3237. T. Hsu and V. Ramachandran, Efficient massively parallel implementation of some combinatorial algorithms **162** (2) (1996) 297–322
3238. L. Finta, Z. Liu, I. Mihš and E. Bampis, Scheduling UET-UCT series-parallel graphs on two processors **162** (2) (1996) 323–340
3239. S. Chakrabarti, Random allocation of jobs with weights and precedence **162** (2) (1996) 341–349
3240. M.A. García, Massively parallel approximation of irregular triangular meshes of arbitrary topology with smooth parametric surfaces **162** (2) (1996) 351–369
3242. M. Bidoit and R. Hennicker, Behavioural theories and the proof of behavioural properties **165** (1) (1996) 3–55
3243. M. Codish and G. Mashevitzky, Proving implications by algebraic approximation **165** (1) (1996) 57–74
3244. S. Antoy and A. Middeldorp, A sequential reduction strategy **165** (1) (1996) 75–95
3245. B. Gramlich, On termination and confluence properties of disjoint and constructor-sharing conditional rewrite systems **165** (1) (1996) 97–131
3246. M. Alpuente, M. Falaschi and G. Vidal, A compositional semantic basis for the analysis of equational Horn programs **165** (1) (1996) 133–169
3247. F. Teusink, Three-valued completion for abductive logic programs **165** (1) (1996) 171–200
3248. D. Miller, Forum: A multiple-conclusion specification logic **165** (1) (1996) 201–232
3249. H. Comon and R. Treinen, The first-order theory of lexicographic path orderings is undecidable **176** (1-2) (1997) 67–87
3250. D.N. Hoover, Limiting semantics of numerical programs **176** (1-2) (1997) 89–110
3251. P. Clote, Nondeterministic stack register machines **178** (1-2) (1997) 37–76
3252. M. Hermann and R. Galbavý, Unification of infinite sets of terms schematized by primal grammars **176** (1-2) (1997) 111–158
3253. G. Cattaneo and C.Q. Vogliotti, The “magic” rule spaces of neural-like elementary cellular automata **178** (1-2) (1997) 77–102
3254. A. Gupta and N. Nishimura, The complexity of subgraph isomorphism for classes of partial  $k$ -trees **164** (1-2) (1996) 287–298
3255. C.S. Iliopoulos and K. Park, A work-time optimal algorithm for computing all string covers **164** (1-2) (1996) 299–310
3256. A. de Luca, Standard Sturmian morphisms **178** (1-2) (1997) 205–224
3257. S. Martini and A. Masini, Experiments in linear natural deduction **176** (1-2) (1997) 159–173
3258. S.-H. Wu, S.A. Smolka and E.W. Stark, Composition and behaviors of probabilistic I/O automata **176** (1-2) (1997) 1–38
3259. M.D. Atkinson, M.J. Livesey and D. Tulley, Permutations generated by token passing in graphs **178** (1-2) (1997) 103–118

3260. A. Munier and C. Hanen, Using duplication for scheduling unitary tasks on  $m$  processors with unit communication delays **178** (1-2) (1997) 119–127
3261. B. Rován, Introduction **168** (1) (1996) 1
3262. K. Ambos-Spies, H.-C. Neis and S.A. Terwijn, Genericity and measure for exponential time **168** (1) (1996) 3–19
3263. R.A. Baeza-Yates, Bounded disorder: The effect of the index **168** (1) (1996) 21–38
3264. M. Dietzfelbinger, J. Hromkovič and G. Schnitger, A comparison of two lower-bound methods for communication complexity **168** (1) (1996) 39–51
3265. G.-L. Ferrari, U. Montanari and P. Quaglia, A  $\pi$ -calculus with explicit substitutions **168** (1) (1996) 53–103
3266. J. Karhumäki and W. Plandowski, On the size of independent systems of equations in semigroups **168** (1) (1996) 105–119
3267. D.J. Kavvadias, G.E. Pantziou, P.G. Spirakis and C.D. Zaroliagis, Hammock-on-ears decomposition: A technique for the efficient parallel solution of shortest paths and other problems **168** (1) (1996) 121–154
3268. K. Sieber, Full abstraction for the second order subset of an ALGOL-like language **168** (1) (1996) 155–212
3269. P.D. Mosses, M. Nielsen and M.I. Schwartzbach, Foreword **167** (1-2) (1996) 1
3270. M. Hofmann and D. Sannella, On behavioural abstraction and behavioural satisfaction in higher-order logic **167** (1-2) (1996) 3–45
3271. B. Jonsson and Y.-K. Tsay, Assumption/guarantee specifications in linear-time temporal logic **167** (1-2) (1996) 47–72
3272. D. Kozen, Rational spaces and set constraints **167** (1-2) (1996) 73–94
3273. A. Middeldorp, S. Okui and T. Ida, Lazy narrowing: Strong completeness and eager variable elimination **167** (1-2) (1996) 95–130
3274. M. Sagiv, T. Reps and S. Horwitz, Precise interprocedural dataflow analysis with applications to constant propagation **167** (1-2) (1996) 131–170
3275. K. Salomaa, Decidability of equivalence for deterministic synchronized tree automata **167** (1-2) (1996) 171–192
3276. D. Sands, Proving the correctness of recursion-based automatic program transformations **167** (1-2) (1996) 193–233
3277. D. Sangiorgi,  $\pi$ -Calculus, internal mobility, and agent-passing calculi **167** (1-2) (1996) 235–274
3278. M. Margenstern, Foreword **168** (2) (1996) 213–214
3279. Y. Rogozhin, Small universal Turing machines **168** (2) (1996) 215–240
3280. M. Kudlek, Small deterministic Turing machines **168** (2) (1996) 241–255
3281. L. Pavlotskaya, On machines, universal by extensions **168** (2) (1996) 257–266
3282. I. Korec, Small universal register machines **168** (2) (1996) 267–301
3283. K. Morita, Universality of a reversible two-counter machine **168** (2) (1996) 303–320
3284. G. Păun, G. Rozenberg and A. Salomaa, Computing by splicing **168** (2) (1996) 321–336
3285. K. Morita and K. Imai, Self-reproduction in a reversible cellular space **168** (2) (1996) 337–366
3286. J. Mazoyer, On optimal solutions to the firing squad synchronization problem **168** (2) (1996) 367–404
3287. E. Goles and M. Matamala, Symmetric discrete universal neural networks **168** (2) (1996) 405–416
3288. O. Bournez and M. Cosnard, On the computational power of dynamical systems and hybrid systems **168** (2) (1996) 417–459
3289. H.T. Siegelmann, The simple dynamics of super Turing theories **168** (2) (1996) 461–472
3290. P. Koiran, A family of universal recurrent networks **168** (2) (1996) 473–480
3291. D. Moews, Coin-sliding and Go **164** (1-2) (1996) 253–276
3292. V. Auletta, D. Parente and G. Persiano, Dynamic and static algorithms for optimal placement of resources in a tree **165** (2) (1996) 441–461
3293. J.-H. You, R. Cartwright and M. Li, Iterative belief revision in extended logic programming **170** (1-2) (1996) 383–406
3294. A. Brandstädt, F.F. Dragan and F. Nicolai, Homogeneously orderable graphs **172** (1-2) (1997) 209–232
3295. A. Degtyarev and A. Voronkov, The undecidability of simultaneous rigid  $E$ -unification **166** (1-2) (1996) 291–300



3296. A.B. Matos, Monadic logic programs and functional complexity **176** (1-2) (1997) 175–204
3297. G. Kucherov and M. Rusinowitch, Matching a set of strings with variable length don't cares **178** (1-2) (1997) 129–154
3298. C. Hartonas, Semantics for finite delay **176** (1-2) (1997) 205–234
3299. B. Pierce and M. Steffen, Higher-order subtyping **176** (1-2) (1997) 235–282
3300. B.P. Hilken, Towards a proof theory of rewriting: The simply typed  $\lambda$ -calculus **170** (1-2) (1996) 407–444
3301. M. Madonia and S. Varricchio, Some decisional problems on rational relations **180** (1-2) (1997) 1–15
3302. M. Strauss, Normal numbers and sources for BPP **178** (1-2) (1997) 155–169
3303. V. Arvind and N.V. Vinodchandran, Solvable black-box group problems are low for PP **180** (1-2) (1997) 17–45
3304. J. Berstel and A. de Luca, Sturmian words, Lyndon words and trees **178** (1-2) (1997) 171–203
3305. K. Hosaka, Y. Takenaga, T. Kaneda and S. Yajima, Size of ordered binary decision diagrams representing threshold functions **180** (1-2) (1997) 47–60
3306. V. Brimkov, B. Codenotti, M. Leoncini and G. Resta, Strong NP-completeness of a matrix similarity problem **165** (2) (1996) 483–490
3307. I. Castellani and G.-Q. Zhang, Parallel product of event structures **179** (1-2) (1997) 203–215
3308. N.W. Keesmaat and H.C.M. Kleijn, Restrictions and representations of vector controlled concurrent system behaviours **179** (1-2) (1997) 61–102
3309. F. Bassino, Nonnegative companion matrices and star-height of  $\mathbb{N}$ -rational series **180** (1-2) (1997) 61–80
3310. C. Baier, Trees and semantics **179** (1-2) (1997) 217–250
3311. J.-C. Hohl, Massively parallel factorizations of polynomials with many non-commuting variables **172** (1-2) (1997) 255–263
3312. E. Garel, Séparateurs dans les mots infinis engendrés par morphismes **180** (1-2) (1997) 81–113
3313. B. Jay and J. Staples, Preface **169** (1) (1996) 1
3314. M.W. Bunder, Lambda terms definable as combinators **169** (1) (1996) 3–21
3315. P. Eades and S. Whitesides, The logic engine and the realization problem for nearest neighbor graphs **169** (1) (1996) 23–37
3316. C.A. Farrell and D.H. Kieronska, Formal specification of parallel SIMD execution **169** (1) (1996) 39–65
3317. J. Gibbons, Computing downwards accumulations on trees quickly **169** (1) (1996) 67–80
3318. P. Nickolas and P.J. Robinson, The Qu-Prolog unification algorithm: formalisation and correctness **169** (1) (1996) 81–112
3319. L.M.H. Yarroll, See more through lenses than bananas **169** (1) (1996) 113–121
3320. A. Muscholl, On the complementation of asynchronous cellular Büchi automata **169** (2) (1996) 123–145
3321. U. Feige, A fast randomized LOGSPACE algorithm for graph connectivity **169** (2) (1996) 147–160
3322. N. Globberman and D. Harel, Complexity results for two-way and multi-pebble automata and their logics **169** (2) (1996) 161–184
3323. J.-E. Pin, Polynomial closure of group languages and open sets of the Hall topology **169** (2) (1996) 185–200
3324. R. Di Cosmo and D. Kesner, Combining algebraic rewriting, extensional lambda calculi, and fixpoints **169** (2) (1996) 201–220
3325. L.V.S. Lakshmanan, Preface **171** (1-2) (1997) 1–2
3326. G. Ausiello and R. Giaccio, On-line algorithms for satisfiability problems with uncertainty **171** (1-2) (1997) 3–24
3327. M. Koubarakis, The complexity of query evaluation in indefinite temporal constraint databases **171** (1-2) (1997) 25–60
3328. P. Ruet and F. Fages, Combining explicit negation and negation by failure via Belnap's logic **171** (1-2) (1997) 61–75
3329. B. Mobasher, D. Pigozzi and G. Slutzki, Multi-valued logic programming semantics. An algebraic approach **171** (1-2) (1997) 77–109
3330. A. Nerode, J.B. Remmel and V.S. Subrahmanian, Annotated nonmonotonic rule systems **171** (1-2) (1997) 111–146
3331. L. Ngo and P. Haddawy, Answering queries from context-sensitive probabilistic knowledge bases **171** (1-2) (1997) 147–177

- 3332. E. Zimányi, Query evaluation in probabilistic relational databases **171** (1-2) (1997) 179–219
- 3333. J. Kohlas, Allocation of arguments and evidence theory **171** (1-2) (1997) 221–246
- 3334. P. Chatalic, C. Froidevaux and C. Schwind, Graded hypothesis theories **171** (1-2) (1997) 247–280
- 3335. P. Bosc, D. Dubois, O. Pivert and H. Prade, Flexible queries in relational databases – The example of the division operator **171** (1-2) (1997) 281–302
- 3336. J. Gruska, A. Monti, M. Napoli and D. Parente, Succinctness of descriptions of SBTA-languages **179** (1-2) (1997) 251–271
- 3337. S. Alagić and M. Alagić, Order-sorted model theory for temporal executable specifications **179** (1-2) (1997) 273–299
- 3338. S. Shimozone, Finding optimal subgraphs by local search **172** (1-2) (1997) 265–271
- 3339. I. Rystsov, Reset words for commutative and solvable automata **172** (1-2) (1997) 273–279
- 3340. M.-F. Sagot, A. Viari and H. Soldano, Multiple sequence comparison – a peptide matching approach **180** (1-2) (1997) 115–137
- 3341. J. Andrews, A logical semantics for depth-first Prolog with ground negation **184** (1-2) (1997) 105–143
- 3342. P. Burmeister, F. Rosselló, J. Torrens and G. Valiente, Algebraic transformation of unary partial algebras I. Double-pushout approach **184** (1-2) (1997) 145–193
- 3343. C.-H. Chang and R. Paige, From regular expressions to DFA's using compressed NFA's **178** (1-2) (1997) 1–36
- 3344. C.S. Iliopoulos, D. Moore and W.F. Smyth, A characterization of the squares in a Fibonacci string **172** (1-2) (1997) 281–291
- 3345. J. Su, Dynamic constraints and object migration **184** (1-2) (1997) 195–236
- 3346. H. Yamamoto, On the power of alternation on reversal-bounded alternating Turing machines with a restriction **180** (1-2) (1997) 139–154
- 3347. Z. Chen and S. Homer, Learning counting functions with queries **180** (1-2) (1997) 155–168
- 3348. P. Dybjer, Representing inductively defined sets by wellorderings in Martin-Löf's type theory **170** (1-2) (1996) 245–276
- 3349. Z.J. Czech, G. Havas and B.S. Majewski, Perfect hashing **182** (1-2) (1997) 1–143
- 3350. H.-C. Yen, On reachability equivalence for BPP-nets **179** (1-2) (1997) 301–317
- 3351. H. Shen and W. Liang, Efficient enumeration of all minimal separators in a graph **180** (1-2) (1997) 169–180
- 3352. M.D. Atkinson and D. Tulley, Bounded capacity priority queues **182** (1-2) (1997) 145–157
- 3353. J. Abello and S. Dolev, On the computational power of self-stabilizing systems **182** (1-2) (1997) 159–170
- 3354. B. Gao and F.K. Hwang, Wide-sense nonblocking for multirate 3-stage Clos networks **182** (1-2) (1997) 171–182
- 3355. I. Sigstam and V. Stoltenberg-Hansen, Representability of locally compact regular spaces by domains and formal spaces **179** (1-2) (1997) 319–331
- 3356. L. Lamport, Processes are in the eye of the beholder **179** (1-2) (1997) 333–351
- 3357. H. Doornbos, R. Backhouse and J. van der Woude, A calculational approach to mathematical induction **179** (1-2) (1997) 103–135
- 3359. Y. Yamasaki, The arithmetic of reversed positional games **174** (1-2) (1997) 247–249
- 3360. C. Pomerance, J.M. Robson and J. Shallit, Automaticity II: Descriptive complexity in the unary case **180** (1-2) (1997) 181–201
- 3361. L. Michel and P. Van Hentenryck, Helios: A modeling language for global optimization and its implementation in Newton **173** (1) (1997) 3–48
- 3362. N. Bjørner, A. Browne and Z. Manna, Automatic generation of invariants and intermediate assertions **173** (1) (1997) 49–87
- 3363. M. Koubarakis, From local to global consistency in temporal constraint networks **173** (1) (1997) 89–112
- 3364. M.J. Maher, Constrained dependencies **173** (1) (1997) 113–149
- 3365. S. Grumbach and J. Su, Queries with arithmetical constraints **173** (1) (1997) 151–181
- 3366. F. Ajili and E. Contejean, Avoiding slack variables in the solving of linear diophantine equations and inequations **173** (1) (1997) 183–208
- 3367. K. Marriott and M. Odersky, A confluent calculus for concurrent constraint programming **173** (1) (1997) 209–233
- 3368. A. Podelski and G. Smolka, Situated simplification **173** (1) (1997) 235–252

3369. P. Girdias, E. Cerny and W.J. Older, Solving linear, min and max constraint systems using CLP based on relational interval arithmetic **173** (1) (1997) 253–281
3370. U. Montanari and F. Rossi, Preface **173** (1) (1997) 1
3371. R. Dechter and P. van Beek, Local and global relational consistency **173** (1) (1997) 283–308
3372. E. Astesiano, Preface **173** (2) (1997) 309–310
3373. M. Cerioli and J. Meseguer, May I borrow your logic? (Transporting logical structures along maps) **173** (2) (1997) 311–347
3374. J.-P. Jouannaud and M. Okada, Abstract data type systems **173** (2) (1997) 349–391
3375. R. Hennicker, M. Wirsing and M. Bidoit, Proof systems for structured specifications with observability operators **173** (2) (1997) 393–443
3376. S. Kahrs, D. Sannella and A. Tarlecki, The definition of Extended ML: A gentle introduction **173** (2) (1997) 445–484
3377. F. Orejas, E. Pino and H. Ehrig, Institutions for logic programming **173** (2) (1997) 485–511
3378. G. Costa and G. Reggio, Specification of abstract dynamic-data types: A temporal logic approach **173** (2) (1997) 513–554
3379. H. Ono, Foreword **175** (1) (1997) 1
3380. Y.L. Ershov, The bounded-complete hull of an  $\alpha$ -space **175** (1) (1997) 3–13
3381. N.V. Shilov, Program schemata vs. automata for decidability of program logics **175** (1) (1997) 15–27
3382. S. Kobayashi, Monad as modality **175** (1) (1997) 29–74
3383. M. Sato, Intuitionistic and classical natural deduction systems with the catch and the throw rules **175** (1) (1997) 75–92
3384. J.R. Kennaway, J.W. Klop, M.R. Sleep and F.J. de Vries, Infinitary lambda calculus **175** (1) (1997) 93–125
3385. A. Middeldorp and H. Zantema, Simple termination of rewrite systems **175** (1) (1997) 127–158
3386. V. van Oostrom, Developing developments **175** (1) (1997) 159–181
3387. A. Lisitsa and V. Sazonov,  $\Delta$ -languages for sets and LOGSPACE computable graph transformers **175** (1) (1997) 183–222
3388. J.F. Groote and M.P.A. Sellink, Confluence for process verification **170** (1-2) (1996) 47–81
3389. H.-C. Yen, S.-T. Jian and T.-P. Lao, Deciding bisimulation and trace equivalences for systems with many identical processes **170** (1-2) (1996) 445–464
3390. N.D. Dendris, L.M. Kirousis and D.M. Thilikos, Fugitive-search games on graphs and related parameters **172** (1-2) (1997) 233–254
3391. H.-D. Burkhard, Fairness and control in multi-agent systems **189** (1-2) (1997) 109–127
3392. T. Eiter, G. Gottlob and N. Leone, Abduction from logic programs: Semantics and complexity **189** (1-2) (1997) 129–177
3394. P. Savický and S. Žák, A lower bound on branching programs reading some bits twice **172** (1-2) (1997) 293–301
3395. M. Cadoli, F.M. Donini, M. Schaerf and R. Silvestri, On compact representations of propositional circumscription **182** (1-2) (1997) 183–202
3396. O.H. Ibarra, N.Q. Trân and T. Yang, On the parallel complexity of loops **179** (1-2) (1997) 381–395
3397. G. Rote, Finding a shortest vector in a two-dimensional lattice modulo  $m$  **172** (1-2) (1997) 303–308
3398. G. Koole, Assigning a single server to inhomogeneous queues with switching costs **182** (1-2) (1997) 203–216
3399. V.J. Leung, The undecidability of the unrestricted modified edit distance **180** (1-2) (1997) 203–215
3400. D. Grigoriev, Testing shift-equivalence of polynomials by deterministic, probabilistic and quantum machines **180** (1-2) (1997) 217–228
3401. V. Bouchitté, M. Habib and M. Morvan, Preface **175** (2) (1997) 223
3402. V. Bouchitté and J.-X. Rampon, On-line algorithms for orders **175** (2) (1997) 225–238
3403. F. Bauernöppel, E. Kranakis, D. Krizanc, A. Maheshwari, J.-R. Sack and J. Urrutia, Planar stage graphs: Characterizations and applications **175** (2) (1997) 239–255
3404. O. Ekin, P.L. Hammer and U.N. Peled, Horn functions and submodular Boolean functions **175** (2) (1997) 257–270
3405. K. Ewacha, I. Rival and N. Zaguia, Approximating the number of linear extensions **175** (2) (1997) 271–282

3406. S. Felsner, On-line chain partitions of orders **175** (2) (1997) 283–292
3407. C. de la Higuera and L. Nourine, Drawing and encoding two-dimensional posets **175** (2) (1997) 293–308
3408. T. Kloks, D. Kratsch and J. Spinrad, On treewidth and minimum fill-in of asteroidal triple-free graphs **175** (2) (1997) 309–335
3409. J. Mitas and K. Reuter, Cover-preserving embeddings of bipartite orders into Boolean lattices **175** (2) (1997) 337–347
3410. I. Pe'er and R. Shamir, Satisfiability problems on intervals and unit intervals **175** (2) (1997) 349–372
3411. M. Talamo and P. Vocca, A data structure for lattice representation **175** (2) (1997) 373–392
3412. L. Viennot, Parallel  $N$ -free order recognition **175** (2) (1997) 393–406
3413. P.M. Higgins, A proof of Simon's theorem on piecewise testable languages **178** (1-2) (1997) 257–264
3414. O. Heen, Linear speed-up for cellular automata synchronizers and applications **188** (1-2) (1997) 45–57
3415. S. Sen, Lower bounds for parallel algebraic decision trees, parallel complexity of convex hulls and related problems **188** (1-2) (1997) 59–78
3416. R. Malgouyres, A definition of surfaces of  $\mathbb{Z}^3$ . A new 3D discrete Jordan theorem **186** (1-2) (1997) 1–41
3417. M. Matamala, Alternation on cellular automata **180** (1-2) (1997) 229–241
3418. G. Taentzer, Parallel high-level replacement systems **186** (1-2) (1997) 43–81
3419. H.J. Hoogetboom and A. Muscholl, The code problem for traces – improving the boundaries **172** (1-2) (1997) 309–321
3420. A.E. Andreev, A.E.F. Clementi and J.D.P. Rolim, Optimal bounds for the approximation of boolean functions and some applications **180** (1-2) (1997) 243–268
3421. E.L. Leiss, Solving systems of explicit language relations **186** (1-2) (1997) 83–105
3422. E. Badouel, L. Bernardinello and P. Darondeau, The synthesis problem for elementary net systems is NP-complete **186** (1-2) (1997) 107–134
3423. V. Giakoumakis and J.-M. Vanherpe, On extended  $P_4$ -reducible and extended  $P_4$ -sparse graphs **180** (1-2) (1997) 269–286
3424. G. Castagna, Unifying overloading and  $\lambda$ -abstraction:  $\lambda$  **176** (1-2) (1997) 337–345
3425. A. Brogi, E. Lamma, P. Mancarella and P. Mello, A unifying view for logic programming with non-monotonic reasoning **184** (1-2) (1997) 1–59
3426. K.R. Wagner, Liminf convergence in  $\Omega$ -categories **184** (1-2) (1997) 61–104
3427. S. Kobayashi and T. Yokomori, Learning approximately regular languages with reversible languages **174** (1-2) (1997) 251–257
3428. D. Peled, On projective and separable properties **186** (1-2) (1997) 135–155
3429. C. Kim, A hierarchy of eNCE families of graph languages **186** (1-2) (1997) 157–169
3430. P. Damaschke, An optimal parallel algorithm for digital curve segmentation **178** (1-2) (1997) 225–236
3431. A. Browne, E.M. Clarke, S. Jha, D.E. Long and W. Marrero, An improved algorithm for the evaluation of fixpoint expressions **178** (1-2) (1997) 237–255
3432. P. Brémont-Grégoire and I. Lee, A process algebra of communicating shared resources with dense time and priorities **189** (1-2) (1997) 179–219
3433. M.W. Mislove and D.A. Schmidt, Foreword **177** (1) (1997) 1
3434. S.O. Anderson and A.J. Power, A representable approach to finite nondeterminism **177** (1) (1997) 3–25
3435. T. Braüner, A general adequacy result for a linear functional language **177** (1) (1997) 27–58
3436. A. Bucciarelli, Degrees of parallelism in the continuous type hierarchy **177** (1) (1997) 59–71
3437. J.R.B. Cockett and D.A. Spooner, Constructing process categories **177** (1) (1997) 73–109
3438. B. Flagg and R. Kopperman, Continuity spaces: Reconciling domains and metric spaces **177** (1) (1997) 111–138
3439. D. Nolte and L. Prieske, Abstract fairness and semantics **177** (1) (1997) 139–153
3440. G.-Q. Zhang and W.C. Rounds, Defaults in domain theory **177** (1) (1997) 155–182
3441. G.T. Leavens and D. Pigozzi, The behavior–realization adjunction and generalized homomorphic relations **177** (1) (1997) 183–216
3442. Z. Ésik, Completeness of Park induction **177** (1) (1997) 217–283
3443. K. Romanik, Approximate testing and its relationship to learning **188** (1-2) (1997) 79–99
3444. A. Massol, Minimality of the system of seven equations for the category of finite sets **176** (1-2) (1997) 347–353
3445. A. Edalat and R. Heckmann, A computational model for metric spaces **193** (1-2) (1998) 53–73

3446. B. Codenotti, B.N. Datta, K. Datta and M. Leoncini, Parallel algorithms for certain matrix computations **180** (1-2) (1997) 287–308
3447. N. Takahashi, Various hierarchies of  $\omega$ -regular sets **174** (1-2) (1997) 259–268
3448. P. Turakainen, The undecidability of some equivalence problems concerning ngsm's and finite substitutions **174** (1-2) (1997) 269–274
3449. G.-Q. Zhang and R.E. Canfield, The end of pumping? **174** (1-2) (1997) 275–279
3450. S.L. Bloom and Z. Ésik, The equational logic of fixed points **179** (1-2) (1997) 1–60
3451. A. Ponse, C. Verhoef and B. van Vlijmen, Preface **177** (2) (1997) 285–286
3452. J.L.M. Vrancken, The algebra of communicating processes with empty process **177** (2) (1997) 287–328
3453. R.J. van Glabbeek, Notes on the methodology of CCS and CSP **177** (2) (1997) 329–349
3455. J.C.M. Baeten and J.A. Bergstra, Process algebra with propositional signals **177** (2) (1997) 381–405
3456. W. Fokink and H. Zanema, Termination modulo equations by abstract commutation with an application to iteration **177** (2) (1997) 407–423
3457. J. van Wamel, Process algebra with language matching **177** (2) (1997) 425–458
3458. L.-Å. Fredlund, J. Friso Groote and H. Korver, Formal verification of a leader election protocol in process algebra **177** (2) (1997) 459–486
3459. M. Bezem and A. Ponse, Two finite specifications of a queue **177** (2) (1997) 487–507
3460. R. Baeza-Yates and E. Goles, Preface **181** (1) (1997) 1–2
3461. T. Asano, D. Ranjan, T. Roos, E. Welzl and P. Widmayer, Space-filling curves and their use in the design of geometric data structures **181** (1) (1997) 3–15
3462. V. Bruyère and G. Hansel, Bertrand numeration systems and recognizability **181** (1) (1997) 17–43
3463. S. Chaudhuri and D. Dubhashi, Probabilistic recurrence relations revisited **181** (1) (1997) 45–56
3464. D. Fernández-Baca and G. Slutzki, Linear-time algorithms for parametric minimum spanning tree problems on planar graphs **181** (1) (1997) 57–74
3465. E. Feuerstein, Paging more than one page **181** (1) (1997) 75–90
3466. C.M.H. de Figueiredo, J. Meidanis and C.P. de Mello, On edge-colouring indifference graphs **181** (1) (1997) 91–106
3467. G. Galbiati, A. Morzenti and F. Maffioli, On the approximability of some Maximum Spanning Tree Problems **181** (1) (1997) 107–118
3468. W.I. Gasarch and K.S. Guimarães, Binary search and recursive graph problems **181** (1) (1997) 119–139
3469. C. Herzog, Pushdown automata with bounded nondeterminism and bounded ambiguity **181** (1) (1997) 141–157
3470. D. Lopresti and A. Tomkins, Block edit models for approximate string matching **181** (1) (1997) 159–179
3471. H. Prodinger, On a problem of Yekutieli and Mandelbrot about the bifurcation ratio of binary trees **181** (1) (1997) 181–194
3472. F. Wang, A temporal logic for real-time partial ordering with named transactions **181** (1) (1997) 195–225
3473. D. Du and M. Li, Foreword **181** (2) (1997) 227
3474. J. Belanger and J. Wang, No NP problems averaging over ranking of distributions are harder **181** (2) (1997) 229–245
3475. J. Chen, Algorithmic graph embeddings **181** (2) (1997) 247–266
3476. J. Díaz, A. Gibbons, G.E. Pantziou, M.J. Serna, P.G. Spirakis and J. Toran, Parallel algorithms for the minimum cut and the minimum length tree layout problems **181** (2) (1997) 267–287
3477. K. Kobayashi, Transformations that preserve malignness of universal distributions **181** (2) (1997) 289–306
3478. A. Lingas, Maximum tree-packing in time  $O(n^{5/2})$  **181** (2) (1997) 307–316
3479. K. Sakurai, Practical proofs of knowledge without relying on theoretical proofs of membership on languages **181** (2) (1997) 317–335
3480. J. Tromp, L. Zhang and Y. Zhao, Small weight bases for Hamming codes **181** (2) (1997) 337–345
3481. P.-J. Wan, Q. Yang and D. Kelley, A  $\frac{3}{2}$  log 3-competitive algorithm for the counterfeit coin problem **181** (2) (1997) 347–356
3482. X. Yu and M. Yung, Scheduling task-trees with additive scales on parallel/distributed machines **181** (2) (1997) 357–378
3483. J. Eloranta, M. Tienari and A. Valmari, Essential transitions to bisimulation equivalences **179** (1-2) (1997) 397–419

3484. Y. Kopidakis and V. Zissimopoulos, An approximation scheme for scheduling independent jobs into subcubes of a hypercube of fixed dimension **178** (1-2) (1997) 265–273
3485. M. Latteux and D. Simplot, Recognizable picture languages and domino tiling **178** (1-2) (1997) 275–283
3486. M. Kudlek and A. Mateescu, On distributed catenation **180** (1-2) (1997) 341–352
3487. M. Flammini and G. Gambosi, On devising Boolean Routing Schemes **186** (1-2) (1997) 171–198
3488. Y. Afek, S. Kutten and M. Yung, The local detection paradigm and its applications to self-stabilization **186** (1-2) (1997) 199–230
3489. J. Koslowski, Note on free algebras over continuous domains **179** (1-2) (1997) 421–425
3490. K.W. Regan and H. Vollmer, Gap-languages and log-time complexity classes **188** (1-2) (1997) 101–116
3491. E. Ohlebusch and E. Ukkonen, On the equivalence problem for E-pattern languages **186** (1-2) (1997) 231–248
3492. V. Grolmusz, On the power of circuits with gates of low  $L_1$  norms **188** (1-2) (1997) 117–128
3493. E. Goles and I. Rapaport, Complexity of tile rotation problems **188** (1-2) (1997) 129–159
3494. A. Černý, On sequences resulting from iteration of modified quadratic and palindromic mappings **188** (1-2) (1997) 161–174
3495. R. Freivalds and S. Jain, Kolmogorov numberings and minimal identification **188** (1-2) (1997) 175–194
3496. M. Karpinski, L.L. Larmore and W. Rytter, Correctness of constructing optimal alphabetic trees revisited **180** (1-2) (1997) 309–324
3497. P. Péladéau, H. Straubing and D. Thérien, Finite semigroup varieties defined by programs **180** (1-2) (1997) 325–339
3498. J.-P. Allouche, F. von Haeseler, H.-O. Peitgen, A. Petersen and G. Skordev, Automaticity of double sequences generated by one-dimensional linear cellular automata **188** (1-2) (1997) 195–209
3499. V. Gyuris, A short proof of representability of fork algebras **188** (1-2) (1997) 211–220
3500. G. Ghelli and B. Pierce, Bounded existentials and minimal typing **193** (1-2) (1998) 75–96
3501. V. Selivanov, Fine hierarchy of regular  $\omega$ -languages **191** (1-2) (1998) 37–59
3502. C. Berline and K. Grue, A  $\kappa$ -denotational semantics for map theory in ZFC+SI **179** (1-2) (1997) 137–202
3503. Y. Manabe, R. Baldoni, M. Raynal and S. Aoyagi,  $k$ -Arbiter: A safe and general scheme for  $h$ -out of- $k$  mutual exclusion **193** (1-2) (1998) 97–112
3504. S.O. Krumke, M.V. Marathe, H. Noltemeier, V. Radhakrishnan, S.S. Ravi and D.J. Rosenkrantz, Compact location problems **181** (2) (1997) 379–404
3505. C. Frougny and J. Sakarovitch, Synchronisation déterministe des automates à délai borné **191** (1-2) (1998) 61–77
3506. P.R. D’Argenio and C. Verhoef, A general conservative extension theorem in process algebras with inequalities **177** (2) (1997) 351–380
3507. G. Rozenberg and A. Salomaa, Preface **183** (1) (1997) I
3508. M. Ito, L. Kari and G. Thierrin, Insertion and deletion closure of languages **183** (1) (1997) 3–19
3509. D. Raz, Length considerations in context-free languages **183** (1) (1997) 21–32
3510. L. Ilie, On computational complexity of contextual languages **183** (1) (1997) 33–44
3511. A. de Luca, Sturmian words: structure, combinatorics, and their arithmetics **183** (1) (1997) 45–82
3512. C. Choffrut, T. Harju and J. Karhumäki, A note on decidability questions on presentations of word semigroups **183** (1) (1997) 83–92
3513. O. Maler and L. Staiger, On syntactic congruences for  $\omega$ -languages **183** (1) (1997) 93–112
3514. J. Honkala and W. Kuich, On Lindenmayerian algebraic power series **183** (1) (1997) 113–142
3515. J. Honkala, On Lindenmayerian algebraic sequences **183** (1) (1997) 143–154
3516. Y. Gurevich and J.K. Huggins, Equivalence is in the eye of the beholder **179** (1-2) (1997) 353–380
3517. D. Mihoubi, Characterization and closure properties of linear  $\omega$ -languages **191** (1-2) (1998) 79–95
3518. R.G. Downey, M.R. Fellows and K.W. Regan, Parameterized circuit complexity and the W hierarchy **191** (1-2) (1998) 97–115
3519. V. Bruyère, D. Derencourt and M. Latteux, The meet operation in the lattice of codes **191** (1-2) (1998) 117–129
3520. D. Breslauer, The suffix tree of a tree and minimizing sequential transducers **191** (1-2) (1998) 131–144
3521. S.V. Nagaraj, Optimal binary search trees **188** (1-2) (1997) 1–44
3522. A. Kościński and L. Pacholski, Makanin’s algorithm is not primitive recursive **191** (1-2) (1998) 145–156
3523. V.S. Alagar, Foreword **183** (2) (1997) 155–156

3524. A.E. Haxthausen, Order-sorted algebraic specifications with higher-order functions **183** (2) (1997) 157–185
3525. A. Montanari and M. de Rijke, Two-sorted metric temporal logics **183** (2) (1997) 187–214
3526. M. Dam, On the decidability of process equivalences for the  $\pi$ -calculus **183** (2) (1997) 215–228
3527. A. Cheng, Petri nets, traces, and local model checking **183** (2) (1997) 229–251
3528. P. Collette and E. Knapp, A foundation for modular reasoning about safety and progress properties of state-based concurrent programs **183** (2) (1997) 253–279
3529. M. Falaschi, M. Gabbriellini, K. Marriott and C. Palamidessi, Confluence in concurrent constraint programming **183** (2) (1997) 281–315
3530. D. Suciuc, Bounded fixpoints for complex objects **176** (1-2) (1997) 283–328
3531. H. Fernau and D. Wätjen, Remarks on regulated limited ETOL systems and regulated context-free grammars **194** (1-2) (1998) 35–55
3532. J. Dassow and V. Mitrana, Cooperation in context-free grammars **180** (1-2) (1997) 353–361
3533. V.F. Sirvent, On some dynamical subsets of the Rauzy fractal **180** (1-2) (1997) 363–370
3534. G. Dányi and Z. Fülöp, Compositions with superlinear deterministic top-down tree transformations **194** (1-2) (1998) 57–85
3535. P. Gyenizse and S. Vágvolgyi, Linear generalized semi-monadic rewrite systems effectively preserve recognizability **194** (1-2) (1998) 87–122
3536. I. Düntsch, A logic for rough sets **179** (1-2) (1997) 427–436
3537. F. Alessi and P. Baldan, A characterization of distance between 1-bounded compact ultrametric spaces through a universal space **193** (1-2) (1998) 113–127
3538. H.-A. Esbelin and M. More, Rudimentary relations and primitive recursion: A toolbox **193** (1-2) (1998) 129–148
3539. P.-J. Wan, TWDM multichannel lightwave hypercube networks **194** (1-2) (1998) 123–136
3540. R. David and K. Nour, A syntactical proof of the operational equivalence of two  $\lambda$ -terms **180** (1-2) (1997) 371–375
3541. R. Niedermeier and P. Rossmanith, Unambiguous computations and locally definable acceptance types **194** (1-2) (1998) 137–161
3542. S. Irani and S. Seiden, Randomized algorithms for metrical task systems **194** (1-2) (1998) 163–182
3543. K. Nakano and K. Wada, Integer summing algorithms on reconfigurable meshes **197** (1-2) (1998) 57–77
3544. N. Zhong, Recursively enumerable subsets of  $R^q$  in two computing models Blum–Shub–Smale machine and Turing machine **197** (1-2) (1998) 79–94
3546. P. Naudin and C. Quitté, Univariate polynomial factorization over finite fields **191** (1-2) (1998) 1–36
3547. K.A. Ross, D. Srivastava, P.J. Stuckey and S. Sudarshan, Foundations of aggregation constraints **193** (1-2) (1998) 149–179
3548. T. Zeugmann, Foreword **185** (1) (1997) 1
3549. J. Kececioglu, M. Li and J. Tromp, Inferring a DNA sequence from erroneous copies **185** (1) (1997) 3–13
3550. Y. Sakakibara, Recent advances of grammatical inference **185** (1) (1997) 15–45
3551. H. Arimura, H. Ishizaka and T. Shinohara, Learning unions of tree patterns using queries **185** (1) (1997) 47–62
3552. T. Koshiba, E. Mäkinen and Y. Takada, Learning deterministic even linear languages from positive examples **185** (1) (1997) 63–79
3553. L. Meyer, Probabilistic language learning under monotonicity constraints **185** (1) (1997) 81–128
3554. F. Stephan, Noisy inference and oracles **185** (1) (1997) 129–157
3555. P. Auer, Learning nested differences in the presence of malicious noise **185** (1) (1997) 159–175
3556. E. Takimoto, A. Miyashiro, A. Maruoka and Y. Sakai, Learning orthogonal  $F$ -Horn formulas **185** (1) (1997) 177–190
3557. M.R.K.K. Rao, A framework for incremental learning of logic programs **185** (1) (1997) 191–213
3559. V. Bafna, E.L. Lawler and P.A. Pevzner, Approximation algorithms for multiple sequence alignment **182** (1-2) (1997) 233–244
3561. A.N. Chebotarev and M.K. Morokhovets, Resolution-based approach to compatibility analysis of interacting automata **194** (1-2) (1998) 183–205
3562. S. Albers, A competitive analysis of the list update problem with lookahead **197** (1-2) (1998) 95–109

3563. H. Shen, Optimal algorithms for generalized searching in sorted matrices **188** (1-2) (1997) 221–230
3566. D. Mundici and A. Trombetta, Optimal comparison strategies in Ulam's searching game with two errors **182** (1-2) (1997) 217–232
3568. N.H. Lam, Hajós factorizations and completion of codes **182** (1-2) (1997) 245–256
3569. V. Geffert, A communication hierarchy of parallel computations **198** (1-2) (1998) 99–130
3574. T. Drakengren, A decidable canonical representation of the compact elements in Scott's reflexive domain in  $\mathcal{P}\omega$  **193** (1-2) (1998) 181–195
3575. D. Niwiński, Fixed point characterization of infinite behavior of finite-state systems **189** (1-2) (1997) 1–69
3576. M. Mezghiche,  $c\beta$ -Machine with  $\lambda\beta$ -reduction **189** (1-2) (1997) 221–228
3577. L. Bougé, D. Cachera, Y.L. Guyadec, G. Utard and B. Viot, Formal validation of data-parallel programs: a two component assertional proof system for a simple language **189** (1-2) (1997) 71–107
3578. M.M. Bonsangue, F. van Breugel and J.J.M.M. Rutten, Generalized metric spaces: Completion, topology, and powerdomains via the Yoneda embedding **193** (1-2) (1998) 1–51
3579. J. Staples, Preface **185** (2) (1997) 215
3580. D. Albrecht, J.N. Crossley and J.S. Jeavons, New Curry–Howard terms for full linear logic **185** (2) (1997) 217–235
3581. C.B. Jay, Covariant types **185** (2) (1997) 237–258
3582. X. Lin, A fully distributed quorum consensus method with high fault-tolerance and low communication overhead **185** (2) (1997) 259–275
3583. I.A. Mason, A first order logic of effects **185** (2) (1997) 277–318
3584. M.A. Orgun and W. Du, Multi-dimensional logic programming: theoretical foundations **185** (2) (1997) 319–345
3585. G.E. Pantziou, A. Roberts and A. Symvonis, Many-to-many routing on trees via matchings **185** (2) (1997) 347–377
3586. M.W. Vincent, A corrected 5NF definition for relational database design **185** (2) (1997) 379–391
3587. T. Weibel, An order-sorted resolution in theory and practice **185** (2) (1997) 393–410
3588. J. Calmet and A. Carrière, Foreword **187** (1-2) (1997) 1
3589. W. Geiselman and F. Ulmer, Constructing a third-order linear differential equation **187** (1-2) (1997) 3–6
3590. E. Hubert, Detecting degenerate behaviors in first order algebraic differential equations **187** (1-2) (1997) 7–25
3591. W. Fakler, On second order homogeneous linear differential equations with Liouvillian solutions **187** (1-2) (1997) 27–48
3592. G. Thomas, The problem of defining the singular points of quasi-linear differential-algebraic systems **187** (1-2) (1997) 49–79
3593. E. Pflügel, On the latest version of DESIR-II **187** (1-2) (1997) 81–86
3594. C. Scheen, Implementation of the Painlevé test for ordinary differential systems **187** (1-2) (1997) 87–104
3595. L. Bernardin, On square-free factorization of multivariate polynomials over a finite field **187** (1-2) (1997) 105–116
3596. W.A. de Graaf, An algorithm for the decomposition of semisimple Lie algebras **187** (1-2) (1997) 117–122
3597. A. Makhoulouf, Algèbres associatives et calcul formel (Associative algebras and computer algebra) **187** (1-2) (1997) 123–145
3598. C. Zenger, Indexed types **187** (1-2) (1997) 147–165
3599. D. Mall, Covers and fans of polynomial ideals **187** (1-2) (1997) 167–178
3600. B. Amrhein, O. Gloor and W. Küchlin, On the Walk **187** (1-2) (1997) 179–202
3601. J. Karczmarczuk, Generating power of lazy semantics **187** (1-2) (1997) 203–219
3602. J. Calmet and K. Homann, Towards the Mathematics Software Bus **187** (1-2) (1997) 221–230
3603. J. Korelc, Automatic generation of finite-element code by simultaneous optimization of expressions **187** (1-2) (1997) 231–248
3604. A. El Hamidi and M. Garbey, Using MAPLE for the analysis of bifurcation phenomena in gas combustion **187** (1-2) (1997) 249–262
3605. A. Carrière and L.-R. Oudin, Applications du calcul formel à la balistique **187** (1-2) (1997) 263–284
3610. A. Bergeron, On the rational behaviors of concurrent timers **189** (1-2) (1997) 229–237



3611. A. Rabinovich, On translations of temporal logic of actions into monadic second-order logic **193** (1-2) (1998) 197–214
3612. C. Hartonas, A fixpoint approach to finite delay and fairness **198** (1-2) (1998) 131–158
3617. H. Kirchner, Editorial **190** (1) (1998) 1–2
3618. M. Fernández and I. Mackie, Interaction nets and term-rewriting systems **190** (1) (1998) 3–39
3619. R. Kaivola, Axiomatising extended computation tree logic **190** (1) (1998) 41–60
3620. B. Lisper, Computing in unpredictable environments: semantics, reduction strategies, and program transformations **190** (1) (1998) 61–85
3621. A. Cheng and M. Nielsen, Open maps, behavioural equivalences, and congruences **190** (1) (1998) 87–112
3622. T. Lacoste, 0–1 laws by preservation **184** (1-2) (1997) 237–245
3624. N. Bidoit and S. De Amo, A first step towards implementing dynamic algebraic dependences **190** (2) (1998) 115–149
3625. J. Demetrovics, G.O.H. Katona, D. Miklos, O. Seleznev and B. Thalheim, Asymptotic properties of keys and functional dependencies in random databases **190** (2) (1998) 151–166
3626. L. Libkin, Models of approximation in databases **190** (2) (1998) 167–210
3627. S. Lifschitz and V. Vianu, A probabilistic view of Datalog parallelization **190** (2) (1998) 211–239
3628. V.W. Marek and M. Truszczyński, Revision programming **190** (2) (1998) 241–277
3629. D. Suciu, Domain-independent queries on databases with external functions **190** (2) (1998) 279–315
3630. J. Tyszkiewicz, The Kolmogorov expressive power of Boolean query languages **190** (2) (1998) 317–361
3631. R. Vingralek, H. Hasse-Ye, Y. Breitbart and H.-J. Schek, Unifying concurrency control and recovery of transactions with semantically rich operations **190** (2) (1998) 363–396
3633. D.Y. Long, J. Ma and D. Zhou, Structure of 3-infix–outfix maximal codes **188** (1-2) (1997) 231–240
3636. R. Liu, An improved Shellsort algorithm **188** (1-2) (1997) 241–247
3639. F. Otto, P. Narendran and D.J. Dougherty, Equational unification, word unification, and 2nd-order equational unification **198** (1-2) (1998) 1–47
3642. S. Cicerone and F. Parisi-Presicce, On the complexity of specification morphisms **189** (1-2) (1997) 239–248
3643. V. Niemi and A. Renvall, Secure multiparty computations without computers **191** (1-2) (1998) 173–183
3644. M. Cadoli and L. Palopoli, Circumscribing DATALOG: expressive power and complexity **193** (1-2) (1998) 215–244
3648. B. Pierce and M. Steffen, Corrigendum to “Higher-order subtyping” [Theoret. Comput. Sci. 176(1-2) (1997) 235–282] **184** (1-2) (1997) 247
3649. F. Botelho and M. Garzon, Erratum to “Boolean neural nets are observable,” [Theoret. Comput. Sci. 134 (1994) 51–61] **182** (1-2) (1997) 257
3652. S.M. Kautz, An improved zero-one law for algorithmically random sequences **191** (1-2) (1998) 185–192
3657. G. Eriksson, H. Eriksson and K. Eriksson, Moving a food trolley around a corner **191** (1-2) (1998) 193–203
3659. P. Flajolet and B. Vallée, Continued fraction algorithms, functional operators, and structure constants **194** (1-2) (1998) 1–34
3661. M. Boreale and D. Sangiorgi, Some congruence properties for  $\pi$ -calculus bisimilarities **198** (1-2) (1998) 159–176
3662. R. Goldblatt, Enlargements of functional algebras for the lambda calculus **198** (1-2) (1998) 177–200
3669. M. Middendorf, Shortest common superstrings and scheduling with coordinated starting times **191** (1-2) (1998) 205–214
3671. T.S. Ferguson, Some chip transfer games **191** (1-2) (1998) 157–171
3676. U. Egly, An answer to an open problem of Urquhart **198** (1-2) (1998) 201–209
3678. J. Hsiang, Foreword **192** (1) (1998) 1
3679. R. Mayr and T. Nipkow, Higher-order rewrite systems and their confluence **192** (1) (1998) 3–29
3680. M. Marchiori, Bubbles in modularity **192** (1) (1998) 31–54
3681. G. Sénizergues, A polynomial algorithm testing partial confluence of basic semi-Thue systems **192** (1) (1998) 55–75

3682. S. Anantharaman and G. Richard, A rewrite mechanism for logic programs with negation **192** (1) (1998) 77–106
3683. F. Baader and K.U. Schulz, Combination of constraint solvers for free and quasi-free structures **192** (1) (1998) 107–161
3685. N. Busi, R. Gorrieri and G. Zavattaro, A process algebraic view of Linda coordination primitives **192** (2) (1998) 167–199
3686. L. Dami, A lambda-calculus for dynamic binding **192** (2) (1998) 201–231
3687. C. Hankin, D. Le Métayer and D. Sands, Refining multiset transformers **192** (2) (1998) 233–258
3688. L. Monteiro and A. Porto, Entailment-based actions for coordination **192** (2) (1998) 259–286
3689. M. Mukherji and D. Kafura, A process-calculus-based abstraction for coordinating multi-agent groups **192** (2) (1998) 287–314
3690. P. Wegner, Interactive foundations of computing **192** (2) (1998) 315–351
3691. W. Penczek, Foreword **195** (1) (1998) 1
3692. A. de Bruin and S.-H. Nienhuys-Cheng, Linear dynamic Kahn networks are deterministic **195** (1) (1998) 3–32
3693. S. Demri, A class of decidable information logics **195** (1) (1998) 33–60
3694. Z. Ésik and A. Labella, Equational properties of iteration in algebraically complete categories **195** (1) (1998) 61–89
3695. P. Séébold, On the conjugation of standard morphisms **195** (1) (1998) 91–109
3696. P. Sarkar and R. Barua, Multidimensional  $\sigma$ -automata,  $\pi$ -polynomials and generalised  $S$ -matrices **197** (1-2) (1998) 111–138
3698. O. Goldreich and B. Meyer, Computational indistinguishability: algorithms vs. circuits **191** (1-2) (1998) 215–218
3699. A. Mateescu, G. Rozenberg and A. Salomaa, Shuffle on trajectories: Syntactic constraints **197** (1-2) (1998) 1–56
3700. J. Wang, Finite derivation type for semi-direct products of monoids **191** (1-2) (1998) 219–228
3711. L. Fortnow, R. Freivalds, W.I. Gasarch, M. Kummer, S.A. Kurtz, C.H. Smith and F. Stephan, On the relative sizes of learnable sets **197** (1-2) (1998) 139–156
3712. E. Angel and V. Zissimopoulos, Autocorrelation coefficient for the graph bipartitioning problem **191** (1-2) (1998) 229–243
3713. C. Ceola and P.B.A. Lecomte, Computability of a map and decidability of its graph in the model of Blum, Shub and Smale **194** (1-2) (1998) 219–223
3717. R. Beigel, B. Gasarch, M. Li and L. Zhang, Addition in  $\log_2 n + O(1)$  steps on average. A simple analysis **191** (1-2) (1998) 245–248
3720. G. Nadathur and D.S. Wilson, A notation for lambda terms. A generalization of environments **198** (1-2) (1998) 49–98
3722. M. Hadjiat, Penelope's graph: a hard minimum cost tension instance **194** (1-2) (1998) 207–218
3725. P. Fraigniaud, On XRAM and PRAM models, and on data-movement-intensive problems **194** (1-2) (1998) 225–237
3729. P.B. Gibbons, Y. Matias and V. Ramachandran, The queue-read queue-write asynchronous PRAM model **196** (1-2) (1998) 3–29
3730. L. Colombet and L. Desbat, Speedup and efficiency of large-size applications on heterogeneous networks **196** (1-2) (1998) 31–44
3731. A.D. Kshemkalyani, A framework for viewing atomic events in distributed computations **196** (1-2) (1998) 45–70
3732. G.H. Botorog and H. Kuchen, Efficient high-level parallel programming **196** (1-2) (1998) 71–107
3733. A. Tiskin, The bulk-synchronous parallel random access machine **196** (1-2) (1998) 109–130
3734. M. Di Ianni, Efficient delay routing **196** (1-2) (1998) 131–151
3735. P.D. MacKenzie and V. Ramachandran, ERCW PRAMs and optical communication **196** (1-2) (1998) 153–180
3736. F. Meyer auf der Heide, K. Schröder and F. Schwarze, Routing on networks of optical crossbars **196** (1-2) (1998) 181–200

- 3737. S.F. Oberman and M.J. Flynn, Reducing the mean latency of floating-point addition **196** (1-2) (1998) 201–214
- 3738. A. Podehl, T. Rauber and G. Rünger, A shared-memory implementation of the hierarchical radiosity method **196** (1-2) (1998) 215–240
- 3739. J.K. Hollingsworth and B.P. Miller, Using cost to control instrumentation overhead **196** (1-2) (1998) 241–258
- 3740. C.-H. Cho and J.-T. Wang, Triangular grid protocol: An efficient scheme for replica control with uniform access quorums **196** (1-2) (1998) 259–288
- 3741. S.T. Hackstadt and A.D. Malony, DAQV: Distributed Array Query and Visualization Framework **196** (1-2) (1998) 289–317
- 3742. J.A. Smith and S.K. Shrivastava, Performance of fault-tolerant data and compute intensive programs over a network of workstations **196** (1-2) (1998) 319–345
- 3743. F. Gasperoni and U. Schwiegelshohn, List scheduling in the presence of branches. A theoretical evaluation **196** (1-2) (1998) 347–363
- 3744. J. Knoop, Eliminating partially dead code in explicitly parallel programs **196** (1-2) (1998) 365–393
- 3745. P.L. Gouëssier d'Argence, Affine scheduling on bounded convex polyhedric domains is asymptotically optimal **196** (1-2) (1998) 395–415
- 3765. L. Ngoc-Minh, On determining optimal strategies in pursuit games in the plane **197** (1-2) (1998) 203–234
- 3766. P. Jeavons, On the algebraic structure of combinatorial problems **200** (1-2) (1998) 185–204
- 3767. I. Tomescu, On words containing all short subwords **197** (1-2) (1998) 235–240
- 3768. G. Xue, An  $O(n)$  time hierarchical tree algorithm for computing force field in  $n$ -body simulations **197** (1-2) (1998) 157–169
- 3771. J. Esparza, Reachability in live and safe free-choice Petri nets is NP-complete **198** (1-2) (1998) 211–224
- 3773. F. Corradini, On the coarsest congruence within global-clock-bounded equivalence **198** (1-2) (1998) 225–237
- 3774. R.D. Prisco, A. Monti and L. Pagli, Testing and reconfiguration of VLSI linear arrays **197** (1-2) (1998) 171–188
- 3786. N. Çağman and J.R. Hindley, Combinatory weak reduction in lambda calculus **198** (1-2) (1998) 239–247
- 3789. L.L. Larmore and W. Rytter, Almost optimal sublinear time parallel recognition algorithms for three subclasses of context free languages **197** (1-2) (1998) 189–201
- 3795. T. Harju and L. Ilie, On quasi orders of words and the confluence property **200** (1-2) (1998) 205–224
- 3797. M. Hennessy and J. Rathke, Bisimulations for a calculus of broadcasting systems **200** (1-2) (1998) 225–260
- 3799. K. Barthelmann, Nondeterministic operations on finite relational structures **200** (1-2) (1998) 1–44
- 3800. A. Nijholt and G. Scollo, Editorial **199** (1-2) (1998) 1–3
- 3801. W. Buszkowski, Algebraic structures in categorical grammar **199** (1-2) (1998) 5–24
- 3802. T.M.V. Janssen, Algebraic translations, correctness and algebraic compiler construction **199** (1-2) (1998) 25–56
- 3803. E. Visser, Polymorphic syntax definition **199** (1-2) (1998) 57–86
- 3804. K. Sikkel, Parsing schemata and correctness of parsing algorithms **199** (1-2) (1998) 87–103
- 3805. T. Rus, Algebraic processing of programming languages **199** (1-2) (1998) 105–143
- 3806. F. Tendeau, Computing abstract decorations of parse forests using dynamic programming and algebraic power series **199** (1-2) (1998) 145–166
- 3807. E.V. de la Clergerie and F. Barthélemy, Information flow in tabular interpretations for generalized push-down automata **199** (1-2) (1998) 167–198
- 3808. T. Rus and J.S. Jones, PHRASE parsers from multi-axiom grammars **199** (1-2) (1998) 199–229
- 3809. J.C. Ramalho, J.J. Almeida and P. Henriques, Algebraic specification of documents **199** (1-2) (1998) 231–247
- 3810. E. Rivals and J.-P. Delahaye, Optimal representation in average using Kolmogorov complexity **200** (1-2) (1998) 261–287
- 3818. J. van de Pol, Operational semantics of rewriting with priorities **200** (1-2) (1998) 289–312
- 3832. V. Schmitt, Stable trace automata vs. full trace automata **200** (1-2) (1998) 45–100
- 3837. C. Blundo, L.A. Frota Mattos and D.R. Stinson, Generalized Beimel–Chor schemes for broadcast encryption and interactive key distribution **200** (1-2) (1998) 313–334

- 3839. L.M. Schmitt, C.L. Nehaniv and R.H. Fujii, Linear analysis of genetic algorithms **200** (1-2) (1998) 101–134
- 3844. W. Zielonka, Infinite games on finitely coloured graphs with applications to automata on infinite trees **200** (1-2) (1998) 135–183
- 3847. D. Mundici and N. Olivetti, Resolution and model building in the infinite-valued calculus of Łukasiewicz **200** (1-2) (1998) 335–366